

EMBERTONTM

ELECTRICAL APPLIANCES

PRODUCT CATALOGUE 2026



EMBERTON™

Established 1986

EMBERTON. INVEST FOR YOUR GUEST

"Sustainable Investing in electrical engineering & technology to improve the safety, reliability & performance of electrical appliances worldwide"

Safety, robustness and reliability are built into all of our professional range of guest room products. Emberton products are a solid investment, adding value to your assets.

With 35 years of history - design, innovation & creativity is our passion and the very heart of Emberton.

Working closely with a panel of experienced hoteliers helps us to understand the trends, habits & behavior of guests, perfecting our product innovations all the way from development to production.

SUSTAINABILITY & INNOVATION

At EMBERTON, we strive to make a positive impact on the world around us.

Increased use of recycled materials, eliminating single use plastics and a drive towards localised manufacturing, these sustainable practices enable us to create lasting value for our customers, employees, and the communities we serve.

Emberton is committed to driving positive change by reducing our environmental impact, promoting social responsibility, and maintaining the highest ethical standards. Through readily available, easily inter-changeable components and spare parts we can substantially prolong the service life of our products.

Emberton products are available through a global network of specialist hotel supply distributors, with professional support and service to match the expectation of the Emberton brand.

Let's build a future that thrives—one sustainable choice at a time.





DUAL SAFE™, AN EMBERTON PROPRIETARY ELECTRICAL SAFETY SYSTEM, IS INTEGRATED INTO THE ELECTRICAL CIRCUIT TO DETECT TEMPERATURE

DUAL SAFE™ THERMOFUSE TECHNOLOGY WHAT DOES IT DO?

DUAL SAFE™ prevents electrical appliances catching fire due to overheating.

DUAL SAFE™ THERMOFUSE TECHNOLOGY HOW DOES IT WORK?

DUAL SAFE™ uses an organic, thermo-sensitive material, remarkably sensitive to abnormally high temperatures. Upon sensing critical heat levels, DUAL SAFE™ activates and the electrical current will be interrupted immediately and permanently.

Working independently from and in addition to the thermostat, DUAL SAFE™ system immediately cuts power to an appliance when temperatures reach critical levels.

DUAL SAFE™ THERMOFUSE TECHNOLOGY WHAT DOES IT DO?

In most electrical appliances, the thermostat is the only safety system. Thermostats are very sensitive components and can become faulty or damaged by misuse. If the thermostat fails, it's easy for the appliance to catch fire.

DUAL SAFE™ acts as an additional safety system, preventing risk of an accidental fire when using an EMBERTON DUAL SAFE™ electrical appliance.

KETTLES
05-12

CLIMATE PURE
WATER PURIFIER
13-14

BAMBOO WELCOME TRAYS
15-26

WELCOME TRAYS
27-36

HAIRDRYERS
37-44

STEAMER & IRONS
45-56

TOUGH IRONING BOARDS
57-58

IRONING CENTRES
SAFETY & STORAGE
59-64

MINIBAR &
GUEST SAFE BOX
65-74

ACCESSORIES & ROOM
ESSENTIALS
75-86

SERIES - A
87-88

SPECIFICATIONS
89-106

INDEX

Evesham
Malvern
Corsham
Banbury
Guildford

1.0L Water Purifier
Hot & Cold 4.0L Water Purifier

Fenland
Winsford
Amesbury
Cambourne Plus
Tongwell

Heywood Slate ABS
Walton ABS
Andover ABS
Lavenham ABS
Mere (Adaptor)
Halstead

Thames
Harrow
Marlow Deluxe
Emsworth
Ashford
Devizes (Hairdryer Holder)
Mursley (Hairdryer Holder)
Lathbury (Hairdryer Bag)
Shere (Hairdryer Stand)

Croft Deluxe
Hertford
Amphill
Cheshunt
Arundel (Foldable Steamer Board)
Crawley
Longridge (Steamer & Iron Bag)

Rothwell
Moulton
Sherington

Bromham
Kingsmead
Elstow
Stagsden
Stroud
Somerton
Oakham
Sandhurst (Holder)
Hyde (Holder)

Keswick
Bibury
Chesham
Brixham
Penzance
Redditch
Derby
Dewsbury
Witney

Bodmin Multi-Function Alarm Clock
Alton USB Rechargeable Torchlight
Woburn Push Power Bathroom Scale
Wilton Scale (Bamboo)
Whitehill Scale
Fairford Bathroom Scale
Ashton Bathroom Scale

1600W Cylindrical Hairdryer
Emergency Torchlight INSTANT-ON

Technical Data
Dimensions
Packaging Details



KETTLES

CLIMATE
PURE
WATER
PURIFIER

WELCOME
TRAYS
BAMBOO

WELCOME
TRAYS

HAIRDRYERS

STEAMER &
IRONS

TOUGH
IRONING
BOARDS

IRONING CENTRES
SAFETY & STORAGE

MINIBAR & GUEST
SAFE BOX

ACCESSORIES &
ROOM
ESSENTIALS

SERIES - A

SPECIFICATIONS



KETTLES

Evesham

Double Wall Safety Insulated Kettle 1.0L

- ➔ Boil Aware 360 : active BLUE boil-on LED pilot ALERT light encircles complete body with 360° glow for added safety awareness during boiling
- ➔ Double Layer Safety Insulation - reduces surface heat to help prevent scalding & heat loss
- ➔ Illuminated Water window - clear and brightly lit blue LED for greater clarity of water level
- ➔ Advanced Technology Isolation Boil Dry
- ➔ Dual Safe – Thermostat & Latest Technology Internal Fuse
- ➔ High Grade SS304 Stainless Steel Body & Heat Plate
- ➔ ECO saves Water and Energy
- ➔ Concealed Heating Element for Easy Cleaning
- ➔ Auto Steam Switch off
- ➔ Auto Off Power Indicator Light
- ➔ Hinged Trigger Style Locking lid
- ➔ Available in EU & BS plug variants

Specifications

Power	1500-1800W (220-240V, 50-60Hz)
Dimensions	220 x 143 x 220mm
Overall Height	220mm
Top Diameter	88mm
Base Diameter	143mm
Certification	CE, CB, RoHS & GS Approved
Weight	930g



Double Layer Safety Insulation



360° Swivel



Registered Design



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc



EH50714 - EU PLUG
EH50715 - UK PLUG



EH50724 - EU PLUG
EH50725 - UK PLUG

Available in BLACK

Evesham

Double Wall Safety Insulated Kettle 1.0L



EH50550 - EU PLUG
EH50551 - UK PLUG



EH50726 - EU PLUG
EH50727 - UK PLUG

Available in BLACK

Malvern

Brushed Stainless Steel Kettle 0.5L

- ➔ Advanced Technology Isolation Boil Dry
- ➔ Dual Safe – Thermostat & Latest Technology Internal Fuse
- ➔ Water Level Gauge Window
- ➔ ECO saves Water and Energy
- ➔ Concealed Heating Element for Easy Cleaning
- ➔ Auto Steam Switch off
- ➔ Auto Off Power Indicator Light
- ➔ Hinged Trigger Style Locking lid
- ➔ Available in EU & BS plug variants

Specifications

Power	800-950 Watt (220-240V, 50-60Hz)
Dimensions	190 x 150 x 185mm
Overall Height	185mm
Top Diameter	90mm
Base Diameter	143mm
Certification	CE, CB, RoHS & UKCA Approved
Weight	770g



High Grade SS304
Stainless Steel Body
& Heat Plate



Cordless 360° Swivel



Registered Design



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc



EH50633 - EU PLUG
EH50632 - UK PLUG



EH50705 - EU PLUG
EH50709 - UK PLUG

Available in BLACK

Corsham

Brushed Stainless Steel Kettle 1.0L

- ➔ Advanced Technology Isolation Boil Dry
- ➔ Dual Safe – Thermostat & Latest Technology Internal Fuse
- ➔ Water Level Gauge Window
- ➔ ECO saves Water and Energy
- ➔ Concealed Heating Element for Easy Cleaning
- ➔ Auto Steam Switch off
- ➔ Auto Off Power Indicator Light
- ➔ Hinged Trigger Style Locking lid
- ➔ Available in EU & BS plug variants

Specifications

Power	800-950 Watt (220-240V, 50-60Hz)
Dimensions	190 x 143 x 209mm
Overall Height	209mm
Top Diameter	90mm
Base Diameter	143mm
Certification	CE, CB, RoHS & UKCA Approved
Weight	790g



High Grade SS304
Stainless Steel Body
& Heat Plate



Cordless 360° Swivel



Registered Design



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc



Banbury

SEAMLESS Double Wall Safety Insulated Kettle 0.8L

- ➔ Highest Quality & Sturdy Body & Lid
- ➔ Only 800W Power Consumption Average
- ➔ Advance Technology Isolation Boil Dry
- ➔ Dual Safe - Thermostat & Latest Technology Internal Fuse
- ➔ High Grade SS304 Stainless Steel Body & Heat Plate
- ➔ ECO saves Water and Energy
- ➔ SEAMLESS Stainless Steel Interior & Concealed Heating Element for Easy Cleaning
- ➔ Auto Steam Switch Off
- ➔ Auto Off Power Indicator Light
- ➔ Hinged Trigger Style Locking Lid
- ➔ Available in EU & BS plug variants



No Welds - Easy Clean SEAMLESS
SS304 Steel Body & Heat Plate



360° Swivel Cordless



Hinged Trigger Style
Locking Lid

Specifications

Power	800W (220-240V, 50-60Hz)
Dimensions	190 x 130 x 200mm
Overall Height	200mm
Top Diameter	111.5mm
Base Diameter	130mm
Certification	CE, CB, UKCA & RoHS Approved
Weight	750g





EH50840 - EU PLUG
EH50839 - UK PLUG

Banbury
SEAMLESS Double Wall Safety Insulated Kettle 0.8L



Guildford

Premium Hotel Kettle 0.8L

- Only 950W Power Consumption Average
- Advanced Technology Isolation Boil Dry – 100% OFF Non-Recycle
- SS 304 Stainless Steel Heat Boiling Plate
- Water Level Gauge Window
- Durable Trigger Style Spring Assisted Locking Lid
- Easy Water Pour & Flow
- Easy Wipe Clean Plastic Interior
- Concealed Heating Element for Easy Cleaning
- Auto Steam Switch off
- Auto Off Power Indicator Light
- Washable Filter

Specifications

Power	870 - 1035W (220-240V, 50-60Hz)
Dimensions	187 x 139 x 180mm
Overall Height	180mm
Top Diameter	90mm
Base Diameter	139mm
Certification	CE, CB & UKCA Approved
Weight	605g



SS 304
Stainless Steel Base



360° Swivel Cordless



Highest Quality &
Sturdy Body & Lid





EH50740 - EU PLUG
EH50741 - UK PLUG



EH50743 - EU PLUG
EH50742 - UK PLUG

Available in WHITE

Guildford

Premium Hotel Kettle 0.8L

1.0L Water Purifier

INSTANT, PURIFIED HOT WATER

Complete purification, rapid heating, and precise temperature adjustment—all in just 3 seconds. Enjoy fresh, clean water at your fingertips!

Installation Free, can be placed anywhere - No Plumbing. No Pipes

Can be used in different locations, not restricted by water sources and positions. Lifiable water tank, independent of source and placement, suitable for anywhere.

User Friendly Controller & Dispense

Customize water temperature -5-stage temperature control with rotary knob - 25°C-98°C adjustable as desired.

Press to dispense 200ml - Press Stop for less.

Low Standby Power - 0.5W

Integrates the latest in intelligent eco-friendly technology. Combining energy efficiency with powerful performance.

BPA-free

All parts that come into contact with water are made from BPA-free materials.

- Anti-Bacterial Dispense Pipes
- Hygienic 304 Stainless Steel Pipes
- One-click self-cleaning
- Easy filter Replacement System
- Detachable and washable drip tray
- Safety lock for all temperature
- Water shortage indicator
- Clean, minimalist and stylish design
- Temperature Indicator
- Unlimited Purifier Water
- Suitable for Municipal Tap Water Supply

Specifications

Product Name	1.0L Water Purifier
Power	2000-2400W, AC220-240, 50-60Hz
Product Material	ABS
Product Colour	Matt Black
Cable Length	80cm
Water Tank Capacity	1.0L
Water Source	Suitable for Municipal Tap Water Only
5 Temperature	25°C, 60°C, 70°C, 85°C, 98°C
Product Size	405 x 100 x 263mm
Product Weight	2.1kg
Certification	CE, CB, UKCA, REACH & RoHS Approved



CP60898 - EU PLUG
CP60899 - UK PLUG

Sustainable Guest Hydration.

Transform Guest Room Water into Pure, Healthy, Unlimited Drinking Water in Seconds



www.climatepure.com



Pioneering Purification



Reduced Limescale - Better Taste



Innovative Technology



Eliminates Contaminants in Tap Water



Secures Minerals Most Filters Eliminates



Destroys Bacteria Commonly Present in Filter Jugs



Distinct from Bottled Water, Free of Microplastics



Avoid Scaley Kettles

CLIMATE PURE is a brand of the EMBERTON Group

Hot & Cold 4.0L Water Purifier

INSTANT, PURIFIED HOT WATER
RAPID COOLING, CHILLED WATER

R2 SHIELD MASTER DUAL STREAM

- Double Chamber Multi-Stage Purification.
- Bacterial & Virus Intercept Rate: >99.99%
- Filters out residual chlorine, sediment, pesticides, rust, sand and other impurities, ensuring cleaner, odour-free water.

Double UV-C Lamp Automatic Sterilization

- Double UV-C technology ensures every drop is sterilised, eliminating bacteria, viruses, and fungi.
- Prevents microorganism growth by disrupting their DNA.

Instant Hot Water

- Spiral heating technology delivers hot water at multiple temperature settings (Ambient to 100°C) instantly.

Rapid Cooling

- High efficiency R600a compressor cooling – chilled water to 5°C.

Installation-Free Design

- No plumbing or pipes needed.
- Portable, with a liftable 4L water tank, making it easy to use anywhere.
- Total Dissolved Solids (TDS) Indicator.
- Energy-efficient with low standby power.
- Stainless-steel cold water tank.
- Isolated double filter chambers prevent contamination of stored water.
- One-click self-cleaning system.
- Easy filter replacement and washable drip tray.
- Safety lock for temperatures ranging from 45° to 100° and water shortage indicator.
- Super large, bright touch screen design – easy to operate.
- Stylish, minimalist design.



Specifications

Product Name	Hot & Cold 4.0L Water Purifier
Power	2200-2300W, AC220-240, 50Hz
Product Material	ABS
Product Colour	Matt Black
Cable Length	1 Metre
Water Tank Capacity	4.0L
Water Source	Suitable for Municipal Tap Water Only
Cold Temperature	5-10°C
Temperature Range	Ambient-100°C
Product Size	468 x 213 x 390mm
Product Weight	11.2kg
Certification	CE, CB, UKCA, REACH & RoHS Approved



www.climatepure.com

Sustainable Water Solution.

Experience Pure, Healthy Water
Anytime, At Your Convenience.





1. FASTEST GROWING PLANT IN THE WORLD

Bamboo is the world's fastest-growing plant, shooting out of the ground at an astonishing four centimetres per second. At this rate, certain bamboo species can grow 91 centimetres (about 35 inches) in a single day. A bamboo culm can be ready to re-harvest in a mere 3-5 years. Bamboo shoots are connected to their parent plant by an underground stem, called a rhizome. These rhizomatic cores are part of the reason why bamboo can grow so quickly.

2. DURABILITY AND SUSTAINABLE

Bamboo grows in dense forests where little light reaches the ground and there is strong evolutionary pressure to reach the sunlight as quickly as possible. Bamboo also plays an important role when it comes to protecting the soil and land around it; those long strong roots keep the soil together to prevent erosion.



3. ECO-FRIENDLY PRODUCTS

Bamboo is a climate-adaptable plant that can thrive in a number of different environments and has showcased remarkable resilience in the face of an impressive number of environmental stressors. Compared to an equivalent tree mass, bamboo produces 35% more oxygen and research has shown that bamboo can absorb as much as 12 tonnes of carbon dioxide per hectare per year. Bamboo can also be harvested without killing the plant's core that produces the collectible stalks, meaning that soil erosion is reduced throughout the harvesting process.



4. EROSION CONTROL AND SOIL PROTECTION

Bamboos are being used as living plants as well as construction material in different soil bioengineering techniques in many countries. Bamboo is a great tool for soil protection due to its rapid growth, permanent canopy and huge network of roots and rhizomes. The root system that grows in the surface layer of the soil (20 - 60 cm deep), can reach up to 100 km per hectare.



5. WATER CONSERVATION

Bamboo is a versatile and effective tool for water conservation efforts. It is increasingly used by environmental organisations and governments worldwide to help protect and conserve our precious water resources. Bamboo plants have a low water requirement and can grow in areas with limited water resources, helping to conserve water.



NO to PVC & PU Fake Leather. Hello to Bamboo.....

Plastic, particularly PVC (polyvinyl chloride) and PU (polyurethane), is widely used in various industries and products. However, there are several reasons why we should reduce our reliance on and avoid using these types of plastic. Some of the main reasons include:



1. ENVIRONMENTAL IMPACT

PVC and PU production involves the use of fossil fuels and synthetic chemicals, which contribute to air pollution, water pollution and greenhouse gas emissions. Additionally, these plastics are not easily biodegradable and can persist in the environment for hundreds of years, leading to long-term harm to ecosystems.

2. TOXICITY CONCERNS

PVC contains additives such as phthalates, lead and heavy metals, which can leach out and pose risks to human health. Exposure to these toxins has been associated with various health issues, including respiratory problems, hormonal disruptions, developmental disorders and certain types of cancer.



3. WASTE GENERATION

PVC and PU, like most plastics, generate significant waste during their production, use and disposal phases. The improper disposal and incineration of these plastics release toxic by-products and pollutants into the environment, further exacerbating environmental and health concerns.



4. RECYCLING CHALLENGES

PVC and PU pose challenges in terms of recycling. These plastics have different chemical compositions and require specialized recycling processes, which are often limited and costly. As a result, a significant portion of PVC and PU waste ends up in landfills or incinerators rather than being recycled.



5. SUSTAINABLE ALTERNATIVES

There are many sustainable and eco-friendly alternatives to PVC and PU available in the market. For example, **BAMBOO PLANT IS AN EXCELLENT NATURAL ALTERNATIVE** IS MADE INTO TRAYS & FURNITURE. Natural fibers like cotton, hemp, or cork can be used as alternatives to PU in fashion and footwear industries. Recycled or bio-based plastics, such as PLA (polylactic acid), can serve as alternatives to PVC in packaging materials.



WELCOME TRAYS BAMBOO BLACK

Fenland
Espresso Tray & Condiment Box

- ➔ Eco-Friendly First Grade Bamboo
- ➔ Certified Food Grade
- ➔ Robust & Sturdy Construction
- ➔ Stores Condiments Neatly & Dust Free
- ➔ Elegant Soft Contour Design
- ➔ Easy to Clean – Smooth Surface to Wipe Clean
- ➔ Neat and Tidy Condiments Presentation
- ➔ Designed to Fit Most Types of Compact Espresso Machines

Specifications

	ESPRESSO TRAY	CONDIMENT BOX
Dimensions	50 x 40 x 4cm	19 x 21 x 7cm
Material	First Grade Bamboo	First Grade Bamboo
Weight	1.8kg	0.8kg



Fit Most Types of Compact Espresso Machines



ESPRESSO TRAY
EH50820



CONDIMENT BOX
EH50821



* Tray & Condiment Box Only – Excludes Coffee Machine, kettle, Cups & Ingredients



EH50756

Winsford Espresso Coffee Welcome Tray with Protective Spillage Tray

- ➔ Eco-Friendly First Grade Bamboo
- ➔ Removable Tray Prevents Spillage & Protects Surface
- ➔ Elegant Soft Contour Design
- ➔ Stores Ingredients Neatly & Dust Free
- ➔ Drawer stores condiments 57mm high
- ➔ Certified Food Grade
- ➔ Robust & Sturdy Construction
- ➔ Easy to clean – smooth surface to wipe clean
- ➔ Neat & Tidy Condiments Presentation
- ➔ Easy Slide In & Out Multiple Compartments Drawer
- ➔ Drawer Stopper - Spring retaining clip prevents intentional removal of drawer
- ➔ Tray Only – Excludes Coffee Machine & Kettle
- ➔ Designed to fit most types of compact espresso machines

Specifications


Dimensions	370 mm x 350 mm x 88 mm
Material	First Grade Bamboo
Weight	3.75 kg



Fit Most Types of Compact
Espresso Machines



Elegant SOFT CONTOUR
Design



Space Saving
Ultra-Compact



CERTIFIED
FOOD
GRADE



(Coffee Machine, Kettle, Cups & Ingredients NOT included)



EH50813

Amesbury Compact Espresso Drawer Tray

- ➔ Eco-Friendly First Grade Bamboo
- ➔ Certified Food Grade
- ➔ Robust & Sturdy Construction
- ➔ Stores Condiments Neatly & Dust Free
- ➔ Easy Slide In & Out Multiple Compartments Drawer - Removable Drawer for Easy Cleaning
- ➔ Elegant Soft Contour Design
- ➔ Easy to Clean – Smooth Surface to Wipe Clean
- ➔ Neat and Tidy Condiments Presentation
- ➔ Drawer Stopper – Spring Retaining Clip Prevents Intentional Removal of Drawer
- ➔ Large Drawer Tray with 4 compartments.
- ➔ Designed to Fit Most Types of Compact Espresso Machines

Specifications

Dimensions	W31.5 x D39.0 x H7.5 cm
Material	First Grade Bamboo
Weight	2.64kg



Fit Most Types of Compact Espresso Machines



Elegant SOFT CONTOUR Design



Space Saving Ultra-Compact



CERTIFIED
FOOD
GRADE



CONDIMENTS
STORE



1st GRADE
BAMBOO



(Coffee Machine, Kettle, Cups & Ingredients NOT included)



EH50688

Cambourne Plus

Drawer Welcome Tray with Protective Spillage Tray

- ➔ Eco-Friendly First Grade Bamboo
- ➔ Removable Tray Prevents Spillage & Protects Surface
- ➔ Elegant Soft Contour Design
- ➔ Stores Ingredients Neatly & Dust Free
- ➔ Drawer stores condiments 57mm high
- ➔ Certified Food Grade
- ➔ Robust & Sturdy Construction
- ➔ Easy to clean – smooth surface to wipe clean
- ➔ Neat & Tidy Condiments Presentation
- ➔ Easy Slide In & Out Multiple Compartments Drawer
- ➔ Designed to fit **EMBERTON™** Kettles

Specifications

Dimensions	272mm x 194mm x 85mm
Material	First Grade Bamboo
Weight	1450g



CERTIFIED
FOOD
GRADE



(Kettle, Cups & Ingredients not included)



Space Saving Ultra Compact



Removable Drawer for Easy Cleaning



Anti-theft Cable Lock System



EH50467

Tongwell Bamboo Welcome Tray

- ➔ Eco Friendly Bamboo
- ➔ Integrated Kettle to Deter Theft
- ➔ Elegant and Compact Design
- ➔ Easy Wipe-Clean Curved Contour Edges
- ➔ First Grade Bamboo Material
- ➔ Space Saving, Modular Design
- ➔ Food Grade Safety
- ➔ Designed to fit **EMBERTON™** Kettles



Specifications

Dimensions	260mm x 260mm x 30mm
Material	First Grade Bamboo
Weight	850g




CERTIFIED
FOOD
GRADE



CONDIMENTS
STORE



1st GRADE
BAMBOO



(Kettle, Cups & Ingredients not included)



EH50836

WELCOME TRAYS BAMBOO NATURAL

Winsford

Espresso Coffee Welcome Tray with Protective Spillage Tray

- ➔ Eco-Friendly First Grade Bamboo
- ➔ Removable Tray Prevents Spillage & Protects Surface
- ➔ Elegant Soft Contour Design
- ➔ Stores Ingredients Neatly & Dust Free
- ➔ Drawer stores condiments 57mm high
- ➔ Certified Food Grade
- ➔ Robust & Sturdy Construction
- ➔ Easy to clean – smooth surface to wipe clean
- ➔ Neat & Tidy Condiments Presentation
- ➔ Easy Slide In & Out Multiple Compartments Drawer
- ➔ Drawer Stopper - Spring retaining clip prevents intentional removal of drawer
- ➔ Tray Only – Excludes Coffee Machine & Kettle
- ➔ Designed to fit most types of compact espresso machines

Specifications


Dimensions	370 mm x 350 mm x 88 mm
Material	First Grade Bamboo
Weight	3.75 kg



Fit Most Types of Compact
Espresso Machines



Elegant SOFT CONTOUR
Design



Space Saving
Ultra-Compact



CERTIFIED
FOOD
GRADE



CONDIMENTS
STORE



1st GRADE
BAMBOO



(Coffee Machine, Kettle, Cups & Ingredients NOT included)



EH50833

Amesbury Compact Espresso Drawer Tray

- ➔ Eco-Friendly First Grade Bamboo
- ➔ Certified Food Grade
- ➔ Robust & Sturdy Construction
- ➔ Stores Condiments Neatly & Dust Free
- ➔ Easy Slide In & Out Multiple Compartments Drawer - Removable Drawer for Easy Cleaning
- ➔ Elegant Soft Contour Design
- ➔ Easy to Clean – Smooth Surface to Wipe Clean
- ➔ Neat and Tidy Condiments Presentation
- ➔ Drawer Stopper – Spring Retaining Clip Prevents Intentional Removal of Drawer
- ➔ Large Drawer Tray with 4 compartments.
- ➔ Designed to Fit Most Types of Compact Espresso Machines

Specifications

Dimensions	W31.5 x D39.0 x H7.5 cm
Material	First Grade Bamboo
Weight	2.64kg



CERTIFIED
FOOD
GRADE

DUST
FREE

CONDIMENTS
STORE

eco

1st GRADE
BAMBOO

Bamboo
by Emberton™

3
YEAR
GUARANTEE



Fit Most Types of Compact
Espresso Machines



Elegant SOFT CONTOUR
Design



Space Saving
Ultra-Compact

(Coffee Machine, Kettle, Cups & Ingredients NOT included)



EH50834

Cambourne Plus

Drawer Welcome Tray with Protective Spillage Tray

- ➔ Eco-Friendly First Grade Bamboo
- ➔ Removable Tray Prevents Spillage & Protects Surface
- ➔ Elegant Soft Contour Design
- ➔ Stores Ingredients Neatly & Dust Free
- ➔ Drawer stores condiments 57mm high
- ➔ Certified Food Grade
- ➔ Robust & Sturdy Construction
- ➔ Easy to clean – smooth surface to wipe clean
- ➔ Neat & Tidy Condiments Presentation
- ➔ Easy Slide In & Out Multiple Compartments Drawer
- ➔ Designed to fit **EMBERTON™** Kettles

Specifications

Dimensions	272mm x 194mm x 85mm
Material	First Grade Bamboo
Weight	1450g



**CERTIFIED
FOOD
GRADE**




(Kettle, Cups & Ingredients not included)



Space Saving Ultra Compact



Removable Drawer for Easy Cleaning



Anti-theft Cable Lock System



Tongwell Bamboo Welcome Tray

- Eco Friendly Bamboo
- Integrated Kettle to Deter Theft
- Elegant and Compact Design
- Easy Wipe-Clean Curved Contour Edges
- First Grade Bamboo Material
- Space Saving, Modular Design
- Food Grade Safety
- Designed to fit **EMBERTON™** Kettles

Specifications

Dimensions	260mm x 260mm x 30mm
Material	First Grade Bamboo
Weight	850g



Available in Mahogany



CERTIFIED
FOOD
GRADE



CONDIMENTS
STORE



1st GRADE
BAMBOO





EH50289

(Kettle, Cups & Ingredients not included)

Tongwell Bamboo Welcome Tray



WELCOME TRAYS

Heywood Slate

ABS Welcome Tray with Service Tray & Amenity Holder

**MATT. FINE GRAINED.
UNIQUE. ELEGANT. REFINED.**

Our HEYWOOD SLATE series offers a unique and creative slate effect - a fine grained MATT finish with the robust material benefits of stain, scratch & heat resistant ABS.

The slender, elegant & stylish design gracefully compliments your guest room - blending perfectly with rooms featuring timber, stone or steel.

- ➔ Innovative & Unique Synthetic Slate Effect Series - ABS
- ➔ Slimline - Elegant & Refined, Stylish & Luxurious
- ➔ Appearance of Natural Slate - perfect blend to compliment rooms featuring timber, stone and steel
- ➔ Durable Stain, Scratch & Heat Resistant ABS
- ➔ Easy Wipe Clean Surface

Specifications

	MAIN TRAY	SERVICE TRAY	AMENITY HOLDER
Dimensions	358 x 258 x 10mm	235 x 110 x 10mm	145 x 75 x 40mm
Material	ABS	ABS	ABS
Weight	285g	75g	85g



MAIN TRAY
EH50822



SERVICE TRAY
EH50823



AMENITY HOLDER
EH50824



Heywood Slate

ABS Welcome Tray with Service Tray & Amenity Holder



Heywood Slate

ABS Compact Tray & Amenity Organiser

MATT. FINE GRAINED.

UNIQUE. ELEGANT. REFINED.

Our HEYWOOD SLATE series offers a unique and creative slate effect - a fine grained MATT finish with the robust material benefits of stain, scratch & heat resistant ABS.

The slender, elegant & stylish design gracefully compliments your guest room - blending perfectly with rooms featuring timber, stone or steel.

- Innovative & Unique Synthetic Slate Effect Series - ABS
- Slimline - Elegant & Refined, Stylish & Luxurious
- Appearance of Natural Slate - perfect blend to compliment rooms featuring timber, stone and steel
- Durable Stain, Scratch & Heat Resistant ABS
- Easy Wipe Clean Surface

Specifications

	COMPACT TRAY	AMENITY ORGANISER
Dimensions	330 x 160 x 10mm	125 x 80 x 58mm
Material	ABS	ABS
Weight	170g	120g



(Kettle, Cups & Ingredients not included)



COMPACT TRAY
EH50825



AMENITY ORGANISER
EH50826



EH50175

Walton ABS Welcome Tray

- ➔ First Grade ABS Material With Wood Grain Effect
- ➔ Integrated Kettle to Deter Theft
- ➔ Removable Perforated Stainless Steel Drip tray to Prevent Spillage
- ➔ All in One Design with Cavities for Sachets, Spoon & Cups
- ➔ Easy Wipe-Clean Curved Contour Edges
- ➔ Space Saving, Modular Design
- ➔ Wood Grain Handfeel to Reduce Finger Marks
- ➔ Tray Accommodates Kettle Base Controller of 143mm Diameter
- ➔ Designed to fit **EMBERTON™** Kettles

Specifications

Dimensions	460mm x 225mm x 35mm
Material	ABS
Weight	738g




(Kettle, Cups & Ingredients not included)



Attractive Design and Easy to Clean



Perforated Stainless Steel Drip Tray



Designed to fit **EMBERTON™** Kettles



Andover

ABS Integrated Welcome Tray

- ➔ First Grade ABS Material With Matt Black Finished
- ➔ Durable Stain, Scratch & Heat Resistant ABS
- ➔ Slimline - Elegant & Refined, Stylish & Luxurious
- ➔ Removable Perforated Matt Black Stainless Steel Drip tray to Prevent Spillage
- ➔ Welcome Tray with space for a Kettle, Sachets, Spoon and Cups
- ➔ Tray Accommodates Kettle Base Controller of 143mm Diameter
- ➔ Anti-theft Function-CORD/CABLE Lock System
- ➔ Designed to fit **EMBERTON™** Kettle

Specifications

Dimension	36.3 x 24.1 x 3cm
Material	ABS
Weight	400g



(Kettle, Cups & Ingredients not included)



Elegant Soft Contour Design



Anti-theft Cable Lock System



EH50873

(Kettle, Cups & Ingredients not included)

Andover ABS Integrated Welcome Tray



EH50954

Lavenham

ABS Welcome Tray with Storage Drawer


- ➔ First Grade ABS Material With Matt Black Finish
- ➔ Durable Stain, Scratch & Heat Resistant ABS
- ➔ Slimline - Elegant & Refined, Stylish & Luxurious
- ➔ Drawer stores condiments 40mm high
- ➔ Removable Perforated Matt Black Stainless Steel Drip tray to Prevent Spillage
- ➔ Drawer Stopper- Prevents Intentional Removal Of The Drawer
- ➔ Anti-theft Function-CORD/CABLE Lock System

Specifications


Dimension	L279 x W240 x H55mm
Material	ABS
Weight	505g



(Kettle, Cups & Ingredients not included)



Tray Accommodates Kettle Base Controller of 143mm Diameter




Anti-theft Cable Lock System



MERE Adaptor Option - Designed to Fit EMBERTON™ Trays with 143mm cutout (EH50913)



Designed to fit EMBERTON™ Kettles



Removable Drawer
Space Saving Ultra-Compact



EH50913

Mere

Kettle Controller Base Adaptor


- ➔ Heat Resistant ABS
- ➔ Exquisitely Crafted Adaptor for Hosting BANBURY Kettle
- ➔ Designed to Fit **EMBERTON™** Trays with 143mm cutout
- ➔ Easy to Install and Remove for Convenient Cleaning
- ➔ The Widened Outer Edge Subtly Resists Contaminants Like Coffee & Sugar Granules
- ➔ Inner Diameter of 131mm

Specifications

Dimension	150 x 150mm
Material	ABS
Weight	26g



Exquisitely Crafted Adaptor for Hosting BANBURY Kettle



Inner Diameter 131mm



Removable Adaptor for Easy Cleaning



Halstead

Integrated Kettle Welcome Tray (Matt)

- Integrated Kettle Slot to Deter Theft
- Robust & Durable Stain, Heat & Scratch Resistant Melamine
- Space Saving Ultra Compact – uses less space
- Innovative & Unique Synthetic Slate Effect
- Elegant Soft Contour Design
- Neat & Tidy Condiments Presentation
- Easy Wipe Clean Surface & Contoured Compartments
- Robust & Sturdy Construction
- Tray accommodates kettle base controller of 143mm Diameter
- Designed for use with all **EMBERTON™** kettle types

Specifications

Dimensions	262mm x 262mm x 30mm
Material	Melamine
Weight	610g



(Kettle, Cups & Ingredients not included)



Available in WHITE



Elegant Soft Contour Design



EH50678 - BLACK

EH50679 - WHITE

(Kettle, Cups & Ingredients not included)

Halstead Integrated Kettle Welcome Tray



HAIRDRYERS

Thames

Hotel Safety 1875W Hairdryer with Wall Mount Option Matt Black

- Hotel Safety ON/OFF Press Switch Saves Energy & Safe
- Dual Safe – Thermostat & Latest Technology Internal Fuse
- Ionic Ceramic for Smooth Shiny Result
- Luxurious Soft Touch Finish
- Powerful 1875 Watt DC Motor
- 2 Speed/ 2 Heat & Cool Settings
- Removable Filter Cover & Safety Mesh Blade Cover
- Complete with Air-Flow Concentrator for Perfect Styling & Drying
- Safety Thermostat Over-heating Circuit Protection
- Ergonomic Non-slip Contoured Handle for Comfortable Use and Hold
- Stylish & Elegant Design
- Insulated Motor to Reduce Noise
- Generous 350cm Long Extendable COIL Cord
- Build in Hanging Loop
- Available in EU & BS Plug Variants

Specifications

Power	AC220-240V (50-60Hz)
Wattage	1800-2200W
Dimensions	240 x 85 x 280mm
Certification	CE, CB, RoHS & UKCA Approved
Weight	615g



WARNING: Do Not Use This Appliance Near Bathtubs, Showers, Basins or Other Vessels Containing Water.



Matt Black Finish



Safety ON/OFF Press Switch



Specially Constructed Coil to Retain Shape



EH50844 - EU PLUG
EH50845 - UK PLUG



Wall Holder Option

Thames

Hotel Safety 1875W Hairdryer with Wall Mount Option
Matt Black



EH50777 - EU PLUG
EH50778 - UK PLUG

Harrow

1600W Folding Hairdryer

Matt Black

- ➔ Hotel Safety ON/OFF Press Switch to save energy & safe
- ➔ Dual Safe – Thermostat & Latest Technology Internal Fuse
- ➔ Soft Touch Matt Finish – Toughened Coating
- ➔ Ceramic Coating with Tourmaline for Smooth Shiny Results
- ➔ Complete with Air-flow Concentrator for Perfect Styling and Drying
- ➔ Cool Shot Switch feature
- ➔ Insulated motor to reduce noise
- ➔ Generous cord length 200cm long
- ➔ Removable Filter for easy cleaning
- ➔ Ergonomic Non-slip contoured handle for comfortable use
- ➔ Built in Hanging Loop
- ➔ Available in EU & BS plug variants



Folds for convenience



2 Speed/Heat settings

Specifications

Power	AC220-240V, 50/60Hz
Wattage	1400-1600W
Dimensions	140mm x 77mm x 231mm
Certification	CE, CB, ROHS & UKCA Approved
Weight	390g



WARNING: Do Not Use This Appliance Near Bathtubs, Showers, Basins or Other Vessels Containing Water.



EH50879 - COIL, EU PLUG
EH50880 - COIL, UK PLUG

Marlow Deluxe

Foldable Hairdryer 1875W
Ionic Ceramic

- ➔ Dual Safe – Thermostat & Latest Technology Internal Fuse
- ➔ Powerful 1875W DC Motor
- ➔ Ionic Ceramic Coating with Tourmaline for Smooth Shiny Result
- ➔ 2 Speed/ 3 Heat Settings
- ➔ COOL SHOT Button Blasts cool air to help set your style
- ➔ Removable Filter Cover for Easy Cleaning
- ➔ Complete with Air-flow Concentrator for Perfect Styling and Drying
- ➔ Insulated Motor to Reduce Noise
- ➔ Ergonomic Slide Grip Switch for easier control of speed and heat
- ➔ Safety Thermostat Over-heating circuit protection
- ➔ Built in Hanging Loop
- ➔ Available with a generous 300cm Extendable COIL cord or a 250cm Straight cord
- ➔ Matt Black Finish
- ➔ Available in EU & BS plug variants

Specifications

Power	AC220-240V (50-60Hz)
Wattage	1800-2200W
Dimensions	265 x 89 x 280mm
Certification	CE, CB, UKCA & RoHS Approved
Weight	520g



WARNING: Do Not Use This Appliance Near Bathtubs, Showers, Basins or Other Vessels Containing Water.



Folds for Convenience



Slide Grip Switch for easier control of 2 speed/ 3 heat



Available in Straight Cable
EH50877 - STRAIGHT, EU PLUG
EH50878 - STRAIGHT, UK PLUG



Specially Constructed Coil to Retain Shape



EH50846 - EU PLUG
EH50847 - UK PLUG

Emsworth

Hotel Safety Hairdryer 1875W Ionic Ceramic

- ➔ Hotel Safety ON/OFF Press Switch Saves Energy & Safe
- ➔ Ionic Ceramic for Smooth Shiny Result
- ➔ Dual Safe – Thermostat & Latest Technology Internal Fuse
- ➔ Powerful 1875Watt DC Motor
- ➔ 2 Speed/ 2 Heat & Cool Shot Settings
- ➔ Removable Filter Cover for Easy Cleaning
- ➔ Magnetic Concentrator - Easy to attach, offers smooth styling experience
- ➔ Safety Thermostat Over-heating Circuit Protection
- ➔ Ergonomic Non-slip Contoured Handle for Comfortable Use and Hold
- ➔ Generous 300 cm Long Extendable COIL Cord
- ➔ Stylish & Elegant Cylindrical Design
- ➔ Matt Black Finish
- ➔ Available in EU & BS Plug Variants



Wall Mounted Hairdryer
Holder Option (Devizes)



2 Speed/ 2 Heat &
Cool Shot Settings



Specially Constructed Coil
to Retain Shape

Specifications

Power	AC220-240V (50-60Hz)
Wattage	1800-2000W
Dimensions	197 x 78 x 218mm
Certification	CE, CB, UKCA & RoHS Approved
Weight	675g



WARNING: Do Not Use This Appliance Near Bathtubs, Showers, Basins or Other Vessels Containing Water.



EH50918 - EU PLUG
EH50919 - UK PLUG

Ashford

1600W Hi-Speed Brushless Motor Hairdryer Titanium Grey

- ➔ High-Speed Brushless Motor: 110,000 RPM for rapid drying and styling
- ➔ Strong Airflow Speed: 70M/S in High Setting, 50M/S in Lower Setting
- ➔ 3 Intelligent Heat Modes: Choose from Hot, Warm, Cold or Auto Cycling to suit your hair type and styling needs
- ➔ Constant Temperature Technology to ensure consistent heat for safer, more effective drying
- ➔ Ionic Technology: Negative ions help lock in moisture, leaving your hair silky smooth and frizz-free
- ➔ Dual Safety - Thermostat and Latest Technology Internal Fuse
- ➔ Magnetic Filter to prevent hair from entering the air duct, ensuring longer-lasting performance
- ➔ Magnetic Concentrator - Easy to attach, offers smooth styling experience
- ➔ Low Noise Operation: Enjoy a soothing drying experience in a quiet environment
- ➔ Includes a Filter Cleaning Brush that effectively removes dirt and debris from the air filter
- ➔ Generous 250cm Cord Length
- ➔ LED Display & Light Indicator
- ➔ Available in EU & BS Plug Variants

Specifications

ASHFORD

Power	AC220-240V (50-60Hz)
Wattage	1400-1600W
Dimensions	123 x 76 x 270mm
Certification	CE, CB, UKCA & RoHS Approved
Weight	535g
Item Code	EH50918 - EU PLUG EH50919 - UK PLUG



WARNING: Do Not Use This Appliance Near Bathtubs, Showers, Basins or Other Vessels Containing Water.


Specifications

SHERE

DEVIZES

ELY

Dimensions	L140 x W160 x H240mm	L90 x W90 x H79mm	L350 x W165 x H100mm
Material	Carbon Steel with Heat Resistant	ABS	PU
Weight	1150g	56g	875g
Item Code	EH50949	EH50951	EH50950



3 Intelligent Heat Modes



Magnetic Concentrator



Hairdryer Stand Option
(Shere - EH50949)




Wall Mounted Hairdryer Holder
Option (Devizes - EH50951)



Magnetic Filter Cover



Hairdryer Box Option
(Ely - EH50950)



EH50866

Devizes

Wall Mounted Hairdryer Holder with Anti-Theft Cable Track

- ➔ Built in Anti-theft Cable Tracks
- ➔ Easily Mounts on Wall
- ➔ Suitable for Cylindrical Shape Hairdryer
- ➔ Soft silicone pad with anti-slip function

Specifications


Dimension	90 x 90 x 79mm
Material	ABS
Weight	56g




Suitable For Cylindrical Shape Hairdryer



Easily Mounts on Wall



Anti-theft Lock Cable Track



Available in Titanium Grey - EH50951



EH50440


Mursley

Wall Mounted Hairdryer Holder with Anti-Theft Cable Track

- ➔ Built in Anti-theft Cable Tracks
- ➔ Easily Mounts on Wall
- ➔ Soft Glide Lining

Specifications

	MURSLEY CHROME/ BLACK	MURSLEY MATT BLACK	MURSLEY MATT WHITE
Dimensions	L93 x W74 x H50mm	L93 x W74 x H50mm	L93 x W74 x H50mm
Material	Inner - Silicon Outer - Plastic Chrome	Inner - Silicon Outer - ABS	Inner - Silicon Outer - ABS
Weight	50g	45g	45g



Easily Mounts On Wall



Anti-theft Lock Cable Track



Soft Glide Lining



EH50952



EH50953

Available in MATT BLACK or MATT WHITE





EH50357



Silver Thread Embroidery



Strong PP Drawstring

Lathbury Hairdryer Bag

- ➔ High Quality Black Soft Velvet
- ➔ Silver Thread Embroidery
- ➔ Strong PP Drawstring
- ➔ Perfect for keeping hairdryers scratch & dust free

Specifications

Dimensions	400 x 300mm
Material	Soft Velvet
Weight	66g



EH50949



Suitable For Cylindrical
Shape Hairdryer

Shere Hairdryer Stand

- ➔ Suitable for Cylindrical Shape Hairdryer
- ➔ Strong Carbon Steel material
- ➔ Engineered from heat-resistant Carbon Steel

Specifications

Dimensions	L140 x W160 x H240mm
Material	Carbon Steel with Heat Resistant
Weight	1150g





IRONS

Croft Deluxe

2000W Hotel Safety Steam Iron

- DUAL SAFE Thermostat & Latest Technology Internal Fuse
- ECO Auto Off Function for Extra Energy Saving & Environmental Protection
- Special Anti-drip feature to prevent water dripping through steam outlets after water cools
- FUSION Anti-Leak - New water tank assembly method using a wire frame and latest thermo-weld technology to prevent tank fracture
- 3-way Auto-Cut off Safety Motion Sensor. 30 seconds unattended on soleplate or Side & 5 minutes Upright.
- Super long 300cm cable
- Anti-calc to remove the limescale build up
- Auto Off Indicator Light
- 300 ML Capacity water reservoir
- Red In-Use Indicator Light
- Includes Refill Beaker
- UK or EU Plug variants

Specifications

Power	AC220-240V, 50/60Hz
Wattage	2000W
Capacity	300ML
Colour	Black / Grey
Plate Size	228 x 123mm
Soleplate	Ceramic
Certification	CE, CB, GS, PAHS, UKCA Approved
Weight	1180g



Powerfull Burst of
Steam & Spray
Vertical & Horizontal



Easy Steam Finger
Release Button





EH50785 - EU PLUG
EH50786 - UK PLUG



Ceramic Soleplate

Croft Deluxe

2000W Hotel Safety Steam Iron



Hertford

1600W Hotel Safety Steam Iron

- ➔ DUAL SAFE Thermostat & Latest Technology Internal Fuse
- ➔ 3 - Way Auto-Cut Off Safety Motion Sensor 30 Seconds unattended on Soleplate or Side and 5 minutes Upright
- ➔ ECO Auto Off Function for extra Energy Saving & Environmental Protection
- ➔ FUSION Anti-Leak - New water tank assembly method using a wire frame and latest thermo-weld technology to prevents tank fracture
- ➔ Special Anti-drip feature to prevent water dripping through steam outlets after water cools
- ➔ Extra long 250cm cable
- ➔ Auto Off Indicator Light
- ➔ Cable cord guard tested to 20,000 cycles to ensure cable safety
- ➔ LED Green & Red In-Use Indicator Light
- ➔ Includes Refil Beaker
- ➔ UK or EU Plug variants



Powerfull Burst of
Steam & Spray
Vertical & Horizontal



Ceramic Soleplate



Self Clean Feature

Specifications

Power	AC220-240V, 50/60Hz
Wattage	1600W
Capacity	250ML
Colour	Black / Grey
Plate Size	206 x 113mm
Soleplate	Ceramic
Certification	CE, CB, RohS & UKCA Approved
Weight	982g





EH50501 - EU PLUG
EH50502 - UK PLUG



EH50546 - EU PLUG
EH50547 - UK PLUG

Available in **WHITE**

Hertford

1600W Hotel Safety Steam Iron



STEAMER & IRON

Amphill

Hotel Safety 2 in 1 Steamer & Iron

Why Use EMBERTON™ Garment Steamers

Our AMPHILL Hotel Safety 2 in 1 Steamer & Iron, offers a convenient and effective alternative to traditional ironing. With both vertical steam and horizontal steam or dry ironing capabilities, you can effortlessly refresh your clothing - no ironing board required. Professional & wrinkle-free - 2x faster results compared to other steamers.

Time-saving - No hassle to set up ironing boards and waiting for the iron to heat up. Easily steam multiple garments in a short amount of time. Safe & eco-friendly - Garment steamers use only water & heat to generate steam.

- Powerful - 1950W
- Safety Auto Shut Off - 5 minutes
- Continuous Steam Action
- Steam Rate 20-30 grams/minute
- Long 250cm power cord for convenience
- Steam & Dry Ironing - Vertically & Horizontally

Specifications

Power	AC220-240V (50-60Hz)
Wattage	1650-1950W
Water Tank Capacity	170ML
Colour	Black / Grey
Soleplate	Double Layer Ceramic
Soleplate Size	133 x 88mm
Unit Size	413 x 92 x 143mm
Certification	CE, GS, CB, UKCA & RoHS Approved
Weight	900g



Iron Horizontally



Steam Vertically



Auto-Tilt 45° Rest



30 Seconds Heat-Up Time



Wall Mounted Steamer Holder Option (Crawley)





EH50853 - EU PLUG
EH50854 - UK PLUG



**VERTICAL
STEAMER**



**IRONING
STEAM
OR DRY**



**POINTED
IRONING
SURFACE**



**KILLS
99% OF
GERMS**



**ONE
TEMPERATURE
TECHNOLOGY**

Amphill

Hotel Safety 2 in 1 Steamer & Iron



Cheshunt

Hotel Safety 2 in 1 Digital Steamer & Iron

Why Use EMBERTON™ Garment Steamers

Our CHESHUNT Hotel Safety 2 in 1 Steamer & Iron, offers a convenient and effective alternative to traditional ironing. With both vertical steam and horizontal steam or dry ironing capabilities, you can effortlessly refresh your clothing - no ironing board required. Professional & wrinkle-free - 2x faster results compared to other steamers.

Time-saving - No hassle to set up ironing boards and waiting for the iron to heat up. Easily steam multiple garments in a short amount of time. Safe & eco-friendly - Garment steamers use only water & heat to generate steam.

- Powerful - 1800W
- Safety Auto Shut Off - 5 minutes
- Continuous Steam Action
- Steam Rate 18-25 grams/minute
- Long 250cm power cord for convenience
- Steam & Dry Ironing - Vertically & Horizontally
- One Button for 3 Steam Power - with LED display panel

Specifications

Power	AC220-240V (50-60Hz)
Wattage	1400-1800W
Water Tank Capacity	180ML
Colour	Black / Grey
Soleplate	Double Layer Ceramic
Soleplate Size	143 x 97mm
Unit Size	362 x 97 x 180mm
Certification	CE, GS, CB, UKCA & RoHS Approved
Weight	950g



One Button with LED Display



Wall Mounted Steamer Holder Option (Crawley)



Iron Horizontally



Steam Vertically



Auto-Tilt 45° Rest



25 Seconds Heat-Up Time



EH50851 - EU PLUG
EH50852 - UK PLUG



**VERTICAL
STEAMER**




**IRONING
STEAM
OR DRY**



**POINTED
IRONING
SURFACE**




**KILLS
99% OF
GERMS**



**ONE
TEMPERATURE
TECHNOLOGY**

Cheshunt
Hotel Safety 2 in 1 Digital Steamer & Iron



Arundel

Foldable Steamer Board

Specially designed for the hospitality industry, our Arundel Steamer Board offers guests a convenient and comfortable solution for quick garment care during their stay.

- ➔ Dual-sided design suitable for both ironing and steaming, enhancing guest convenience.
- ➔ Built-in hanging hook for easy storage in closets, or on wall hooks
- ➔ Steam-resistant surface handles high heat and moisture without damage
- ➔ Foldable design for easy storage and space-saving convenience in guest rooms
- ➔ Lightweight construction makes it easy for guests to handle and set up.
- ➔ Neutral, modern design to match a wide range of hotel room interiors
- ➔ Guest-friendly and durable — built to meet the needs of frequent use in hospitality settings

Specifications

Product Material	Cotton/ Foam/ Plastic
Board Material	5mm Foam
Board Colour	Charcoal Grey
Board Size	41 x 95cm
Folded Size	41 x 26 x 6.5cm
Product Weight	0.86kg



Designed for both horizontal and vertical ironing using the Emberton™ 2-in-1 Steamer & Iron



Compact Foldable Steamer Board



Perfect for vertical garment care with the Emberton™ Steam Iron






EH50961

Arundel
Foldable Steamer Board



EH50911



PROTECTIVE SILICONE PAD
to prevent sole plate damage and absorb heat



HOLDER ANGLE
matches steamer shape for perfect fit



INTEGRATED CABLE WRAP
Cables can be neatly wrapped around the frame



SOLID & STURDY HOOK
easily to hang clothes for ironing

Crawley

Universal Steamer Holder with Anti-Theft Function

- ➔ Convenient, Easy & Safe – Easy to lift on and lift out with frame design to prevent falling hazard
- ➔ Designed to fit Emberton™ Steamer
- ➔ Protective Silicone Pad protects soleplate and prevent scratches
- ➔ Anti-Theft Cable Lock included
- ➔ Durable and Robust Hook- Makes hanging clothes for ironing easy

Specifications

Holder Dimension	290 x 120 x 122mm
Material	Steel/ Non Slip Rubberized
Holder Weight	472g




Two Hooks for Hanging Clothes



Wall Mounted Steamer Holder



Integrated Cable Wrap Stores Neatly



Anti-theft Cable Lock



EH50920

Longridge
Steamer & Iron 2 in 1 Bag

- Heat Resistant Cotton
- Silver Thread Embroidery
- Strong PP Drawstring
- Design to Fit **EMBERTON™** Steamer & Iron

Specifications

Dimensions	460 x 252mm
Material	Heat Resistant Cotton
Weight	35g



Silver Thread Embroidery



Silver Thread Embroidery



IRONING BOARDS




Ironing Board Engineered Series


Our super strong series of tough ironing board is a result of extensive research and development with industry professionals and hotels., working closely to identify the needs, habits and often rough treatment of hotel ironing boards.

Rugged & Durable - We have combined a rugged frame with heavy duty metal components and robotic welds to withstand guests' tough use.

THE ULTIMATE STRENGTH IN IRONING BOARDS

- ➔ Tube Frame Legs 38mm/28mm
- ➔ Strong Double Handle Height Adjustment Lever
- ➔ Steam Flow Metal Mesh Top
- ➔ 2mm Foam and 5mm Felt Combination Padding
- ➔ Smooth Binding Edges to Withstand Fraying
- ➔ Cover Material : Cotton with Felt Underlay
- ➔ Cover Colour : Charcoal Grey
- ➔ Frame Colour : Silver Grey





SHERINGTON
109(L) x 38(D) x 87(H)cm



ROTHWELL
116(L) x 33(D) x 76(H)cm



MOULTON
97(L) x 33(D) x 76(H)cm



STANION
109 x 38cm
EH50388



Metallic Heat Reflective
Iron Board Cover



Smooth Bound Edges
to Avoid Fraying




2mm foam & 5mm felt
Combination Padding



Steam Flow
Metal Mesh Top



New Generation
Ironing Centres Safety & Storage



SHERINGTON
Full Size Ironing Board

BROMHAM
Ironing Centre

EH50442 - EU PLUG
EH50441 - UK PLUG



DEENE + YARDLEY
1200W Dry Iron


OR

KINGSMEAD
Ironing Centre

EH50428 - EU PLUG
EH50429 - UK PLUG



CHORLEY + HERTFORD
1600W Steam Iron



MOULTON
Compact Size Ironing Board

ELSTOW
Ironing Centre

EH50444 - EU PLUG
EH50443 - UK PLUG



DEENE + YARDLEY
1200W Dry Iron

OR

STAGSDEN
Ironing Centre

EH50431 - EU PLUG
EH50430 - UK PLUG



CHORLEY + HERTFORD
1600W Steam Iron



EH50558



Wall mounted



Rapid cable tidy slot.
Cables can be bundled
and inserted to save time



Integrated cable wrap
Stores neatly



Optional holder
To mount ironing board
EH50563

Stroud Ironing Centre

SAFE. ROBUST. CONVENIENT.
PATENTED DESIGN

- ➔ Unique and Patented Design – sliding frame design secures iron
- ➔ Convenient, Easy and Safe – swivel, lift out & replace during ironing
- ➔ Universal Fitting - Suits and fits almost all iron types and sizes
- ➔ Protective Silicon Pad protects soleplate



Protective silicon pad
to prevent soleplate
damage and absorb heat



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc





EH50507



Heat resistant pad to prevent soleplate damage and absorbs heat



Rapid cable tidy slot. Cables can be gathered and inserted directly in slot to save time



Integrated cable wrap. Cables can be neatly wrapped around frame



Holder Angle matches iron shape for Perfect Fit



Optional J Hook to hang ironing board EH50708



Somerton

Universal Iron & Iron Board Storage

SECURES IRON TO PREVENT FALLING HAZARD UNIQUE & PATENTED

- ➔ Convenient, Easy & Safe - Easy lift in and lift out with frame design to prevent falling hazard
- ➔ Universal Fitting - Fits almost all iron types and sizes
- ➔ Soft Coated Protective Quality Steel Frame - protects iron from scratches and damage

Dimensions



Z Shape Frame
Prevents Iron Falling Hazard



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc






EH50814



HEAT RESISTANT PROTECTIVE IRON PAD
to prevent sole plate damage
and absorb heat



Spring Pressure
Slide Wings



360° Swivel



INTEGRATED CORD WRAP
Cord may be neatly
wrapped using
Silicone Cord Wrap



**OPTIONAL J HOOK TO
HANG IRONING BOARD**
EH50708

Oakham Safety Grip Iron Store

Oakham's Safety Frame Design prevents falling hazards. With patented, spring loaded Slide Guides for safe and firm grip to keep iron in position safely. Convenient and easy to insert and lift out. Durable construction and universal design to fit most iron types.

- ➔ Unique Guide & Slide Safety Solution
- ➔ Holds Iron Securely
- ➔ Strong & Sturdy
- ➔ Improves Guest Room Safety

Specifications

Plate Dimension	247 x 159 x 24mm
Plate Weight	197g
Cable Wrap Dimension	300 x 16mm
Cable Wrap Thickness	3.75mm



**OPTIONAL SWIVEL
HOLDER BRACKET &
ANTI-THEFT CORD LOCK**
EH50562



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Limited





EH50566



Sandhurst Universal Iron Board Holder & Store

- ➔ Unique and Patented Design Instant & Easy to Fit
- ➔ Ultimate safety – specially designed U frame safely secures iron board to prevent falling out
- ➔ Universal – Suits all sizes of T Leg Ironing Boards
- ➔ Easy to remove and replace ironing board
- ➔ Fits regular door or wall hooks
- ➔ Stores iron board neatly on rail
- ➔ Robust & Rigid - Strong welded joints with welded plate centre
- ➔ Thick 5mm steel and strong welded plate for years of trouble free
- ➔ Durable NON slip finish to hold iron board securely in place



Secure & safe to prevent falling



Open Rail Sandhurst available EH50556



Stores Boards on Wall Hooks



Neat & tidy wardrobe storage

Specifications

Dimensions	65(W) x 126(H) x 62(D) mm
Material	5mm Steel with Welded Joints
Weight	27g



EH50508

Hyde Ironing Board Wall Holder

- ➔ Made of Heavy Duty Carbon Steel
- ➔ Durable Silver Powder Coated Finish
- ➔ Compact and Strong
- ➔ Recess Bolt Holes for Flush Fitting Bolts
- ➔ Mounts To The Wall To Store Ironing Board
- ➔ Stores Ironing Board neatly

Specifications

Dimensions	170(W) x 74(H) x 40 (D) mm
Material	Quality Carbon Steel
Weight	160g



RECESS BOLT HOLES for Flush Fitting Bolts



SPECIAL PROFILE Keeps Board Clear of Wall



Space Saving



Curved angle is a perfect match for Tough Board frame

Design Protected by International Registered Designs & Patents Pending
© Emberton Group Inc





EH50955 - WITH ON/OFF SWITCH & KEY & LOCK, EU PLUG
EH50958 - WITH ON/OFF SWITCH & KEY & LOCK, UK PLUG

MINIBAR

Keswick

20L Minibar Fridge Silent

Thermoelectric (Solid Door)

with On/Off Switch & Key & Lock

- ➔ Average Energy Consumption Per Year at an Ambient Temperature of 25°C and a Cooling Temperature of 8°C According to EN 1060/2010
- ➔ ErP Level: Class E
- ➔ Noise: 22dB (Class A)
- ➔ Non-wearing Peltier Thermoelectric
- ➔ Fuzzy Logic Control System For Low Energy Consumption
- ➔ No Moving Parts - 100% Silent and Vibration Free
- ➔ Environmentally Friendly - Ammonia Free
- ➔ Height-adjustable & Removable Shelves
- ➔ Soft LED Interior Light With Door Sensor
- ➔ Automatic Drain Water Evaporation
- ➔ With Key & Lock and Power On/Off Switch

Specifications

Product Dimension	400(W) x 350(D) x 450(H)mm
Capacity	20L
Colour	Black / Solid Door
Voltage	100-240V
Power	58W
Heater Power	10W
Refrigeration	R600a
Insulation	Cyclopentane
Certification	CE, CB, UKCA & RoHS Approved
Weight	9.5kg



Chilled Refreshments



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



EH50956 - WITH ON/OFF SWITCH & KEY & LOCK. EU PLUG
EH50959 - WITH ON/OFF SWITCH & KEY & LOCK. UK PLUG

Bibury

20L Minibar Fridge Silent

Thermoelectric (Glass Door)

with On/Off Switch & Key & Lock


- ➔ Average Energy Consumption Per Year at an Ambient Temperature of 25°C and a Cooling Temperature of 12°C According to EN 1060/2010
- ➔ ErP Level: Class D
- ➔ Noise: 22dB (Class A)
- ➔ Non-wearing Peltier Thermoelectric
- ➔ Fuzzy Logic Control System For Low Energy Consumption
- ➔ No Moving Parts - 100% Silent and Vibration Free
- ➔ Environmentally Friendly - Ammonia Free
- ➔ Height-adjustable & Removable Shelves
- ➔ Soft LED Interior Light With Door Sensor
- ➔ Automatic Drain Water Evaporation
- ➔ With Key & Lock and Power On/Off Switch

Specifications

Product Dimension	400(W) x 350(D) x 450(H)mm
Capacity	20L
Colour	Black / Glass Door
Voltage	100-240V
Power	58W
Heater Power	10W
Refrigeration	R600a
Insulation	Cyclopentane
Certification	CE, CB, UKCA & RoHS Approved
Weight	12kg



Chilled Refreshments



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



EH50925 - WITH ON/OFF SWITCH & KEY & LOCK. EU PLUG
EH50930 - WITH ON/OFF SWITCH & KEY & LOCK. UK PLUG

Chesham

35L Minibar Fridge Silent
Thermoelectric (Solid Door)
with On/Off Switch & Key & Lock

- ➔ Average Energy Consumption Per Year at an Ambient Temperature of 25°C and a Cooling Temperature of 8°C According to EN 1060/2010
- ➔ ErP Level: Class E
- ➔ Noise: 22dB (Class A)
- ➔ Non-wearing Peltier Thermoelectric
- ➔ Fuzzy Logic Control System For Low Energy Consumption
- ➔ No Moving Parts - 100% Silent and Vibration Free
- ➔ Environmentally Friendly - Ammonia Free
- ➔ Height-adjustable & Removable Shelves
- ➔ Soft LED Interior Light With Door Sensor
- ➔ Automatic Drain Water Evaporation
- ➔ With Key & Lock and Power On/Off Switch

Specifications

Product Dimension	400(W) x 420(D) x 500(H)mm
Capacity	35L
Colour	Black / Solid Door
Voltage	100-240V
Power	58W
Heater Power	10W
Refrigeration	R600a
Insulation	Cyclopentane
Certification	CE, CB, UKCA & RoHS Approved
Weight	11.5kg



Chilled Refreshments



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



EH50933 - WITH ON/OFF SWITCH & KEY & LOCK. EU PLUG
EH50934 - WITH ON/OFF SWITCH & KEY & LOCK. UK PLUG

Brixham

35L Minibar Fridge Silent
Thermoelectric (Glass Door)
with On/Off Switch & Key & Lock


- ➔ Average Energy Consumption Per Year at an Ambient Temperature of 25°C and a Cooling Temperature of 12°C According to EN 1060/2010
- ➔ ErP Level: Class D
- ➔ Noise: 22dB (Class A)
- ➔ Non-wearing Peltier Thermoelectric
- ➔ Fuzzy Logic Control System For Low Energy Consumption
- ➔ No Moving Parts - 100% Silent and Vibration Free
- ➔ Environmentally Friendly - Ammonia Free
- ➔ Height-adjustable & Removable Shelves
- ➔ Soft LED Interior Light With Door Sensor
- ➔ Automatic Drain Water Evaporation
- ➔ With Key & Lock and Power On/Off Switch

Specifications

Product Dimension	400(W) x 420(D) x 500(H)mm
Capacity	35L
Colour	Black / Glass Door
Voltage	100-240V
Power	58W
Heater Power	10W
Refrigeration	R600a
Insulation	Cyclopentane
Certification	CE, CB, UKCA & RoHS Approved
Weight	13.9kg



Chilled Refreshments



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



EH50891 - WITH ON/OFF SWITCH & KEY & LOCK, EU PLUG
EH50892 - WITH ON/OFF SWITCH & KEY & LOCK, UK PLUG

Penzance

40L Minibar Fridge Silent
Thermoelectric (Solid Door)
with On/Off Switch & Key & Lock

- ➔ Average Energy Consumption Per Year at an Ambient Temperature of 25°C and a Cooling Temperature of 8°C According to EN 1060/2010
- ➔ ErP Level: Class E
- ➔ Noise: 22dB (Class A)
- ➔ Non-wearing Peltier Thermoelectric
- ➔ Fuzzy Logic Control System For Low Energy Consumption
- ➔ No Moving Parts - 100% Silent and Vibration Free
- ➔ Environmentally Friendly - Ammonia Free
- ➔ Height-adjustable & Removable Shelves
- ➔ Soft LED Interior Light With Door Sensor
- ➔ Automatic Drain Water Evaporation
- ➔ With Key & Lock and Power On/Off Switch

Specifications

Product Dimension	400(W) x 420(D) x 550(H)mm
Capacity	40L
Colour	Black / Solid Door
Voltage	100-240V
Power	58W
Heater Power	10W
Refrigeration	R600a
Insulation	Cyclopentane
Certification	CE, CB, UKCA & RoHS Approved
Weight	13kg



Chilled Refreshments



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



EH50897 - WITH ON/OFF SWITCH & KEY & LOCK. EU PLUG
EH50898 - WITH ON/OFF SWITCH & KEY & LOCK. UK PLUG

Redditch

40L Minibar Fridge Silent
Thermoelectric (Glass Door)
with On/Off Switch & Key & Lock

- ➔ Average Energy Consumption Per Year at an Ambient Temperature of 25°C and a Cooling Temperature of 12°C According to EN 1060/2010
- ➔ ErP Level: Class D
- ➔ Noise: 22dB (Class A)
- ➔ Non-wearing Peltier Thermoelectric
- ➔ Fuzzy Logic Control System For Low Energy Consumption
- ➔ No Moving Parts - 100% Silent and Vibration Free
- ➔ Environmentally Friendly - Ammonia Free
- ➔ Height-adjustable & Removable Shelves
- ➔ Soft LED Interior Light With Door Sensor
- ➔ Automatic Drain Water Evaporation
- ➔ With Key & Lock and Power On/Off Switch

Specifications

Product Dimension	400(W) x 420(D) x 550(H)mm
Capacity	40L
Colour	Black / Glass Door
Voltage	100-240V
Power	58W
Heater Power	10W
Refrigeration	R600a
Insulation	Cyclopentane
Certification	CE, CB, UKCA & RoHS Approved
Weight	15.7kg



Chilled Refreshments



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



GUEST SAFE BOX

Derby 14" Top Open Safe

- ➔ Bright LED Keypad Display
- ➔ Programmable Digital Lock with User and Master Codes
- ➔ Override Key Included for Emergency Use
- ➔ Anchor Bolts Included to Mount Safe to Wall or Floor
- ➔ Run on 4 AA Batteries (Excluded)
- ➔ Carpet Mat Padding on Inside Bottom

Specifications

Product Dimension	400(W) x 350(D) x 130(H)mm
Door Thickness	3mm
Body Thickness	1.2mm
Colour	Black / Grey
Battery	Operates on 4 AA Batteries (Not Included)
Certification	CE Approved
Weight	7.4kg



Ideal for Storage of Valueable Items



Bright LED Display & Easy to Use Keypad



Fit in Drawer



EH50927

Derby
14" Top Open Safe



EH50861 - 15"
EH50862 - 17"

Dewsbury
15" & 17" Hotel Safe

Hotel Safe

- ➔ Bright LED Keypad Display
- ➔ Programmable Digital Lock with 4 to 6 Digit User Input
- ➔ Override Key Included for Emergency Use
- ➔ Motorised Locking Door Bolts
- ➔ Carpet Lined Interior Base
- ➔ Anchor Bolts Included to Mount Safe to Wall or Floor
- ➔ Optional Audit Trail Reader to Display or Print Opening Records

Specifications

Product Dimension	420(W) x 360(D) x 190(H)mm (15")
Product Dimension	420(W) x 480(D) x 190(H)mm (17")
Door Thickness	3mm
Body Thickness	1.2mm
Colour	Black
Battery	Operates on 4 AA Batteries (Not Included)
Certification	CE Approved
Weight	8kg (15") 9.5kg (17")



15" & 17" Model is Easy to Store
Widescreen Laptops



Override Key Included
for Emergency Use



CEU Slot - Optional
Audit Trail Reader



EH50859 - 15"
EH50860 - 17"

Witney
15" & 17" Hotel Safe

Hotel Safe

- ➔ Bright LED Keypad Display
- ➔ Programmable Digital Lock with 4 to 6 Digit User Input
- ➔ Override Key Included for Emergency Use
- ➔ Motorised Locking Door Bolts
- ➔ Carpet Lined Interior Base
- ➔ Anchor Bolts Included to Mount Safe to Wall or Floor
- ➔ Optional Audit Trail Reader to Display or Print Opening Records

Specifications

Product Dimension	420(W) x 360(D) x 190(H)mm (15")
Product Dimension	420(W) x 480(D) x 190(H)mm (17")
Door Thickness	3mm
Body Thickness	1.2mm
Colour	Black
Battery	Operates on 4 AA Batteries (Not Included)
Certification	CE Approved
Weight	8kg (15") 9.5kg (17")



15" & 17" Model is Easy to Store
Widescreen Laptops



Override Key Included
for Emergency Use



CEU Slot - Optional
Audit Trail Reader



ACCESSORIES & ROOM ESSENTIALS

Bodmin

Multi-Function Alarm Clock with Wireless Charging & Speaker

- ➔ Built-in Latest Wireless Connection Technology & Able to Pair with Almost All Compatible Devices
- ➔ Highest Quality Speaker - 5 Wattage Full Frequency Loudspeaker each for Dynamic Audio
- ➔ Hassle-free Wireless Charger with Fast Charging Technology feature & Compatibles with Almost All Support Devices
- ➔ Available setting of Wireless pairing, Dual Alarm Clock setting, Snooze Alarm Mode, AUX Audio & FM Radio, TF Card and Double USB Port for wire-style pairing
- ➔ Ultra Large LCD Display with Anti-Scratch Screen, adjustable LCD Screen Brightness and Day, Time details display
- ➔ Back-up Clock Memory with 2x 1.5V AAA Batteries
- ➔ Optional USB Type-C Adaptor & Screw fixing point with Anti-Theft Cable
- ➔ Battery Slot with Secured Cover

Specifications

Power	AC 110 – 240V, 50-60Hz
Wireless Charger Wattage	10W
Battery (Optional)	2 x 1.5V AAA Batteries (NOT INCLUDED)
Dimensions	128mm (L) x 102mm (W) x 77mm (H)
Certification	CE, UKCA, FCC, ROHS & CCC Approved
Weight	0.45 Kg



Available Setting Options



Optional USB Type-C Adaptor
EH50775



Optional Screw Type Anti-Theft Cable
EH50776





EH50768 - EU PLUG
EH50769 - UK PLUG



Fast Charging Technology

Bodmin

Multi-Function Alarm Clock with
Wireless Charging & Speaker



Alton

USB Rechargeable Torchlight

- ➔ Light & Compact Portable Design – Mini and handy size to keep in the pocket
- ➔ Charging a cell phone as an emergency power bank
- ➔ Zoom in or out the torchlight to adjust the brightness intensity of illumination area
- ➔ IPX4-rated water-resistant and designed for use in a rainy day
- ➔ Build in rechargeable battery with micro USB charging in 2 hours and constant brightness up to 4 hours!
- ➔ Bottom of the torchlight is equipped with a lanyard for easy hanging and carrying
- ➔ Bright & Powerful - 4 Modes: High, Low, Flash and Zoomable light
- ➔ Suitable for Hotel Housekeeping or Outdoor activities

Specifications

Torchlight Dimension	137 x 36 x 27 MM
Product Weight	0.098KG
Power	10W
Battery	Built-in 1200mAh
Charging Port	Micro USB port
Charging Time	2 hrs
Input Voltage	5V
Waterproof Rate	IPX4
Working Hours	2.5-4 hrs



Light & Portable Design



Built-in 1200mAh rechargeable battery



Come with USB cable & pouch for easy carry





Alton
USB Rechargeable Torchlight



ACCESSORIES & ROOM ESSENTIALS

Woburn **PUSHPOWER** Digital Bathroom Scale

- ➔ BATTERY-FREE – powered by **PUSH POWER** Button
- ➔ 4 High Precision Sensors for Accurate Weight
- ➔ TOUGHENED SAFETY GLASS 8MM Thickness
- ➔ ULTRA LARGE LCD Display
- ➔ Modern, Elegant & Stylish Design
- ➔ Stable & Rigid Platform
- ➔ Overload & Error Indication
- ➔ Weight up to 180 kgs
- ➔ Auto Switch OFF
- ➔ Units in KGS & LBS

Specifications

Dimensions	310mm x 310mm x 30mm
Material	8mm Toughened Safety Glass
Certification	CE, UKCA & RoHs
Weight	1.6 kg



Battery-Free
PUSH POWER Button



Ultra Large LCD Display



8mm Ultra-Tough Glass



EH50753



BATTERY
FREE



EH50755



Woburn **PUSHPOWER** Digital Bathroom Scale



EH50806

Whitehill Stainless Steel Scale

- ➔ High Precision Sensors for accurate weight
- ➔ Smudge-resistant and easy-to-clean high quality Stainless Steel 304 Platform
- ➔ Anti-Fingerprint coating to reduce scratches
- ➔ Weight up to 180kgs
- ➔ Stable & Rigid Platform
- ➔ Overload & Error Indication
- ➔ Low Battery Indicator
- ➔ Units in KGS, LBS & STONES

Specifications

Dimensions	300 x 300 x 220mm
Battery	2xAAA battery included
Material	Stainless Steel + 6mm Tempered Glass
Certification	CE, UKCA & RoHS Approved
Weight	1.69kg



304 Stainless Steel &
6mm Tempered Glass



Wide LCD Display
76mm x 40mm



Stable and Rigid Platform
with Anti-fingerprint coating





EH50928

Fairford Digital Bathroom Scale


- Unique & Patented Soft Grip Touch
- Improved Anti-Slip Performance
- 4 High Precision Sensors for Accurate Weight
- Non Slip Glass with 8mm Tempered Glass
- Auto Switch ON/OFF Saves Battery Life
- Modern, Elegant & Stylish Design
- Weight range 5 to 180 kgs
- Overload & Error Indication
- Stable & Rigid Platform
- Units in KGS, LBS or STONES
- Low Battery Indicator

Specifications

Dimensions	300 x 300 x 22mm
Voltage	3V
Battery	2 x CR2032 Lithium Ion Batteries included
Material	8mm Tempered Glass
Certification	UKCA, CE & RoHS Approved
Weight	1.985kg



Extra Large LCD Display
81mm x 43mm



Improved Anti-slip
Performance



Stable and Rigid Platform





EH50789

Wilton Bamboo Black Scale

- ➔ High Precision Sensors for accurate weight
 - ➔ High-quality, anti-mildew surface made out of real bamboo 15mm thickness
 - ➔ Weight up to 180kgs
 - ➔ Stable & Rigid Platform
 - ➔ Overload & Error Indication
 - ➔ Low Battery Indicator
 - ➔ Units in KGS, LBS & STONES
 - ➔ Designed & Manufactured for use in Guest Bedrooms, Living Rooms, Suites etc.
- *NOT SUITABLE FOR USE IN BATHROOMS**

Specifications

Dimensions	300 x 300 x 31 mm
Voltage	3V
Battery	3 x AAA Batteries Included
Material	15mm Real Bamboo
Certification	CE, UKCA & RoHS Approved
Weight	1.105kg



15 mm Real Bamboo



Wide LCD Display
76mm x 40mm



Stable & Rigid
Platform





EH50835

Wilton Bamboo Natural Scale

- ➔ High Precision Sensors for accurate weight
- ➔ High-quality, anti-mildew surface made out of real bamboo 15mm thickness
- ➔ Weight up to 180kgs
- ➔ Stable & Rigid Platform
- ➔ Overload & Error Indication
- ➔ Low Battery Indicator
- ➔ Units in KGS, LBS & STONES
- ➔ Designed & Manufactured for use in Guest Bedrooms, Living Rooms, Suites etc.

***NOT SUITABLE FOR USE IN BATHROOMS**

Specifications

Dimensions	300 x 300 x 31 mm
Voltage	3V
Battery	3 x AAA Batteries Included
Material	15mm Real Bamboo
Certification	CE, UKCA & RoHS Approved
Weight	1.105kg



15 mm Real Bamboo



Wide LCD Display
76mm x 40mm



Stable & Rigid
Platform





Ashton

Digital Bathroom Scale

- ➔ High Precision Sensors for accurate weight
- ➔ Auto ON & OFF
- ➔ Modern, Elegant & Stylish Design
- ➔ Weighs up to 180 kgs
- ➔ Stable & Rigid Platform
- ➔ Units in KGS & LBS

Specifications

Dimensions	300 x 300 x 24mm
Voltage	3V
Battery	2 x AAA Batteries included
Material	8mm Toughened Safety Glass
Certification	CE, UKCA & RoHS
Weight	1.95kg



Toughened Safety Glass
8mm thickness



Wide LCD Display
75mm x 31mm



EH50358

Ashton
Digital Bathroom Scale



SA90035 - EU PLUG
SA90034 - UK PLUG

1600W Cylindrical Hairdryer

- ➔ Powerful 1600W DC Motor
- ➔ 2 Speed/Heat & Cool Setting
- ➔ Removable Filter for Easy Cleaning
- ➔ Complete with Air-Flow Concentrator for Perfect Styling & Drying
- ➔ Soft Touch Matt Finish
- ➔ Generous cord length 180cm Long
- ➔ Safety Thermostat Over-heating circuit protection
- ➔ Available in EU & UK Plug Variants

Specifications

Power	1400-1800W
Voltage	220-240V, 50-60Hz
Hairdryer Dimension	177 x 235 x 75mm
Certification	CE, CB, UKCA, GS
Product Weight	530g



Wall Mounted Hairdryer
Holder Option (Devizes)



Removable Concentrator



2 Speed/Heat & Cool settings



SA90007 - EU PLUG
SA90006 - UK PLUG
SA90005 - BATTERY

Emergency Torchlight Instant - ON

- ➔ High Energy-Efficiency & Quality – 13 LED light with 50,000 hours lifespan
- ➔ INSTANT-ON feature - The torch will illuminate immediately when removed from holder if left in ON mode and replaced in holder.
- ➔ Aluminum Oxidation Finishing Flashlight with ABS Holder
- ➔ Estimated 12 - 24 hours long per usage period
- ➔ Non-slip contoured handle for comfortable use
- ➔ Easy installation – Included complete set of screws and screw anchors

NOTE: Please use rechargeable lithium battery ONLY (Not Included) for rechargeable function

Specifications

Power	AC 100V-250V, 50 – 60Hz
Battery	x3 1.5V AA Alkaline or Lithium Batteries (NOT INCLUDED)
Wattage	3.9 Watts-hours
Lumen	120 lumen
Beam Angle	180°
Light Colour	White Light
Material	Aluminum and ABS
Holder Dimension	175mm x 60mm
Torchlight Dimension	178mm x 44 mm
Certification	CE approved
Weight	0.28 kg



All Black Aluminum
Oxidation Finishing



Anti-theft Wall
Mounted Holder



SPECIFICATIONS



SPECIFICATIONS - KETTLES



Model	Evesham - Steel / Black	Evesham - Steel / Black	Evesham - Black
Art No	EH50714 (EU Plug-EH Controller) EH50716 (EU Plug-Strix Controller)	EH50715 (UK Plug-EH Controller) EH50717 (UK Plug-Strix Controller)	EH50724 (EU Plug-EH Controller) EH50722 (EU Plug-Strix Controller)
Page	5	5	5
Power	220-240V, 50-60Hz	220-240V, 50-60Hz	220-240V, 50-60Hz
Wattage	1500-1800W	1500-1800W	1500-1800W
Capacity	1 Litre	1 Litre	1 Litre
DUAL SAFE	Yes	Yes	Yes
Material	Polypropylene High Grade SS304 Stainless Steel Body & Heat Plate Double Layer Safety Insulation	Polypropylene High Grade SS304 Stainless Steel Body & Heat Plate Double Layer Safety Insulation	Polypropylene High Grade SS304 Stainless Steel Body & Heat Plate Double Layer Safety Insulation
Overall Height	220mm	220mm	220mm
Top Diameter	88mm	88mm	88mm
Base Diameter	143mm	143mm	143mm
Weight	930g	930g	930g
Certification			
Mark/Warranty	8pcs - 69.5 x 20.7 x 44cm 9.6kg 0.0633CBM	8pcs - 69.5 x 20.7 x 44cm 9.6kg 0.0633CBM	8pcs - 69.5 x 20.7 x 44cm 9.6kg 0.0633CBM
Packaging Details	EH50714 (EU Plug-EH Controller) EH50716 (EU Plug-Strix Controller) 	EH50715 (UK Plug-EH Controller) EH50717 (UK Plug-Strix Controller) 	EH50724 (EU Plug-EH Controller) EH50722 (EU Plug-Strix Controller)
Barcodes	 9 557726 507142 9 557726 507168	 9 557726 507153 9 557726 507173	 9 557726 507241 9 557726 507227



Model	Evesham - Black	Malvern Brushed Stainless Steel	Malvern Black
Art No	EH50725 (UK Plug-EH Controller) EH50723 (UK Plug-Strix Controller)	EH50550 (EU Plug-EH Controller) EH50635 (EU Plug-Strix Controller) EH50634 (UK Plug-Strix Controller)	EH50726 (EU Plug-EH Controller) EH50643 (EU Plug-Strix Controller) EH50644 (UK Plug-Strix Controller)
Page	5	7	7
Power	220-240V, 50-60Hz	220-240V, 50-60Hz	220-240V, 50-60Hz
Wattage	1500-1800W	800-950W	800-950W
Capacity	1 Litre	0.5 Litre	0.5 Litre
DUAL SAFE	Yes	Yes	Yes
Material	Polypropylene High Grade SS304 Stainless Steel Body & Heat Plate Double Layer Safety Insulation	High Grade SS304 Stainless Steel Body & Heat Plate	High Grade SS304 Stainless Steel Body & Heat Plate
Overall Height	220mm	185mm	185mm
Top Diameter	88mm	90mm	90mm
Base Diameter	143mm	143mm	143mm
Weight	930g	770g	770g
Certification			
Mark/Warranty	8pcs - 69.5 x 20.7 x 44cm 9.6kg 0.0633CBM	12pcs - 52.5 x 39.5 x 38cm 11.82kg 0.079CBM	12pcs - 52.5 x 39.5 x 38cm 11.82kg 0.079CBM
Packaging Details	EH50725 (UK Plug-EH Controller) EH50723 (UK Plug-Strix Controller) 	EH50550 (EU Plug-EH Controller) EH50635 (EU Plug-Strix Controller) EH50634 (UK Plug-Strix Controller) 	EH50726 (EU Plug-EH Controller) EH50643 (EU Plug-Strix Controller) EH50644 (UK Plug-Strix Controller)
Barcodes	 9 557726 507258 9 557726 507234	 9 557726 505506 9 557726 506350 9 557726 506343	 9 557726 507265 9 557726 506435 9 557726 506442

SPECIFICATIONS - KETTLES



Model	Corsham Brushed Stainless Steel	Corsham Black	Corsham Black
Art No	EH50633 (EU Plug-EH Controller) EH50637 (EU Plug-Strix Controller) EH50636 (UK Plug-Strix Controller)	EH50705 (EU Plug-EH Controller) EH50729 (EU Plug-Strix Controller)	EH50709 (UK Plug-EH Controller) EH50728 (UK Plug-Strix Controller)
Page	8	8	8
Power	220-240V, 50-60Hz	220-240V, 50-60Hz	220-240V, 50-60Hz
Wattage	800-950W	800-950W	800-950W
Capacity	1 Litre	1 Litre	1 Litre
DUAL SAFE	Yes	Yes	Yes
Material	High Grade SS304 Stainless Steel Body & Heat Plate	High Grade SS304 Stainless Steel Body & Heat Plate	High Grade SS304 Stainless Steel Body & Heat Plate
Overall Height	209mm	209mm	209mm
Top Diameter	90mm	90mm	90mm
Base Diameter	143mm	143mm	143mm
Weight	790g	790g	790g
Certification			
Mark/Warranty			
Packaging Details	12pcs - 52.5 x 39.5 x 43.0cm 12.5kg 0.089CBM	12pcs - 53.0 x 40.0 x 43.0cm 12.37kg 0.091CBM	12pcs - 53.0 x 40.0 x 43.0cm 12.37kg 0.091CBM
Barcodes	EH50633 (EU Plug-EH Controller) EH50637 (EU Plug-Strix Controller) EH50636 (UK Plug-Strix Controller) 	EH50705 (EU Plug-EH Controller) EH50729 (EU Plug-Strix Controller) 	EH50709 (UK Plug-EH Controller) EH50728 (UK Plug-Strix Controller)



Model	Banbury	Guildford Black	Guildford White
Art No	EH50840 (EU Plug-EH Controller) EH50839 (UK Plug-EH Controller)	EH50740 (EU Plug-EH Controller) EH50739 (UK Plug-Strix Controller)	EH50743 (EU Plug-EH Controller) EH50742 (UK Plug-EH Controller)
Page	9	11	11
Power	220-240V, 50-60Hz	220-240V, 50-60Hz	220-240V, 50-60Hz
Wattage	800W	870-1035W	870-1035W
Capacity	0.8 Litre	0.8 Litre	0.8 Litre
DUAL SAFE	Yes	No	No
Material	High Grade SS304 Stainless Steel Body & Heat Plate	Plastic Body	Plastic Body
Overall Height	200mm	180mm	180mm
Top Diameter	111.5mm	90mm	90mm
Base Diameter	130mm	139mm	139mm
Weight	750g	605g	605g
Certification			
Mark/Warranty			
Packaging Detail	12pcs - 45 x 35 x 39.8cm 11.2kg 0.063CBM	12pcs - 46.5 x 36.5 x 35cm 9.2kg 0.059CBM	12pcs - 46.5 x 36.5 x 35cm 9.2kg 0.059CBM
Barcodes	EH50840 (EU Plug-EH Controller) EH50839 (UK Plug-EH Controller) 	EH50740 (EU Plug-EH Controller) EH50739 (UK Plug-Strix Controller) 	EH50743 (EU Plug-EH Controller) EH50742 (UK Plug-EH Controller)

SPECIFICATIONS - CLIMATE PURE WATER PURIFIER











Model	1.0L Water Purifier	Hot & Cold 4.0L Water Purifier
Art No	CP60898 (EU Plug) CP60899 (UK Plug)	CP60900 (EU Plug) CP60901 (UK Plug)
Page	13	14
Power	220-240, 50-60Hz	220-240, 50Hz
Wattage	2000-2400W	2200-2300W
Low Standby Power	0.5W	0.5W
DUAL SAFE	Yes	Yes
Cable Length	80cm	1 Metre
Water Tank Capacity	1.0L	4.0L
Water Source	Municipal Tap Water	Municipal Tap Water
Temperature	25°C, 60°C, 70°C, 85°C, 98°C	Room : 25°C Cold : 5°C - 10°C Hot : 45°C - 100°C
Heat Technology	Spiral 360° Technology	Spiral Heating Technology
Filtration Method	5 Stage Purification System	Reverse Osmosis
Sterilization Method	LED UV-C System	Double UV-C Lamp
Filter Cartridge	Z1 Shield Master	R2 Shield Master Dual Stream
Colour	Matt Black	Matt Black
Material	ABS	ABS
Product Dimensions	405(W) x 100(D) x 263(H)mm	468(W) x 213(D) x 390(H)mm
Weight	2.1kg	11.2kg
Certification Mark/Warranty		
Packaging Details	4pcs - 53.5 x 48 x 33.8cm 10.5kg 0.0868CBM	1pcs - 50.5 x 27 x 46cm 12.35kg 0.0627CBM
Barcodes	<div>CP60898 (EU Plug)</div> <div>9 557726 608986</div> <div>CP60899 (UK Plug)</div> <div>9 557726 608993</div> <div> </div>	<div>CP60900 (EU Plug)</div> <div>9 557726 609006</div> <div>CP60901 (UK Plug)</div> <div>9 557726 609013</div> <div> </div>


SPECIFICATIONS - WELCOME TRAYS BAMBOO









Model	Fenland Espresso Tray	Fenland Condiment Box	Winford - Black	Amesbury - Black
Art No	EH50820	EH50821	EH50756	EH50813
Page	17	17	18	19
Material	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo
Cert Food Grade	Yes	Yes	Yes	Yes
Overall Length	50cm	21cm	37.0cm	39cm
Overall Width	40cm	19cm	35.0cm	31.5cm
Height	4cm	7cm	8.8cm	7.5cm
Weight	1800g	800g	3965g	2640g
Certification Mark/Warranty				
Packaging Details	5pcs- 52.5 x 43.5 x 32cm 11.20kg 0.0730CBM	10pcs- 43.5 x 43 x 25.2cm 9.05kg 0.0471CBM	5pcs- 49.6 x 39 x 37.5cm 18.0kg 0.0725CBM	5pcs- 43.8 x 41.5 x 35.2cm 15.0kg 0.0640CBM
Barcodes	EH50820 	EH50821 	EH50756 	EH50813 



Model	Cambourne Plus - Black	Tongwell - Black	Winford - Natural	Amesbury - Natural
Art No	EH50688	EH50467	EH50836	EH50833
Page	20	21	22	23
Material	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo
Cert Food Grade	Yes	Yes	Yes	Yes
Overall Length	27.0cm	26cm	37.0cm	39cm
Overall Width	19.4cm	26cm	35.0cm	31.5cm
Height	8.5cm	3cm	8.8cm	7.5cm
Weight	1450g	850g	4060g	2640g
Certification Mark/Warranty				
Packaging Details	12pcs- 57.6 x 28.7 x 42.2cm 17.10kg 0.0698CBM	12pcs- 49 x 28 x 28.2cm 11.81kg 0.039CBM	5pcs- 52.5 x 39.5 x 37.9cm 22.1kg 0.0786CBM	5pcs- 43.8 x 41.5 x 35.2cm 15kg 0.0640CBM
Barcodes	EH50688 	EH50467 	EH50836 	EH50833 



Model	Cambourne Plus - Natural	Tongwell - Natural	Tongwell - Mahogany
Art No	EH50834	EH50289	EH50468
Page	24	25	25
Material	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo
Cert Food Grade	Yes	Yes	Yes
Overall Length	27.0cm	26cm	26cm
Overall Width	19.4cm	26cm	26cm
Height	8.5cm	3cm	3cm
Weight	1450g	850g	850g
Certification Mark/Warranty			
Packaging Details	12pcs- 57.6 x 28.7 x 42.2cm 20.5kg 0.0698CBM	12pcs- 49 x 28 x 28.2cm 11.81kg 0.039CBM	12pcs- 49 x 28 x 28.2cm 11.81kg 0.039CBM
Barcodes	EH50834 	EH50289 	EH50468 

SPECIFICATIONS - WELCOME TRAYS ABS SERIES



Model	Heywood ABS - Main Tray Matt Black	Heywood Slate - Service Tray Matt Black	Heywood Slate - Amenity Holder Matt Black
Art No	EH50822	EH50823	EH50824
Page	27	27	27
Material	ABS	ABS	ABS
Cert Food Grade	Yes	Yes	Yes
Overall Length	35.8cm	23.5cm	14.5cm
Overall Width	25.8cm	11cm	7.5cm
Height	1cm	1cm	4cm
Weight	285g	75g	85g
Certification			
Mark/Warranty			
Packaging Details	24pcs- 37.6 x 28.5 x 31.2cm 7.97kg 0.0334CBM	24pcs- 30 x 26 x 13cm 2.6kg 0.0101CBM	24pcs- 35 x 20 x 17.7cm 2.9kg 0.0123CBM
Barcodes	EH50822 	EH50823 	EH50824




Model	Heywood Slate - Compact Tray. Matt Black	Heywood Slate - Amenity Organiser. Matt Black	Walton
Art No	EH50825	EH50826	EH50175
Page	29	29	30
Material	ABS	ABS	ABS
Cert Food Grade	Yes	Yes	Yes
Overall Length	33cm	12.5cm	46cm
Overall Width	16cm	8cm	22.5cm
Height	1cm	5.8cm	3.5cm
Weight	170g	120g	738g
Certification			
Mark/Warranty			
Packaging Details	24pcs- 34.5 x 18.5 x 31cm 4.8kg 0.0198CBM	24pcs- 43.2 x 27.5 x 15.1cm 3.8kg 0.0179CBM	12pcs- 55 x 25 x 49cm 11.37kg 0.067CBM
Barcodes	EH50825 	EH50826 	EH50175



Model	Andover	Lavenham	Mere
Art No	EH50873	EH50954	EH50826
Page	31	33	34
Material	ABS	ABS	ABS
Cert Food Grade	Yes	Yes	Yes
Overall Length	36.3cm	27.9cm	15cm
Overall Width	24.1cm	24cm	15cm
Height	3cm	5.5cm	
Weight	400g	505g	26g
Certification			
Mark/Warranty			
Packaging Details	48pcs- 84 x 38.2 x 50.4cm 22.9kg 0.161CBM	12pcs- 50.5 x 29.5 x 36cm 16kg 0.05363CBM	108pcs- 47 x 31.5 x 30cm 4.28kg 0.0444CBM
Barcodes	EH50873 	EH50954 	EH50913

SPECIFICATIONS - WELCOME TRAYS MELAMINE



Model	Halstead Black (Matt)	Halstead White (Matt)
Art No	EH50678	EH50679
Page	35	35
Material	Melamine	Melamine
Cert Food Grade	Yes	Yes
Overall Length	26.20cm	26.20cm
Overall Width	26.20cm	26.20cm
Height	3cm	3cm
Weight	610g	610g
Certification		
Mark/Warranty		
Packaging Details	12pcs- 41 x 29 x 28cm 9.05kg 0.033CBM	12pcs- 41 x 29 x 28cm 9.05kg 0.033CBM
Barcodes	EH50678 9 557726 506787	EH50679 9 557726 506794

SPECIFICATIONS - HAIRDRYERS



Model	Thames 1875W	Harrow Matt Black 1600W
Art No	EH50844 (EU Plug) EH50845 (UK Plug)	EH50777 (EU Plug) EH50778 (UK Plug)
Page	37	39
Power	220-240V, 50-60Hz	220-240V, 50-60Hz
Wattage	1800-2200W	1400-1600W
DUAL SAFE	Yes	Yes
Heat Setting	Two	Two
Removable Filter	Yes	Yes
Steam Mesh Blade Cover	Yes	Yes
On /Off Press Switch	Yes	Yes
Thermostat Overheat Protection	Yes	Yes
Material	Polypropylene Ionic Ceramic	Plastic with luxury matt finish
Cable length	Heavy Duty Coil Cable 350cm	200cm
Colour	Black	Black
Dimensions	240 x 85 x 280mm	140 x 77 x 231mm
Weight	615g	390g
Certification		
Mark/ Warranty		
Packaging Details	10pcs - 48.5 x 41.5 x 30cm 8.37kg 0.06CBM	20pcs - 47 x 27.5 x 45cm 11.50kg 0.058CBM
Barcodes	EH50844 (EU Plug) 9 557726 508446 EH50845 (UK Plug) 9 557726 508453 	EH50777 (EU Plug) 9 557726 507777 EH50778 (UK Plug) 9 557726 507784

SPECIFICATIONS - HAIRDRYERS



Model	Marlow Deluxe 1875W	Emsworth 1875W	Ashford 1800W
Art No	EH50879 (COIL. EU Plug) EH50880 (COIL. UK Plug) EH50877 (STRAIGHT. EU Plug) EH50878 (STRAIGHT. UK Plug)	EH50846 (EU Plug) EH50847 (UK Plug)	EH50918 (EU Plug) EH50919 (UK Plug)
Page	40	41	42
Power	220-240V, 50-60Hz	220-240V, 50-60Hz	220-240V, 50-60Hz
Wattage	1800-2200W	1800-2000W	1800W BLDC Motor
DUAL SAFE	Yes	Yes	Yes
Heat Setting	Three	Three	Three
Removable Filter	Yes	Yes	Yes
Steam Mesh Blade Cover	Yes	Yes	Yes
On /Off Press Switch	Nil	Yes	Yes
Thermostat Overheat Protection	Yes	Yes	Yes
Material	Polypropylene Ionic Ceramic	Polypropylene Ionic Ceramic	Ionic - Negative Ions
Cable length	Coil Cable 300cm	Coil Cable 300cm	
Colour	Black	Black	Titanium Grey
Dimensions	265 x 89 x 280mm	197 x 78 x 218mm	123 x 76 x 270mm
Weight	520g	675g	590g
Certification	CE CB UK RoHS 3	CE CB UK RoHS 3	CE CB UK RoHS 3
Mark/ Warranty	10pcs- 49.5 x 27.1 x 29cm 7.5kg 0.039CBM	10pcs- 52 x 44 x 30cm 7.6kg 0.0686CBM	10pcs- 35 x 29.5 x 51cm 9.5kg 0.0526CBM
Barcodes	<div>EH50879 (COIL. EU Plug)</div> <div>9 557726 508798</div> <div>EH50880 (COIL. UK Plug)</div> <div>9 557726 508804</div> <div>EH50877 (STRAIGHT. EU Plug)</div> <div>9 557726 508774</div> <div>EH50878 (STRAIGHT. UK Plug)</div> <div>9 557726 508781</div>	<div>EH50846 (EU Plug)</div> <div>9 557726 508460</div> <div>EH50847 (UK Plug)</div> <div>9 557726 508477</div>	<div>EH50918 (EU Plug)</div> <div>9 557726 509184</div> <div>EH50919 (UK Plug)</div> <div>9 557726 509191</div>

SPECIFICATIONS - HAIRDRYERS



Model	Mursley - Matt Black	Mursley - Matt White	Mursley - Chrome/Black
Art No	EH50952	EH50953	EH50440
Page	43	43	43
Material	Silicon Inner Matt Black - Outer	Silicon - Inner Matt White - Outer	Silicon - Inner Plastic Chrome - Outer
Anti Theft	Yes	Yes	Yes
Suit Hard Wired Installation	Yes	Yes	Yes
Easy Mounting	Yes	Yes	Yes
Dimensions	93 x 74 x 50mm	93 x 74 x 50mm	93 x 74 x 50mm
Weight	45g	45g	50g
Packaging Details	200pcs- 90 x 32 x 45cm 16.4kg 0.13CBM	200pcs- 90 x 32 x 45cm 16.4kg 0.13CBM	200pcs- 90 x 32 x 45cm 16.63kg 0.13CBM
Barcodes	EH50952 9 557726 509528	EH50953 9 557726 509535	EH50440 9 557726 504400



Model	Deviz - Hairdryer Holder	Shere - Hairdryer Stand
Art No	EH50866	EH50949
Page	43	44
Material	ABS	Carbon Steel with Heat Resistant
Anti Theft	Yes	NIL
Suit Hard Wired Installation	Yes	NIL
Easy Mounting	Yes	Yes
Colour	Matt Black	Dark Grey Titanium
Dimensions	90 x 90 x 79mm	140 x 160 x 240mm
Weight	56g	1150g
Packaging Details	200pcs- 95 x 51 x 46cm 30kg 0.22287CBM	10pcs- 86 x 30 x 40cm 14kg 0.103CBM
Barcodes	EH50866 9 557726 508668	EH50949 9 557726 509498



Model	Lathbury Hairdryer Bag
Art No	EH50357
Page	44
Material	Soft Velvet Silver Thread Embroidery Strong Black PP Drawstring
Colour	Black
Dimensions	400 x 300mm
Weight	66g
Packaging Details	200pcs- 44 x 34.5 x 55cm 14kg 0.084CBM
Barcodes	EH50357 9 557726 503571

SPECIFICATIONS - IRONS



Model	Croft Deluxe - Steam Iron	Hertford Black - Steam Iron
Art No	EH50785 (EU Plug) EH50786 (UK Plug)	EH50501 (EU Plug) EH50502 (UK Plug)
Page	45	47
Power	220-240V, 50-60 Hz	220-240V, 50-60 Hz
Wattage	2000W	1600W
DUAL SAFE	Yes	Yes
Water Tank Capacity	300ml	250ml
Eco Auto Off Function	Yes	Yes
Anti Drip	Yes	Yes
Thermo Weld Technology	Yes	Yes
5min Auto Off Function	Yes	Yes
Sole Plate Material	Ceramic	Non-Stick
Cable	Heavy Duty 300cm	Heavy Duty 250cm
Colour	Black/Grey	Black/Grey
Plate size	228 x 123mm	206 x 113mm
Product size	290 x 123 x 151 mm	266 x 120 x 140mm
Weight	1180g	982g
Certification	    	    
Mark/Warranty		
Packaging Details	10pcs - 66.4 x 31.9 x 32.5cm 14kg 0.069CBM	10pcs - 62.5 x 30.5 x 32.5cm 11.70kg 0.062CBM
Barcodes	<div>EH50785 (EU Plug)  9 557726 507852</div> <div>EH50786 (UK Plug)  9 557726 507869</div>	<div>EH50501 (EU Plug)  9 557726 505018</div> <div>EH50502 (UK Plug)  9 557726 505025</div>



Model	Hertford White - Steam Iron	Havant Deluxe - Steam Iron
Art No	EH50546 (EU Plug) EH50547 (UK Plug)	EH50515 (UK Plug)
Page	47	47
Power	220-240V, 50-60 Hz	220-240V, 50-60Hz
Wattage	1600W	1600W
DUAL SAFE	Yes	Yes
Water Tank Capacity	250ml	250ml
Eco Auto Off Function	Yes	Yes
Anti Drip	Yes	Yes
Thermo Weld Technology	Yes	Yes
5min Auto Off Function	Yes	Yes
Sole Plate Material	Non-Stick	Non-Stick
Cable	Heavy Duty 250cm	Heavy Duty 190cm
Colour	White/Grey	White/Grey
Plate size	206 x 113mm	206 x 113mm
Product size	266 x 120 x 140mm	266 x 120 x 140mm
Weight	982g	982g
Certification	    	    
Mark/Warranty		
Packaging Details	10pcs - 62.5 x 30.5 x 32.5cm 11.70kg 0.062CBM	10pcs - 62.5 x 30.0 x 32.5cm 11.5kg 0.0609CBM
Barcodes	<div>EH50546 (EU Plug)  9 557726 505469</div> <div>EH50547 (UK Plug)  9 557726 505476</div>	<div>EH50515 (UK Plug)  9 557726 505155</div>

SPECIFICATIONS - STEAMER & IRON






Model	Ampthill 2 in 1 Steamer & Iron	Cheshunt 2 in 1 Digital Steamer & Iron
Art No	EH50853 (EU Plug) EH50854 (UK Plug)	EH50851 (EU Plug) EH50852 (UK Plug)
Page	49	51
Power	220-240V, 50-60Hz	220-240V, 50-60Hz
Wattage	1650-1950W	1400-1800W
DUAL SAFE	Yes	Yes
Water Tank Capacity	170ml	180ml
Eco Auto Off Function	Yes	Yes
Anti Drip	No	No
Thermo Weld Technology	Yes	Yes
5min Auto Off Function	Yes	Yes
Sole Plate Material	Double Layer Ceramic	Double Layer Ceramic
Cable	Heavy Duty 250cm	Heavy Duty 250cm
Colour	Black/Grey	Black/Grey
Plate size	133 x 88mm	143 x 97mm
Product size	413 x 92 x 143mm	362 x 97 x 180mm
Weight	900g	950g
Certification	CE CB GS UK RoHS 3 YEARS	CE CB GS UK RoHS 3 YEARS
Mark/Warranty		
Packaging Details	10pcs - 57.5 x 45.0 x 31.7cm 13.05kg 0.082CBM	10pcs - 60.0 x 41.0 x 47.2cm 14.78kg 0.1161CBM
Barcodes	<div>EH50853 (EU Plug)</div> <div>9 557726 508538</div> <div>EH50854 (UK Plug)</div> <div>9 557726 508545</div> <div>Icons: Iron, Steamer, Safety</div>	<div>EH50851 (EU Plug)</div> <div>9 557726 508514</div> <div>EH50852 (UK Plug)</div> <div>9 557726 508521</div> <div>Icons: Iron, Steamer, Safety</div>



Model	Arundel Foldable Steamer Board	Crawley - Universal Steamer Holder with Anti-Theft	Longridge Steamer Bag
Art No	EH50961	EH50911	EH50920
Page	53	55	56
Material	Cotton/ Foam/ Plastic	Steel Double Non Slip Rubberized Protective Coating Finish	Heat Resistant Cotton Silver Thread Embroidery Strong PP Drawstring
Certification	3 YEARS WARRANTY	3 YEARS WARRANTY	3 YEARS WARRANTY
Colour	Charcoal Grey	Black	Black
Dimensions	41 x 95cm	29.0 x 12 x 12.2cm	46 x 25.2cm
Weight	0.86kg	0.472kg	35g
Packaging Details	10pcs- 67 x 42.5 x 27.5cm 10.75kg 0.0783CBM	30pcs- 60 x 46 x 38cm 13.5kg 0.105CBM	200pcs- 55 x 34 x 35cm 10kg 0.06545CBM
Barcodes	<div>EH50961</div> <div>9 557726 509610</div>	<div>EH50911</div> <div>9 557726 509115</div>	<div>EH50920</div> <div>9 557726 509207</div>

SPECIFICATIONS - TOUGH IRONING BOARDS



Model	Sherington - Ironing Board Full Size	Moulton - Ironing Board Compact Size	Rothwell - Ironing Board Compact Size with Fixed Metal Rest
Art No	EH50379	EH50380	EH50383
Page	58	58	58
Material	Metal	Metal	Metal
Metal Mesh Top	Yes	Yes	Yes
Rugged Tube	Yes	Yes	Yes
Frame Legs 38mm/28mm	Yes	Yes	Yes
Suit Hard Wired	Yes	Yes	Yes
Cover Grey Metallic Fabric Colour	Yes	Yes	Yes
Underlay Plus Foam	Silver Grey Frame Grey Fabric Colour	Silver Grey Frame Grey Fabric Colour	Silver Grey Frame Grey Fabric Colour
Smooth Binding Edges	Yes	Yes	Yes
Pre fitted System to Attached Holders	Yes	Yes	No
Fixed Metal Rest	No	No	Yes
Warranty			
Dimensions	109 x 38cm	97 x 33cm	116 x 33cm
Height	87cm	76cm	76cm
Folded Size	133 x 38 x 7cm	117 x 33 x 7cm	128 x 33 x 7cm
Packaging Details	4pcs- 135.5 x 35 x 42.5cm 23.15kg 0.202CBM	4pcs- 120.5 x 36 x 37.5cm 20.50kg 0.163CBM	4pcs- 131.5 x 35.5 x 38cm 21.55kg 0.177CBM
Barcodes	EH50379  9 557726 503793	EH50380  9 557726 503809	EH50383  9 557726 503830



Model	Stanion - Iron Board Cover Full Size	Warkton - Iron Board Cover Compact Size
Art No	EH50388	EH50387
Page	58	58
Material	100% Cotton, Coated Aluminium Surface, Foam & Polyester Underlay	100% Cotton, Coated Aluminium Surface, Foam & Polyester Underlay
Colour	Charcoal Grey	Charcoal Grey
Warranty		
Dimensions	109 x 38cm	97 x 33cm
Packaging Details	20pcs- 53 x 32 x 51.5cm 6.0kg 0.087CBM	20pcs- 53.5 x 33 x 41cm 5.5kg 0.072CBM
Barcodes	EH50388  9 557726 503885	EH50387  9 557726 503878

SPECIFICATIONS - IRONING CENTRES SAFETY & STORAGE





Model	Kingsmead	Bromham
Art No	EH50428 (EU Plug) EH50429 (UK Plug)	EH50442 (EU Plug) EH50441 (UK Plug)
Page	60	60
Inclusions		
Ironing Board/Art No	Sherington (Full Size) / EH50379	Sherington (Full Size) / EH50379
Iron / Art No	Hertford Steam Iron 1600W / EH50501 (EU Plug) EH50502 (UK Plug)	Yardley Dry Iron 1200W / EH50548 (EU Plug) EH50549 (UK Plug)
Iron Holder/Art No	Chorley / EH50518	Deene / EH50398
Dimensions		
Board	109 x 38 x 87cm	109 x 38 x 87cm
Folded size without holder	133 x 38 x 7cm	133 x 38 x 7cm
Folded size with holder	144 x 38 x 7cm	144 x 38 x 7cm
Packaging Details		
Ironing Board	4pcs-135.5 x 35 x 42.5cm 23.15kg 0.202CBM	4pcs-135.5 x 35 x 42.5cm 23.15kg 0.202CBM
Hertford 1600W	10pcs-62.5 x 30.5 x 32.5cm 11.70kg 0.062CBM	
Iron Yardley 1200W		10pcs-59.5 x 29 x 31cm 9.22kg 0.053CBM
Holder Chorley	12pcs-87.5 x 41.7 x 33.7cm 15kg 0.123CBM	
Holder Deene		12pcs-42 x 43 x 54.5cm 14.60kg 0.098CBM
Warranty		
Barcodes	<div>EH50428</div>  <div>EH50429</div>  	<div>EH50442</div>  <div>EH50441</div>  















Model	Stagsden	Elstow
Art No	EH50431 (EU Plug) EH50430 (UK Plug)	EH50444 (EU Plug) EH50443 (UK Plug)
Page	60	60
Inclusions		
Ironing Board/Art No	Moulton (Compact Size) / EH50380	Moulton (Compact Size) / EH50380
Iron / Art No	Hertford Steam Iron 1600W / EH50501 (EU Plug) EH50502 (UK Plug)	Yardley Dry Iron 1200W / EH50548 (EU Plug) EH50549 (UK Plug)
Iron Holder/Art No	Chorley / EH50518	Deene / EH50398
Dimensions		
Board	97 x 33 x 76cm	97 x 33 x 76cm
Folded size without holder	117 x 33 x 7cm	117 x 33 x 7cm
Folded size with holder	128 x 33 x 7cm	128 x 33 x 7cm
Packaging Details		
Ironing Board	4pcs-120.5 x 36 x 37.5cm 20.5kg 0.163CBM	4pcs-120.5 x 36 x 37.5cm 20.5kg 0.163CBM
Hertford 1600W	10pcs-62.5 x 30.5 x 32.5cm 11.70kg 0.062CBM	
Iron Yardley 1200W		10pcs-59.5 x 29 x 31cm 9.22kg 0.053CBM
Holder Chorley	12pcs-87.5 x 41.7 x 33.7cm 15kg 0.123CBM	
Holder Deene		12pcs-42 x 43 x 54.5cm 14.60kg 0.098CBM
Warranty		
Barcodes	<div>EH50431</div>  <div>EH50430</div>  	<div>EH50444</div>  <div>EH50443</div>  

SPECIFICATIONS - IRONING CENTRES SAFETY & STORAGE



Model	Stroud - Iron Holder	Stroud - U Hook	Swivel Holder Bracket with Anti Theft Cable Lock	Somerton - Iron Holder
Art No	EH50558	EH50563	EH50562	EH50507
Page	61	61	61	62
Material	Steel Double Non Slip Rubberized Protective Coating Finish	Steel	Steel	Soft Coated Protective Quality Steel Frame
Colour	Grey	Grey	Grey	Grey
Certification	 	 	 	 
Mark/Warranty				
Dimensions	35.6 x 13.5 x 13cm	20.3 x 10.5 x 6.5cm	8.3 x 6 x 5.2cm	35 x 13.5 x 13cm
Weight	0.635kg	0.140kg	0.274kg	0.60kg
Packaging	12pcs- 60.7 x 43.4 x 36.9cm	100pcs- 67 x 27.8 x 24.5cm	100pcs- 52.5 x 34.5 x 15cm	10set- 90.7 x 28.0 x 30.0cm
Details	9.74kg 0.0972CBM	14kg 0.046CBM	30.4kg 0.0272CBM	6.45kg 0.0762CBM
Barcodes	EH50558  9 557726 505582	EH50563  9 557726 505636	EH50562  9 557726 505629	EH50507  9 557726 505070



Model	Somerton - J Hook	Oakham - Safety Grip Iron Store	Sandhurst - Open Rail Hook/ Close Rail Hook	Hyde - Wall Bracket
Art No	EH50708	EH50814	EH50556/ EH50566	EH50508
Page	62	63	64	64
Material	Soft Coated Protective Quality Steel Frame	Heat-resistant PA Plate	Steel- Soft Touch Finish	Heavy Duty Carbon Steel Double Silver Powder Coated Finish
Colour	Grey	Grey	Grey	Grey
Certification	 	 	 	
Mark/Warranty				
Dimensions	22 x 10.5 x 5.8cm	24.7 x 15.9 x 2.4cm	6.6 x 6.2 x 12.6cm	170 x 74mm
Weight	0.135kg	0.176kg	0.820kg	0.160kg
Packaging	50pcs- 58.0 x 40.8 x 24.0cm	20set- 33.8 x 26.5 x 29.5cm	100pcs- 47 x 20 x 30cm	100pcs- 70 x 19.5 x 17.5cm
Details	9.80kg 0.0568CBM	5.64kg 0.0264CBM	10.0kg 0.0282CBM	18kg 0.024CBM
Barcodes	EH50708  9 557726 507081	EH50814  9 557726 508149	EH50556 (Open Rail Hook)  9 557726 505568 EH50566 (Close Rail Hook)  9 557726 505667	EH50508  9 557726 505087

SPECIFICATIONS - MINIBAR








Model	Keswick 20L Minibar Fridge Silent Thermoelectric (Solid Door)	Bibury 20L Minibar Fridge Silent Thermoelectric (Glass Door)	Chesham 35L Minibar Fridge Silent Thermoelectric (Solid Door)
Art No	EH50955 (With ON/OFF Switch & Key & Lock. EU Plug) EH50958 (With ON/OFF Switch & Key & Lock. UK Plug)	EH50956 (With ON/OFF Switch & Key & Lock. EU Plug) EH50959 (With ON/OFF Switch & Key & Lock. UK Plug)	EH50925 (With ON/OFF Switch & Key & Lock. EU Plug) EH50930 (With ON/OFF Switch & Key & Lock. UK Plug)
Page	65	66	67
Power	58W	58W	58W
Voltage	100-240V	100-240V	100-240V
Heater Power	10W	10W	10W
Capacity	20L	20L	35L
Refrigeration	R600a	R600a	R600a
Insulation	Cyclopentane	Cyclopentane	Cyclopentane
ErP Level	Class E	Class D	Class E
Noise	22dB (Class A)	22dB (Class A)	22dB (Class A)
With Key & Lock	Yes	Yes	Yes
Power On/Off Switch	Yes	Yes	Yes
Colour	Black/ Solid Door	Black/ Glass Door	Black/ Solid Door
Material	Plastic + Steel	Plastic + Steel	Plastic + Steel
Product Dimensions	400(W) x 350(D) x 450(H)mm	400(W) x 350(D) x 450(H)mm	400(W) x 420(D) x 500(H)mm
Weight	9.5kg	12kg	11.5kg
Certification	CE CB UK  	CE CB UK  	CE CB UK  
Mark/Warranty			
Packaging Details	1pcs - 45.5 x 40.5 x 52.5cm 10.6kg 0.09674CBM	1pcs - 45.5 x 40.5 x 52.5cm 13.2kg 0.09674CBM	1pcs - 45.5 x 47.5 x 57.5cm 12.7kg 0.12427CBM
Barcodes	<div>EH50955 (EU Plug)  9 557726 509559</div> <div>EH50958 (UK Plug)  9 557726 509560</div> <div></div> <div></div>	<div>EH50956 (EU Plug)  9 557726 509566</div> <div>EH50959 (UK Plug)  9 557726 509597</div> <div></div> <div></div>	<div>EH50925 (EU Plug)  9 557726 509252</div> <div>EH50930 (UK Plug)  9 557726 509306</div> <div></div> <div></div>






Model	Brixham 35L Minibar Fridge Silent Thermoelectric (Glass Door)	Penzance 40L Minibar Fridge Silent Thermoelectric (Solid Door)	Redditch 40L Minibar Fridge Silent Thermoelectric (Glass Door)
Art No	EH50933 (With ON/OFF Switch & Key & Lock. EU Plug) EH50934 (With ON/OFF Switch & Key & Lock. UK Plug)	EH50891 (With ON/OFF Switch & Key & Lock. EU Plug) EH50892 (With ON/OFF Switch & Key & Lock. UK Plug)	EH50897 (With ON/OFF Switch & Key & Lock. EU Plug) EH50898 (With ON/OFF Switch & Key & Lock. UK Plug)
Page	68	69	70
Power	58W	58W	58W
Voltage	100-240V	100-240V	100-240V
Heater Power	10W	10W	10W
Capacity	35L	40L	40L
Refrigeration	R600a	R600a	R600a
Insulation	Cyclopentane	Cyclopentane	Cyclopentane
ErP Level	Class D	Class E	Class D
Noise	22dB (Class A)	22dB (Class A)	22dB (Class A)
With Key & Lock	Yes	Yes	Yes
Power On/Off Switch	Yes	Yes	Yes
Colour	Black/ Glass Door	Black/ Solid Door	Black/ Glass Door
Material	Plastic + Steel	Plastic + Steel	Plastic + Steel
Product Dimensions	400(W) x 420(D) x 500(H)mm	400(W) x 420(D) x 550(H)mm	400(W) x 420(D) x 550(H)mm
Weight	13.9kg	13kg	15.7kg
Certification	CE CB UK  	CE CB UK  	CE CB UK  
Mark/Warranty			
Packaging Details	1pcs - 45.5 x 47.5 x 57.5cm 15.1kg 0.12427CBM	1pcs - 45.5 x 47.5 x 62.5cm 14.2kg 0.13508CBM	1pcs - 45.5 x 47.5 x 62.5cm 16.9kg 0.13508CBM
Barcodes	<div>EH50933 (EU Plug)  9 557726 509337</div> <div>EH50934 (UK Plug)  9 557726 509344</div> <div></div> <div></div>	<div>EH50891 (EU Plug)  9 557726 508910</div> <div>EH50892 (UK Plug)  9 557726 508927</div> <div></div> <div></div>	<div>EH50897 (EU Plug)  9 557726 508972</div> <div>EH50898 (UK Plug)  9 557726 508989</div> <div></div> <div></div>

SPECIFICATIONS - GUEST SAFE BOX



Model	Derby 14" Top Open Safe	Dewsbury 15" & 17" Hotel Safe
Art No	EH50927	15" - EH50861 17" - EH50862
Page	71	73
Battery	4 x 1.5V AA Batteries	4 x 1.5V AA Batteries
Colour	Black / Grey	Black
Material	Steel	Steel
Dimensions	400(W) x 350(D) x 130(H)mm	15" - 420(W) x 360(D) x 190(H)mm 17" - 420(W) x 480(D) x 190(H)mm
Door Thickness	3mm	3mm
Body Thickness	1.2mm	1.2mm
With Key & Lock	Yes	Yes
CEU Slot	Nil	Yes (Optional)
Weight	7.4kg	15" - 8kg 17" - 9.5kg
Certification Mark/Warranty	CE 	CE 
Packaging Details	1pcs - 43.5 x 38.5 x 17cm 8.4kg 0.0284CBM	15" ~ 1pcs - 46 x 40.5 x 23.5cm 8.5kg 0.0437CBM 17" ~ 1pcs - 46 x 52.5 x 23.5cm 10kg 0.0567CBM
Barcodes	EH50927  9 557726 509276	EH50861 (15") EH50862 (17")   9 557726 508613 9 557726 508620



Model	Witney 15" & 17" Hotel Safe
Art No	15" - EH50859 17" - EH50860
Page	74
Battery	4 x 1.5V AA Batteries
Colour	Black
Material	Steel
Dimensions	15" - 420(W) x 360(D) x 190(H)mm 17" - 420(W) x 480(D) x 190(H)mm
Door Thickness	3mm
Body Thickness	1.2mm
With Key & Lock	Yes
CEU Slot	Yes (Optional)
Weight	15" - 8kg 17" - 9.5kg
Certification Mark/Warranty	CE 
Packaging Details	15" ~ 1pcs - 46 x 40.5 x 23.5cm 8.5kg 0.0437CBM 17" ~ 1pcs - 46 x 52.5 x 23.5cm 10kg 0.0567CBM
Barcodes	EH50859 (15") EH50860 (17")   9 557726 508590 9 557726 508606

SPECIFICATIONS - ACCESSORIES & ROOM ESSENTIALS



Model	Bodmin - Multi-Function Alarm Clock with Wireless Charging & Speaker
Art No	EH50768-EU Plug EH50769-UK Plug EH50775-USB Type-C EH50776-Anti-Theft Cable
Page	75
Power	AC 110 – 240V, 50-60Hz
Wattage	10W
Battery	2 x 1.5V AAA Batteries (NOT INCLUDED)
Colour	Black
Material	ABS
Dimensions	128 x 102 x 77mm
Weight	0.45kg
Certification	
Mark/Warranty	18pcs- 43.2 x 36.8 x 36cm 11.8kg 0.0572CBM
Packaging Details	
Barcodes	<div>EH50768 (EU Plug) 9 557726 507600</div> <div>EH50769 (UK Plug) 9 557726 507692</div> <div>EH50775 (USB Type-C) 9 557726 507753</div> <div>EH50776-Anti-Theft Cable 9 557726 507760</div>




Model	Alton USB Rechargeable Torchlight
Art No	EH50838
Page	77
Power	5V
Battery	Built in 1200mAh 18650 li-ion
Wattage	10W
Lumen	1000 lm
Beam Distance	100m
Light Colour	White Light
Material	ABS
Charging Port	Micro USB Port
Charging Time	2 Hours
Water Proof Rate	IPX4
Dimensions	13.7 x 3.6 x 2.7cm
Weight	98g
Certification	
Mark/Warranty	
Packaging Details	100pcs - 52 x 38.5 x 21cm 15kg 0.0420CBM
Barcodes	<div>EH50838 9 557726 508385</div>



Model	Woburn - Push Power Digital Bathroom Scale	Woburn - Push Power Digital Bathroom Scale	Whitehill Scale
Art No	EH50755	EH50753	EH50806
Page	79	79	81
Power	PUSH POWER Button Battery Free	PUSH POWER Button Battery Free	2xAAA Battery Included
Capacity	5-180kg	5-180kg	180kg
Units	Units in KG & LBS	Units in KG & LBS	Units in KG-LB-ST
Colour	Black	White	-
Material	8mm Toughened Safety Glass	8mm Toughened Safety Glass	Stainless Steel
Dimensions	310 x 310 x 30mm	310 x 310 x 30mm	300 x 300 x 22mm SS304+6mm Tempered Glass
Weight	1.6kg	1.6kg	1690g
Certification			
Mark/Warranty			
Packaging Details	6pcs- 37.5 x 34.5 x 34.5cm 14.50kg 0.0446CBM	6pcs- 37.5 x 34.5 x 34.5cm 14.50kg 0.0446CBM	6pcs - 33 x 24 x 33.5cm 11.2kg 0.0265CBM
Barcodes	<div>EH50755 9 557726 507555</div>	<div>EH50753 9 557726 507531</div>	<div>EH50806 9 557726 508064</div>

SPECIFICATIONS - ACCESSORIES & ROOM ESSENTIALS



Model	Fairford Digital Bathroom Scale	Wilton Scale - Black	Wilton Scale - Natural	Ashton Digital Bathroom Scale
Art No	EH50928	EH50789	EH50835	EH50358
Page	82	83	84	85
Power	2xCR2032 Lithium Iron Battery Included	3xAAA Battery Included	3xAAA Battery Included	2xAAA Battery Included
Capacity	5-180kg	5-180kg	5-180kg	180kg
Units	KG-LB-ST	KG-LB-ST	KG-LB-ST	KG-LB
Colour	White	Black	Natural	Black
Material	Non Slip Tempered Glass Platform	First Grade Bamboo	First Grade Bamboo	Tempered Glass Platform
Dimensions	300 x 300 x 22mm 8mm Tempered Glass	300 x 300 x 31mm 15mm Real Bamboo	300 x 300 x 31mm 15mm Real Bamboo	300 x 300 x 24mm 8mm Tempered Glass
Weight	1.985kg	1105g	1105g	1.95kg
Certification				
Mark/Warranty	4pcs - 35 x 20.5 x 35.5cm 9.3kg 0.026CBM	6pcs - 33 x 28.5 x 33.5cm 9.2kg 0.0315CBM	6pcs - 33 x 28.5 x 33.5cm 9.2kg 0.0315CBM	6pcs - 33.8 x 31.4 x 34.9cm 13.20kg 0.037CBM
Packaging Details				
Barcodes	9 557726 509283	9 557726 507880	9 557726 508354	9 557726 503581



SPECIFICATIONS - SERIES - A



Model	1600W Cylindrical Hairdryer
Art No	SA90035 (EU) SA90034 (UK)
Page	87
Power	220-240V, 50-60Hz
Wattage	1400-1800W
DUAL SAFE	No
Heat Setting	2
Removable Filter	Yes
Steam Mesh Blade Cover	Yes
On /Off Press Switch	No
Thermostat Overheat Protection	Yes
Material	Plastic with Luxury Matt Finish
Cable length	Straight Cable 1.8M
Colour	Black
Dimensions	17.7 x 23.5 x 7.5cm
Weight	530g
Certification	
Mark/ Warranty	20pcs - 31.5 x 44.5 x 52cm 12kg 0.0729CBM
Packaging Details	
Barcodes	

Model	Emergency Torchlight INSTANT-ON
Art No	SA90007 (EU Charger) SA90006 (UK Charger) SA90005 (Battery)
Page	88
Power	AC100V-250V, 50-60Hz
Battery	x3 1.5V AA Alkaline or Lithium Batteries (NOT INCLUDED)
Wattage	3.9W - hours
Lumen	120 lumen
Beam Angle	180°
Light Colour	White Light
Material	Aluminium and ABS
Holder Dimensions	175mm x 60 mm
Torchlight Dimensions	178mm x 44 mm
Weight	280g
Certification	
Mark/Warranty	40pcs - 43 x 29 x 36cm 14.0kg 0.045CBM
Packaging Details	
Barcodes	



INTELLECTUAL PROPERTY

Patents & Registered Designs



TOUGH BOARD - Rugged & Durable; We have combined a rugged frame with heavy duty metal components and robotic welds to withstand guests' tough use.



DUAL SAFE - an organic, thermo-sensitive material, remarkably sensitive to abnormally high temperatures. Upon sensing critical heat levels, DUAL SAFE activates and the electrical current will be interrupted immediately and permanently.



WATER TANK TECHNOLOGY - Special anti-fracture water tank welding technique ensures a permanent seal to prevent water leakage.



www.emberton.com
info@emberton.com

EH50977



9 557726 509771