



# **EMBERTON**<sup>™</sup>

Established 1986

# EMBERTON. INVEST FOR YOUR GUEST

"Investing in electrical engineering & technology to improve the safety, reliability & performance of electrical appliances worldwide"

Safety, robustness and reliability are built into all of our professional range of guest room products. Emberton products are a solid investment, adding value to your assets.

With 35 years of history - design, innovation & creativity is our passion and the very heart of Emberton.

Working closely with a panel of experienced hoteliers helps us to understand the trends, habits & behavior of guests, perfecting our product innovations all the way from development to production.

Emberton products are available through a global network of specialist hotel supply distributors, with professional support and service to match the expectation of the Emberton brand.















# DUAL SAFE™, AN EMBERTON PROPRIETARY ELECTRICAL SAFETY SYSTEM, IS INTEGRATED INTO THE ELECTRICAL CIRCUIT TO DETECT TEMPERATURE

# DUAL™ SAFE WHAT DOES IT DO?

DUAL SAFE<sup>™</sup> prevents electrical appliances catching fire due to overheating.

#### DUAL™ SAFE HOW DOES IT WORK?

DUAL SAFE<sup>TM</sup> uses an organic, thermo-sensitive material, remarkably sensitive to abnormally high temperatures. Upon sensing critical heat levels, DUAL SAFE<sup>TM</sup> activates and the electrical current will be interrupted immediately and permanently.

Working independently from and in addition to the thermostat, DUAL SAFE $^{\text{TM}}$  system immediately cuts power to an appliance when temperatures reach critical levels.

#### DUAL™ SAFE YHERMOLUSY WHAT DOES IT DO?

In most electrical appliances, the thermostat is the only safety system. Thermostats are very sensitive components and can become faulty or damaged by misuse. If the thermostat fails, it's easy for the appliance to catch fire.

DUAL SAFE<sup>TM</sup> acts as an additional safety system, preventing risk of an accidental fire when using an EMBERTON DUAL SAFE<sup>TM</sup> electrical appliance.

# SPECIFICATIONS

# **KETTLES** 05-11

# **BAMBOO WELCOME TRAYS** 12-22

Fenland Winford Amesbury Cambourne Plus Tongwell

**INDEX** 

Evesham

Malvern Corsham

Banbury Guildford



### **WELCOME TRAYS** 23-28

Heywood Slate ABS Walton ABS Halstead



## **HAIRDRYERS** 29-35

Thames Harrow Marlow Mursley (Hairdryer Holder) Lathbury (Hairdryer Bag)



**IRONS** 36-41

Croft Deluxe Hertford Yardley Ampthill Cheshunt



# **TOUGH IRONING BOARDS** 42-43

Rothwell Moulton Sherington



### **IRONING CENTRES** SAFETY & STORAGE 44-51

Bromham Kingsmead Elstow Stagsden Stroud Somerton Oakham Crawley Sandhurst (Holder) Hyde (Holder)



# **ACCESSORIES & ROOM ESSENTIALS** 52-62

Bodmin Multi-Function Alarm Clock Woburn Push Power Bathroom Scale Fairford Bathroom Scale Ashton Bathroom Scale Whitehill Scale Wilton Scale (Bamboo) Alton USB Rechargeable Torchlight



**SERIES - A** 63-64

1600W Cylindrical Hairdryer Emergency Torchlight INSTANT-ON



# **SPECIFICATIONS** 65-78

Technical Data Dimensions Packaging Details





### **KETTLES**

### **Evesham**

### Double Wall Safety Insulated Kettle 1.0L

- → Boil Aware 360 : active BLUE boil-on LED pilot ALERT light encircles complete body with 360° glow for added safety awareness during boiling
- → Double Layer Safety Insulation reduces surface heat to help prevent scalding & heat loss
- Illuminated Water window clear and brightly lit blue LED for greater clarity of water level
- Advanced Technology Isolation Boil Dry
- → Dual Safe Thermostat & Latest Technology Internal Fuse
- → High Grade SS304 Stainless Steel Body & Heat Plate
- ECO saves Water and Energy
- Concealed Heating Element for Easy Cleaning
- Auto Steam Switch off
- Auto Off Power Indicator Light
- Hinged Trigger Style Locking lid
- Available in EU & BS plug variants

#### Specifications

Power 1500-1800W (220-240V, 50-60Hz)

Dimensions 220 x 143 x 220mm
Overall Height 220mm

Overall Height 220mm
Top Diameter 88mm
Base Diameter 143mm

Certification CE, CB, RoHS & GS Approved

Weight **930**g







Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc



Double Layer Safety Insulation



360° Swivel



Registered Design







Available in BLACK

# **Evesham**Double Wall Safety Insulated Kettle 1.0L





Available in BLACK

# **Malvern**Brushed Stainless Steel Kettle 0.5L

- → Advanced Technology Isolation Boil Dry
- Dual Safe Thermostat & Latest Technology Internal Fuse
- Water Level Gauge Window
- ECO saves Water and Energy
- Concealed Heating Element for Easy Cleaning
- Auto Steam Switch off
- Auto Off Power Indicator Light
- → Hinged Trigger Style Locking lid
- → Available in EU & BS plug variants

#### Specifications

Power **800-950 Watt (220-240V, 50-60Hz)** 

Dimensions **190 x 150 x 185mm** 

Overall Height 185mm
Top Diameter 90mm
Base Diameter 143mm

Certification CE, CB, RoHS & UKCA Approved

Weight **770g** 







Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc



High Grade SS304 Stainless Steel Body & Heat Plate



Cordless 360° Swivel



Registered Design





Available in BLACK

# **Corsham**Brushed Stainless Steel Kettle 1.0L

- Advanced Technology Isolation Boil Dry
- Dual Safe Thermostat & Latest Technology Internal Fuse
- Water Level Gauge Window
- ECO saves Water and Energy
- Concealed Heating Element for Easy Cleaning
- Auto Steam Switch off
- Auto Off Power Indicator Light
- Hinged Trigger Style Locking lid
- Available in EU & BS plug variants

#### Specifications

Power 800-950 Watt (220-240V, 50-60Hz)

Dimensions 190 x 143 x 209mm

Overall Height 209mm
Top Diameter 90mm
Base Diameter 143mm

Certification CE, CB, RoHS & UKCA Approved

Weight **790**g







Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc



High Grade SS304 Stainless Steel Body & Heat Plate



Cordless 360° Swivel



Registered Design



# **Banbury**

# SEAMLESS Double Wall Safety Insulated Kettle 0.8L

- → Highest Quality & Sturdy Body & Lid
- Only 800W Power Consumption Average
- Advance Technology Isolation Boil Dry
- Dual Safe Thermostat & Latest Technology Internal Fuse
- → High Grade SS304 Stainless Steel Body & Heat Plate
- ECO saves Water and Energy
- → SEAMLESS Stainless Steel Interior & Concealed Heating Element for Easy Cleaning
- Auto Steam Switch Off
- Auto Off Power Indicator Light
- → Hinged Trigger Style Locking Lid
- → Available in EU & BS plug variants

#### Specifications

Power **800W (220-240V, 50-60Hz)** 

Dimensions **190 x 130 x 200mm** 

Overall Height 200mm
Top Diameter 111.5mm
Base Diameter 130mm

Certification CE, CB, UKCA & RoHS Approved

Weight **750g** 









No Welds - Easy Clean SEAMLESS SS304 Steel Body & Heat Plate



360° Swivel Cordless



Hinged Trigger Style Locking Lid



# **Guildford**Premium Hotel Kettle 0.8L

- → Only 950W Power Consumption Average
- → Advanced Technology Isolation Boil Dry 100% OFF Non-Recycle
- → SS 304 Stainless Steel Heat Boiling Plate
- → Water Level Gauge Window
- > Durable Trigger Style Spring Assisted Locking Lid
- → Easy Water Pour & Flow
- → Easy Wipe Clean Plastic Interior
- Concealed Heating Element for Easy Cleaning
- → Auto Steam Switch off
- → Auto Off Power Indicator Light
- → Washable Filter

#### Specifications

Power **870 - 1035W (220-240V, 50-60Hz)** 

Dimensions **187 x 139 x 180mm** 

Overall Height 180mm
Top Diameter 90mm
Base Diameter 139mm

Certification CE, CB & UKCA Approved

Weight **605**g









SS 304 Stainless Steel Base



360° Swivel Cordless



Highest Quality & Sturdy Body & Lid



Available in WHITE

# **Guildford** Premium Hotel Kettle 0.8L





#### 1, FASTEST GROWING PLANT IN THE WORLD

Bamboo is the world's fastest-growing plant, shooting out of the ground at an astonishing four centimetres per second. At this rate, certain bamboo species can grow 91 centimetres (about 35 inches) in a single day. A bamboo culm can be ready to re-harvest in a mere 3-5 years. Bamboo shoots are connected to their parent plant by an underground stem, called a rhizome. These rhizomatic cores are part of the reason why bamboo can grow so quickly.

#### 2. DURABILITY AND SUSTAINABLE

Bamboo grows in dense forests where little light reaches the ground and there is strong evolutionary pressure to reach the sunlight as quickly as possible. Bamboo also plays an important role when it comes to protecting the soil and land around it; those long strong roots keep the soil together to prevent erosion.





#### 3. ECO-FRIENDLY PRODUCTS

Bamboo is a climate-adaptable plant that can thrive in a number of different environments and has showcased remarkable resilience in the face of an impressive number of environmental stressors. Compared to an equivalent tree mass, bamboo produces 35% more oxygen and research has shown that bamboo can absorb as much as 12 tonnes of carbon dioxide per hectare per year. Bamboo can also be harvested without killing the plant's core that produces the collectible stalks, meaning that soil erosion is reduced throughout the harvesting process.

#### 4. EROSION CONTROL AND SOIL PROTECTION

Bamboos are being used as living plants as well as construction material in different soil bioengineering techniques in many countries. Bamboo is a great tool for soil protection due to its rapid growth, permanent canopy and huge network of roots and rhizomes. The root system that grows in the surface layer of the soil (20 - 60 cm deep), can reach up to 100 km per hectare.





#### **5. WATER CONSERVATION**

Bamboo is a versatile and effective tool for water conservation efforts. It is increasingly used by environmental organisations and governments worldwide to help protect and conserve our precious water resources. Bamboo plants have a low water requirement and can grow in areas with limited water resources, helping to conserve water.

# Say NO to PVC & PU Fake Leather. Say Hello to Bamboo......

Plastic, particularly PVC (polywryl chloride) and PU (polywrelliane), is widely used in various industries and products.

However, there are several reasons why we should reduce our reliance on and avoid using these types of plastic.

Some of the main reasons include:



#### 1. ENVIRONMENTAL IMPACT

PVC and PU production involves the use of fossil fuels and synthetic chemicals, which contribute to air pollution, water pollution and greenhouse gas emissions. Additionally, these plastics are not easily biodegradable and can persist in the environment for hundreds of years, leading to long-term harm to ecosystems.

#### 2. TOXICITY CONCERNS

PVC contains additives such as phthalates, lead and heavy metals, which can leach out and pose risks to human health. Exposure to these toxins has been associated with various health issues, including respiratory problems, hormonal disruptions, developmental disorders and certain types of cancer.





#### 3. WASTE GENERATION

PVC and PU, like most plastics, generate significant waste during their production, use and disposal phases. The improper disposal and incineration of these plastics release toxic by-products and pollutants into the environment, further exacerbating environmental and health concerns.

#### 4. RECYCLING CHALLENGES

PVC and PU pose challenges in terms of recycling. These plastics have different chemical compositions and require specialized recycling processes, which are often limited and costly. As a result, a significant portion of PVC and PU waste ends up in landfills or incinerators rather than being recycled.





#### **5. SUSTAINABLE ALTERNATIVES**

There are many sustainable and eco-friendly alternatives to PVC and PU available in the market. For example, **BAMBOO PLANT IS AN EXCELLENT NATURAL ALTERNATIVE** IS MADE INTO TRAYS & FURNITURE. Natural fibers like cotton, hemp, or cork can be used as alternatives to PU in fashion and footwear industries. Recycled or bio-based plastics, such as PLA (polylactic acid), can serve as alternatives to PVC in packaging materials.



### **Fenland**

# Espresso Tray & Condiment Box

- Eco-Friendly First Grade Bamboo
- Certified Food Grade
- → Robust & Sturdy Construction
- Stores Condiments Neatly & Dust Free
- Elegant Soft Contour Design
- → Easy to Clean Smooth Surface to Wipe Clean
- Neat and Tidy Condiments Presentation
- Designed to Fit Most Types of Compact Espresso Machines

#### Specifications

	ESPRESSO TRAY	CONDIMENT BOX
Dimensions	50 x 40 x 4cm	19 x 21 x 7cm
Material	First Grade Bamboo	First Grade Bamboo
Weight	<b>1.8</b> kg	0.8kg

















Fit Most Types of Compact Espresso Machines



ESPRESSO TRAY



CONDIMENT BOX



### Winsford

# Espresso Coffee Welcome Tray with Protective Spillage Tray

- Eco-Friendly First Grade Bamboo
- Removable Tray Prevents Spillage & Protects Surface
- Elegant Soft Contour Design
- Stores Ingredients Neatly & Dust Free
- Drawer stores condiments 57mm high
- Certified Food Grade
- Robust & Sturdy Construction
- ◆ Easy to clean smooth surface to wipe clean
- → Neat & Tidy Condiments Presentation
- ◆ Easy Slide In & Out Multiple Compartments Drawer
- Drawer Stopper Spring retaining clip prevents intentional removal of drawer
- → Tray Only Excludes Coffee Machine & Kettle
- Designed to fit most types of compact espresso machines

#### Specifications

Dimensions 370 mm x 350 mm x 88 mm

Material First Grade Bamboo

Weight 3.75 kg















Fit Most Types of Compact Espresso Machines



Elegant SOFT CONTOUR

Design



Space Saving Ultra-Compact



# **Amesbury**Compact Espresso Drawer Tray

- Eco-Friendly First Grade Bamboo
- Certified Food Grade
- → Robust & Sturdy Construction
- Stores Condiments Neatly & Dust Free
- → Easy Slide In & Out Multiple Compartments Drawer Removable Drawer for Easy Cleaning
- Elegant Soft Contour Design
- → Easy to Clean Smooth Surface to Wipe Clean
- Neat and Tidy Condiments Presentation
- Drawer Stopper Spring Retaining Clip Prevents Intentional Removal of Drawer
- Large Drawer Tray with 4 compartments.
- Designed to Fit Most Types of Compact Espresso Machines

#### Specifications

Dimensions Material Weight

W31.5 x D39.0 x H7.5 cm First Grade Bamboo

/eight **2.64kg** 















Fit Most Types of Compact Espresso Machines



Elegant SOFT CONTOUR
Design



Space Saving Ultra-Compact



# Cambourne Plus

# Drawer Welcome Tray with Protective SpillageTray

- Eco-Friendly First Grade Bamboo
- Removable Tray Prevents Spillage & Protects Surface
- Elegant Soft Contour Design
- Stores Ingredients Neatly & Dust Free
- Drawer stores condiments 57mm high
- Certified Food Grade
- Robust & Sturdy Construction
- Easy to clean smooth surface to wipe clean
- → Neat & Tidy Condiments Presentation
- → Easy Slide In & Out Multiple Compartments Drawer
- Designed to fit EMBERTON™ Kettles

#### Specifications

Dimensions 272mm x 194mm x 85mm
Material First Grade Bamboo
Weight 1450g















Space Saving Ultra Compact



Removable Drawer for Easy Cleaning





# **Tongwell**Bamboo Welcome Tray

- → Eco Friendly Bamboo
- → Integrated Kettle to Deter Theft
- Elegant and Compact Design
- → Easy Wipe-Clean Curved Contour Edges
- First Grade Bamboo Material
- Space Saving, Modular Design
- Food Grade Safety
- Designed to fit EMBERTON™ Kettles



#### Specifications

Dimensions 260mm x 260mm x 30mm
Material First Grade Bamboo
Weight 850g

















### Winsford

# Espresso Coffee Welcome Tray with Protective Spillage Tray

- Eco-Friendly First Grade Bamboo
- Removable Tray Prevents Spillage & Protects Surface
- Elegant Soft Contour Design
- Stores Ingredients Neatly & Dust Free
- Drawer stores condiments 57mm high
- Certified Food Grade
- Robust & Sturdy Construction
- ◆ Easy to clean smooth surface to wipe clean
- → Neat & Tidy Condiments Presentation
- → Easy Slide In & Out Multiple Compartments Drawer
- Drawer Stopper Spring retaining clip prevents intentional removal of drawer
- → Tray Only Excludes Coffee Machine & Kettle
- Designed to fit most types of compact espresso machines

#### Specifications

Dimensions 370 mm x 350 mm x 88 mm

Material First Grade Bamboo

Weight 3.75 kg















Fit Most Types of Compact Espresso Machines



Elegant SOFT CONTOUR Design



Space Saving Ultra-Compact



# **Amesbury**Compact Espresso Drawer Tray

- Eco-Friendly First Grade Bamboo
- Certified Food Grade
- Robust & Sturdy Construction
- Stores Condiments Neatly & Dust Free
- → Easy Slide In & Out Multiple Compartments Drawer Removable Drawer for Easy Cleaning
- → Elegant Soft Contour Design
- → Easy to Clean Smooth Surface to Wipe Clean
- Neat and Tidy Condiments Presentation
- Drawer Stopper Spring Retaining Clip Prevents Intentional Removal of Drawer
- Large Drawer Tray with 4 compartments.
- Designed to Fit Most Types of Compact Espresso Machines

#### Specifications

Dimensions Material Weight

W31.5 x D39.0 x H7.5 cm First Grade Bamboo

/eight **2.64kg** 















Fit Most Types of Compact Espresso Machines



Elegant SOFT CONTOUR

Design



Space Saving Ultra-Compact



### Cambourne Plus

### Drawer Welcome Tray with Protective SpillageTray

- Eco-Friendly First Grade Bamboo
- → Removable Tray Prevents Spillage & Protects Surface
- Elegant Soft Contour Design
- Stores Ingredients Neatly & Dust Free
- Drawer stores condiments 57mm high
- Certified Food Grade
- Robust & Sturdy Construction
- Easy to clean smooth surface to wipe clean
- → Neat & Tidy Condiments Presentation
- → Easy Slide In & Out Multiple Compartments Drawer
- Designed to fit EMBERTON™ Kettles

#### Specifications

Dimensions 272mm x 194mm x 85mm
Material First Grade Bamboo
Weight 1450g















Space Saving Ultra Compact



Removable Drawer for Easy Cleaning





# **Tongwell**Bamboo Welcome Tray

- → Eco Friendly Bamboo
- → Integrated Kettle to Deter Theft
- Elegant and Compact Design
- Easy Wipe-Clean Curved Contour Edges
- First Grade Bamboo Material
- Space Saving, Modular Design
- ◆ Food Grade Safety
- Designed to fit EMBERTON™ Kettles

#### Specifications

Dimensions260mm x 260mm x 30mmMaterialFirst Grade BambooWeight850g



















Available in Mahogany



# **WELCOME TRAYS**

# **Heywood Slate**

ABS Welcome Tray with Service Tray & Amenity Holder

#### MATT. FINE GRAINED. UNIQUE. ELEGANT. REFINED.

Our HEYWOOD SLATE series offers a unique and creative slate effect - a fine grained MATT finish with the robust material benefits of stain, scratch & heat resistant ABS.

The slender, elegant & stylish design gracefully compliments your guest room - blending perfectly with rooms featuring timber, stone or steel.

- → Innovative & Unique Synthetic Slate Effect Series ABS
- → Slimline Elegant & Refined, Stylish & Luxurious
- Appearance of Natural Slate perfect blend to compliment rooms featuring timber, stone and steel
- → Durable Stain, Scratch & Heat Resistant ABS
- Easy Wipe Clean Surface

#### Specifications

	MAIN TRAY	SERVICE TRAY	AMENITY HOLDER
Dimensions	358 x 258 x 10mm	235 x 110 x 10mm	145 x 75 x 40mm
Material	ABS	ABS	ABS
Weight	<b>285</b> g	<b>75</b> g	<b>85</b> g





MAIN TRAY



SERVICE TRAY



**AMENITY HOLDER** 



**Heywood Slate**ABS Welcome Tray with Service Tray & Amenity Holder



# **Heywood Slate**

### ABS Compact Tray & Amenity Organiser

MATT. FINE GRAINED. UNIQUE. ELEGANT. REFINED.

Our HEYWOOD SLATE series offers a unique and creative slate effect - a fine grained MATT finish with the robust material benefits of stain, scratch & heat resistant ABS.

The slender, elegant & stylish design gracefully compliments your guest room - blending perfectly with rooms featuring timber, stone or steel.

- → Innovative & Unique Synthetic Slate Effect Series ABS
- Slimline Elegant & Refined, Stylish & Luxurious
- Appearance of Natural Slate perfect blend to compliment rooms featuring timber, stone and steel
- Durable Stain, Scratch & Heat Resistant ABS
- Easy Wipe Clean Surface

#### Specifications

	COMPACT TRAY	AMENITY ORGANISER
Dimensions	330 x 160 x 10mm	125 x 80 x58mm
Material	ABS	ABS
Weight	17 <b>0</b> g	<b>120</b> g





COMPACT TRAY



AMENITY ORGANISER

(Kettle, Cups & Ingredients not included)



# **Walton**ABS Welcome Tray

- First Grade ABS Material With Wood Grain Effect
- Integrated Kettle to Deter Theft
- Removable Perforated Stainless Steel Drip tray to Prevent Spillage
- → All in One Design with Cavities for Sachets, Spoon & Cups
- → Easy Wipe-Clean Curved Contour Edges
- Space Saving, Modular Design
- → Wood Grain Handfeel to Reduce Finger Marks
- → Tray Accomodates Kettle Base Controller of 143mm Diameter
- Designed to fit EMBERTON™ Kettles

#### Specifications

Dimensions	460mm x 225mm x 35mm
Material	ABS
Weight	<b>7</b> 38g






Attractive Design and Easy to Clean



Perforated Stainless Steel Drip Tray



Designed to fit **EMBERTON**™ Kettles



# **Halstead**Integrated Kettle Welcome Tray (Matt)

- Integrated Kettle Slot to Deter Theft
- → Robust & Durable Stain, Heat & Scratch Resistant Melamine
- Space Saving Ultra Compact uses less space
- → Innovative & Unique Synthetic Slate Effect
- Elegant Soft Contour Design
- → Neat & Tidy Condiments Presentation
- → Easy Wipe Clean Surface & Contoured Compartments
- → Robust & Sturdy Construction
- → Tray accommodates kettle base controller of 143mm Diameter
- Designed for use with all EMBERTON™ kettle types

#### Specifications

Dimensions262mm x 262mm x 30mmMaterialMelamineWeight610g





Available in WHITE



Elegant Soft Contour Design



# **Halstead**Integrated Kettle Welcome Tray



# **HAIRDRYERS**

### **Thames**

Hotel Safety 2000W Hairdryer Soft Touch Finish with Wall Mount Option

- → Hotel Safety ON/OFF Press Switch Saves Energy & Safe
- Dual Safe Thermostat & Latest Technology Internal Fuse
- Ceramic Ionic for Smooth Shiny Result
- Luxurious Soft Touch Finish
- Powerful 2000 Watt DC Motor
- → 2 Speed/2 Heat & Cool Settings
- → Removable Filter Cover & Safety Mesh Blade Cover
- Complete with Air-Flow Concentrator for Perfect Styling & Drying
- Safety Thermostat Over-heating circuit protection
- Ergonomic Non-Slip Contoured Handle for comfortable use and hold
- Stylish & Elegant Design
- Insulated Motor to reduce noise
- Generous 350 cm Long Extendable COIL cord
- Built in Hanging Loop
- Available in EU & BS plug variants

#### Specifications

Power **220-240V, 50/60Hz** 

Wattage 1800-2200W
Dimensions 240mm x 85mm x 280mm

Certification CE, CB, ROHS & UKCA Approved

Veight **615**g





For BEDROOM use only.
NOT for use in BATHROOM
or PUBLIC AREAS



Soft Touch Finish



Safety ON/OFF Press Switch



Specially Constructed Coil to Retain Shape



Thames

Hotel Safety 2000W Hairdryer Soft Touch Finish with Wall Mount Option



# **Harrow** 1600W Folding Hairdryer (Matt)

- → Hotel Safety ON/OFF Press Switch to save energy & safe
- → Dual Safe Thermostat & Latest Technology Internal Fuse
- Ceramic Coating with Tourmaline for Smooth Shiny Results
- Complete with Air-flow Concentrator for Perfect Styling and Drying
- Cool Shot Switch feature
- Insulated motor to reduce noise
- Generous cord length 200cm long
- Removable Filter for easy cleaning
- Ergonomic Non-slip contoured handle for comfortable use
- Built in Hanging Loop
- → Available in EU & BS plug variants

#### Specifications

Power	AC220-240V, 50/	60Hz

Wattage **1400-1600W** 

Dimensions 140mm x 77mm x 231mm

Certification CE, CB, ROHS & UKCA Approved

Veight **390**g



Folds for convenience



2 Speed/Heat settings







# **HAIRDRYERS**

### Marlow

Hotel Safety 1875W Foldable Hairdryer with Wall Mount Option

- → Dual Safe Thermostat & Latest Technology Internal Fuse
- Powerful 1875W DC Motor
- Ceramic Coating with Tourmaline for Smooth Shiny Result
- ◆ COOL SHOT Button Blasts cool air to help set your style
- Soft Touch Matt Finish Toughened Coating
- → Generous 300 cm Long Extendable COIL cord
- Removable Filter Cover for Easy Cleaning
- Complete with Air-flow Concentrator for Perfect Styling and Drying
- Insulated Motor to Reduce Noise
- Ergonomic Non-Slip Contoured Handle for comfortable use
- Safety Thermostat Over-heating circuit protection
- → Built in Hanging Loop
- Available in EU & BS plug variants

#### Specifications

Power **AC220-240V, 50/60Hz** 

Wattage **1800-2000W** 

Dimensions **250mm x 95mm x 270mm** 

Certification CE, CB, ROHS & UKCA Approved

Weight **695**g



Folds for convenience



2 Speed/3 Heat & Cool Settings





For BEDROOM use only.

NOT for use in BATHROOM or PUBLIC AREAS



Wall Holder Option

**Marlow** Hotel Safety 1875W Foldable Hairdryer




# **Mursley** Wall Mounted Hairdryer Holder with Anti-Theft Cable Track

- → Built in Anti-theft Cable Tracks
- Easily Mounts on Wall
- → Soft Glide Lining

#### Specifications

Dimensions 93mm x 74mm x 50mm Weight 50g



Easily Mounts On Wall



Anti-theft Lock Cable Track



Soft Glide Lining



### **EMBERTON**<sup>™</sup>



# **Lathbury** Hairdryer Bag

- → High Quality Black Soft Velvet
- Silver Thread Embroidery
- Strong PP Drawstring
- → Perfect for keeping hairdryers scratch & dust free

#### Specifications

Dimensions	400mm x 300mm
Weight	<b>66</b> g





Silver Thread Embroidery



Strong PP Drawstring



### **IRONS**

### **Croft Deluxe**

# 2000W Hotel Safety Steam Iron

- → DUAL SAFE Thermostat & Latest Technology Internal Fuse
- → ECO Auto Off Function for Extra Energy Saving & Environmental Protection
- Special Anti-drip feature to prevent water dripping through steam outlets after water cools
- → FUSION Anti-Leak New water tank assembly method using a wire frame and latest thermo-weld technology to prevent tank fracture
- → 3-way Auto-Cut off Safety Motion Sensor. 30 seconds unattended on soleplate or Side & 5 minutes Upright.
- → Super long 300cm cable
- → Anti-calc to remove the limescale build up
- Auto Off Indicator Light
- → 300 ML Capacity water reservoir
- Red In-Use Indicator Light
- Includes Refil Beaker
- UK or EU Plug variants

#### Specifications

Power **AC220-240V, 50/60Hz** 

Wattage 2000W
Capacity 300ML
Colour Black / Grey
Plate Size 22.8 x12.3 cm
Soleplate Ceramic

Certification CE, CB, GS, PAHS, UKCA Approved

Veight 1180g



Powerfull Burst of Steam & Spray Vertical & Horizontal



Easy Steam Finger Release Button













Ceramic Soleplate

## **Croft Deluxe** 2000W Hotel Safety Steam Iron

#### **EMBERTON**



#### Hertford

#### 1600W Hotel Safety Steam Iron

- DUAL SAFE Thermostat & Latest Technology Internal Fuse
- 3 Way Auto-Cut Off Safety Motion Sensor 30 Seconds unattended on Soleplate or Side and 5 minutes Upright
- → ECO Auto Off Function for extra Energy Saving & Environmental Protection
- → FUSION Anti-Leak New water tank assembly method using a wire frame and latest thermo-weld technology to prevents tank fracture
- Special Anti-drip feature to prevent water dripping through steam outlets after water cools
- → Extra long 250cm cable
- → Auto Off Indicator Light
- Cable cord guard tested to 20,000 cycles to ensure cable safety
- → LED Green & Red In-Use Indicator Light
- Includes Refil Beaker
- UK or EU Plug variants

#### Specifications

Power AC220-240V, 50/60Hz

Wattage 1600W
Capacity 250ML
Colour Black / Grey
Plate Size 206mm x 113mm
Soleplate Non-Stick
Certification CE, CB, RohS & UKCA Approved



Powerfull Burst of Steam & Spray Vertical & Horizontal



Narrow Front Tip



Self Clean Feature











## Yardley 1200W Hotel Safety Dry Iron

- → Dual Safe Thermostat & Latest Technology Internal Fuse
- Exclusive Safety 5 minutes Auto Off Motion Sensor
- Uniform Heat Distribution for Smooth Ironing
- Tough Non Stick Soleplate
- 3 Way Auto-Cut Off Safety Motion Sensor 30 Seconds unattended on Soleplate or Side and 5 minutes Upright
- → ECO Auto Off Function for Energy Saving & Environmental Protection
- Operating Light with Cut-Out Indicator
- → Generous 250 cm Durable Cord
- ◆ Cable cord guard tested to 20,000 cycles to ensure cable safety
- → Gloss Skirt with Attractive Black & Grey Design
- → UK or EU Plug variants



Power **AC220-240V, 50/60Hz** Wattage **1200W** 

Colour Black / Grey
Plate Size 200mm x 110mm
Soleplate Non-Stick

Certification CE, CB, RohS & UKCA Approved

Veight **745**g



Large temperature adjustment dial



Overheat safety protection



Narrow Front Tip



















**Ampthill** 

Hotel Safety 2 in 1 Steamer & Iron

#### Why Use EMBERTON™ Garment Steamers

Our AMPTHILL Hotel Safety 2 in 1 Steamer & Iron, offers a convenient and effective alternative to traditional ironing. Use for both steam & dry ironing - No iron board required. Professional & wrinkle-free - 2x faster results compared to other steamers.

Time-saving - No hassle to set up ironing boards and waiting for the iron to heat up. Easily steam multiple garments in a short amount of time. Safe & eco-friendly - Garment steamers use only water & heat to generate steam.

- → Powerful 1950W
- Safety Auto Shut Off 5 minutes
- Continuous Steam Action
- Steam Rate 20-30 grams/minute
- Long 250cm power cord for convenience
- Steam & Dry Ironing Vertically & Horizontally

#### Specifications

AC220-240V (50-60Hz) 1650-1950W 170ML Black / Grey Double Layer Ceramic 133 x 88mm 413 x 92 x 143mm CE, GS, CB, UKCA & RoHS Approved









Iron Horizontally



Steam Vertically



30 Seconds Heat-Up Time















Cheshunt

Hotel Safety 2 in 1 Digital Steamer & Iron

#### Why Use EMBERTON™ Garment Steamers

Our CHESHUNT Hotel Safety 2 in 1 Steamer & Iron, offers a convenient and effective alternative to traditional ironing. Use for both steam & dry ironing - No iron board required. Professional & wrinkle-free - 2x faster results compared to other steamers.

Time-saving - No hassle to set up ironing boards and waiting for the iron to heat up. Easily steam multiple garments in a short amount of time. Safe & eco-friendly - Garment steamers use only water & heat to generate steam.

- → Powerful 1800W
- Safety Auto Shut Off 5 minutes
- Continuous Steam Action
- Steam Rate 18-25 grams/minute
- Long 250cm power cord for convenience
- Steam & Dry Ironing Vertically & Horizontally

#### Specifications

Power AC220-240V (50-60Hz) 1400-1800W 180ML Black / Grey Double Layer Ceramic

143 x 97mm 362 x 97 x 180mm

CE, GS, CB, UKCA & RoHS Approved









One Button with LED Display



Iron Horizontally



Steam Vertically



## **IRONING BOARDS**



## **Ironing Board**Engineered Series

Our super strong series of tough ironing board is a result of extensive research and development with industry professionals and hotels., working closely to identify the needs, habits and often rough treatment of hotel ironing boards.


Rugged & Durable - We have combined a rugged frame with heavy duty metal components and robotic welds to withstand guests' tough use.

#### THE ULTIMATE STRENGTH IN IRONING BOARDS


- → Tube Frame Legs 38mm/28mm
- Strong Double Handle Height Adjustment Lever
- → Steam Flow Metal Mesh Top
- 2mm Foam and 5mm Felt Combination Padding
- > Smooth Binding Edges to Withstand Fraying
- Cover Material: Cotton with Felt Underlay
- → Cover Colour : Charcoal Grey
- → Frame Colour : Silver Grey



#### SHERINGTON (Dimensions in CM)



**MOULTON** (Dimensions in CM)





#### **EMBERTON**

#### **RUGGED TUBE** Frame Legs 38mm/28mm

STRONG DOUBLE HANDLE Height Adjustment Lever

HEAVY DUTY SUB-FRAME

**HEAVY DUTY**Safety Lock

**HEAVY DUTY** Height Adjustment Rail

#### HEAVY DUTY ANGLE PROFILE

Metal Components & Robotic Welds

## **SHERINGTON**109(L) x 38(D) x 87(H)cm



ROTHWELL

116(L) x 33(D) x 76(H)cm



#### MOULTON

97(L) x 33(D) x 76(H)cm





Metallic Heat Reflective Iron Board Cover



Smooth Bound Edges to Avoid Fraying



2mm foam & 5mm felt Combination Padding



Steam Flow Metal Mesh Top











New Generation

Ironing Centres Safety & Storage

#### **EMBERTON**<sup>™</sup>







#### **EMBERTON**





Wall mounted



Rapid cable tidy slot. Cables can be bundled and Inserted to save time



Integrated cable wrap Stores neatly



Optional holder To mount ironing board

### **Stroud** Ironing Centre

## **SAFE. ROBUST. CONVENIENT.**PATENTED DESIGN

- → Unique and Patented Design sliding frame design secures iron
- → Convenient, Easy and Safe swivel, lift out & replace during ironing
- Universal Fitting Suits and fits almost all iron types and sizes
- Protective Silicon Pad protects soleplate







Protective silicon pad to prevent soleplate damage and absorb heat



Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc



#### **EMBERTON**<sup>™</sup>





Heat resistant pad to prevent soleplate damage and absorbs heat



Rapid cable tidy slot. Cables can be gathered and inserted directly in slot to save time



Integrated cable wrap.
Cables can be neatly
wrapped around frame



Holder Angle matches iron shape for Perfect Fit



Optional J Hook to hang ironing board

### **Somerton**

Universal Iron & Iron Board Storage

## SECURES IRON TO PREVENT FALLING HAZARD UNIQUE & PATENTED

- Convenient, Easy & Safe Easy lift in and lift out with frame design to prevent falling hazard
- Universal Fitting Fits almost all iron types and sizes
- Soft Coated Protective Quality Steel Frame protects iron from scratches and damage

#### Dimensions







**Z Shape Frame**Prevents Iron
Falling Hazard



Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc



#### **EMBERTON**





HEAT RESISTANT PROTECTIVE IRON PAD to prevent sole plate damage and absorb heat



Spring Pressure Slide Wings



360° Swivel



Cord may be neatly wrapped using Silicone Cord Wrap



Optional J Hook to hang ironing board

### Oakham Safety Grip Iron Store

Oakham's Safety Frame Design prevents falling hazards. With patented, spring loaded Slide Guides for safe and firm grip to keep iron in position safely. Convenient and easy to insert and lift out. Durable construction and universal design to fit most iron types.

- → Unique Guide & Slide Safety Solution
- → Holds Iron Securely
- → Strong & Sturdy
- → Improves Guest Room Safety

#### Specifications

Plate Dimension 247 x 159 x 24mm
Plate Weight 176a

Cable Wrap Dimension300 x 16mmCable Wrap Thickness3.75mm



Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc



#### **EMBERTON**





PROTECTIVE SILICONE PAD to prevent sole plate damage and absorb heat



**HOLDER ANGLE**matches steamer shape
for perfect fit



INTEGRATED CABLE WRAP Cables can be neatly wrapped around the frame



**SOLID & STURDY HOOK**easily to hang clothes
for ironing

## **Crawley**

Universal Steamer Holder with Anti-Theft Function

- Convenient, Easy & Safe Easy to lift on and lift out with frame design to prevent falling hazard
- Designed to fit Emberton™ Steamer
- Protective Silicone Pad protects soleplate and prevent scratches
- Anti-Theft Cable Lock included
- Durable and Robust Hook- Makes hanging clothes for ironing easy


#### **Specifications**

Holder Dimension290 x 120 x 123 mmHolder Weight350g





Two Hooks for Hanging Clothes



Anti-theft Cable Lock



## **Sandhurst**Universal Iron Board Holder & Store

- Unique and Patented Design Instant & Easy to Fit
- Ultimate safety specially designed U frame safely secures iron board to prevent falling out
- Universal Suits all sizes of T Leg Ironing Boards
- Easy to remove and replace ironing board
- Fits regular door or wall hooks
- Stores iron board neatly on rail
- Robust & Rigid Strong welded joints with welded plate centre
- Thick 5mm steel and strong welded plate for years of trouble free use
- Durable NON slip finish to hold iron board securely in place
- Durable rubberized protective coating finish prolongs life of iron board frame and coating

#### **Specifications**

Dimensions	65(W) x 126(H) x 62(D) mm
Material	5mm Steel with Welded Joints
Weight	<b>27</b> g



Neat & tidy wardrobe storage



Stores Boards on Wall Hooks

Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc



#### **EMBERTON**





**RECESS BOLT HOLES** for Flush Fitting Bolts



**SPECIAL PROFILE**Keeps Board Clear of Wall

# **Hyde**Ironing Board Wall Holder

- → Made of Heavy Duty Carbon Steel
- Durable Silver Powder Coated Finish
- Compact and Strong
- Recess Bolt Holes for Flush Fitting Bolts
- Mounts To The Wall To Store Ironing Board
- Stores Ironing Board neatly

#### Specifications

Dimensions	170(W) x 74(H) x 40 (D) mm
Material	Quality Carbon Steel
Weight	160g



Space Saving



Curved angle is a perfect match for Tough Board frame





# ACCESSORIES & ROOM ESSENTIALS

#### **Bodmin**

Multi-Function Alarm Clock with Wireless Charging & Speaker

- Built-in Latest Wireless Connection Technology & Able to Pair with Almost All Compatible Devices
- → Highest Quality Speaker 5 Wattage Full Frequency Loudspeaker each for Dynamic Audio
- → Hassle-free Wireless Charger with Fast Charging Technology feature & Compatibles with Almost All Support Devices
- Available setting of Wireless pairing, Dual Alarm Clock setting, Snooze Alarm Mode, AUX Audio & FM Radio, TF Card and Double USB Port for wire-style pairing
- Ultra Large LCD Display with Anti-Scratch Screen, adjustable LCD Screen Brightness and Day, Time details display
- ◆ Back-up Clock Memory with 2x 1,5V AAA Batteries
- → Optional USB Type-C Adaptor & Screw fixing point with Anti-Theft Cable
- Battery Slot with Secured Cover

#### Specifications

Power **AC 110 – 240V, 50-60Hz** 

Vireless Charger Wattage **10**0

Pattery (Optional)

2 x 1.5V AAA Batteries (NOT INCLUDED)

2 x 1.5V AAA Batteries (NOT INCLUDED)

128mm (L) x 102mm (W) x 77mm (H)

128mm (L) x 102mm (W) x 77mm (H)

128mm (L) x 102mm (W) x 77mm (H)

Weight **0.45 Kg** 



Available Setting Options



Optional USB Type-C Adaptor



Optional Screw Type Anti-Theft Cable







Fast Charging Technology

## **Bodmin**

Multi-Function Alarm Clock with Wireless Charging & Speaker

#### **EMBERTON**



#### Alton

#### USB Rechargeable Torchlight

- → Light & Compact Portable Design Mini and handy size to keep in the pocket
- Charging a cell phone as an emergency power bank
- > Zoom in or out the torchlight to adjust the brightness intensity of illumination area
- > IPX4-rated water-resistant and designed for use in a rainy day
- → Build in rechargeable battery with micro USB charging in 2 hours and constant brightness up to 4 hours!
- > Bottom of the torchlight is equipped with a lanyard for easy hanging and carrying
- → Bright & Powerful 4 Modes: High, Low, Flash and Zoomable light
- Suitable for Hotel Housekeeping or Outdoor activities

#### **Specifications**

137 x 36 x 27 MM

0.098KG 10W

Built-in 1200mAh Micro USB port

2 hrs 5V IPX4 2.5-4 hrs





Light & Portable Design



Built-in 1200mAh rechargable battery



Come with USB cable & pouch for easy carry









# ACCESSORIES & ROOM ESSENTIALS

# Woburn PUSHPOWER Digital Bathroom Scale

- ◆ BATTERY-FREE powered by **PUSH POWER** Button
- 4 High Precision Sensors for Accurate Weight
- → TOUGHENED SAFETY GLASS 8MM Thickness
- → ULTRA LARGE LCD Display
- Modern, Elegant & Stylish Design
- → Stable & Rigid Platform
- → Overload & Error Indication
- → Weight up to 180 kgs
- Auto Switch OFF
- → Units in KGS & LBS

#### Specifications

Dimensions 310mm x 310mm x 30mm
Material 8mm Toughened Safety Glass

Certification CE, UKCA & RoHs

Veight 1.6 kg





Battery-Free
PUSH POWER Button



Ultra Large LCD Display



8mm Ultra-Tough Glass



Woburn **PUSHPOWER** Digital Bathroom Scale



#### Whitehill Stainless Steel Scale

- → High Precision Sensors for accurate weight
- → Smudge-resistant and easy-to-clean high quality Stainless Steel 304 Platform
- Anti-Fingerprint coating to reduce scratches
- → Weight up to 180kgs
- Stable & Rigid Platform
- Overload & Error Indication
- Low Battery Indicator
- Units in KGS, LBS & STONES

#### Specifications

300 x 300 x220mm 2xAAA battery included

Stainless Steel + 6mm Tempered Glass

CE, UKCA & RoHS Approved

1.69kg









304 Stainless Steel & 6mm Tempered Glass



Wide LCD Display 76mm x 40mm



Stable and Rigid Platform with Anti-fingerprint coating



#### Wilton Bamboo Black Scale

- → High Precision Sensors for accurate weight
- High-quality, anti-mildew surface made out of real bamboo 15mm thickness
- → Weight up to 180kgs
- Stable & Rigid Platform
- Overload & Error Indication
- Low Battery Indicator
- → Units in KGS, LBS & STONES
- Designed & Manufactured for use in Guest Bedrooms, Living Rooms, Suites etc. \*NOT SUITABLE FOR USE IN BATHROOMS



300 x 300 x 31 mm

3 x AAA Batteries Included

15mm Real Bamboo

CE, UKCA & RoHS Approved

1.105kg



15 mm Real Bamboo



Wide LCD Display 76mm x 40mm



Stable & Rigid Platform











#### Wilton Bamboo Natural Scale

- → High Precision Sensors for accurate weight
- High-quality, anti-mildew surface made out of real bamboo 15mm thickness
- → Weight up to 180kgs
- Stable & Rigid Platform
- Overload & Error Indication
- Low Battery Indicator
- → Units in KGS, LBS & STONES
- Designed & Manufactured for use in Guest Bedrooms, Living Rooms, Suites etc. \*NOT SUITABLE FOR USE IN BATHROOMS



300 x 300 x 31 mm

3 x AAA Batteries Included

15mm Real Bamboo

CE, UKCA & RoHS Approved

1.105kg



15 mm Real Bamboo



Wide LCD Display 76mm x 40mm



Stable & Rigid Platform











# ACCESSORIES & ROOM ESSENTIALS

### Fairford - Soft Grip Digital Bathroom Scale

- → Unique & Patented Soft Grip Touch
- → Improved Anti-Slip Performance
- → 4 High Precision Sensors for Accurate Weight
- Toughened Safety Glass 8mm thickness
- → Auto Switch ON/OFF Saves Battery Life
- Modern, Elegant & Stylish Design
- → Weight range 5 to 180 kgs
- → Overload & Error Indication
- → Stable & Rigid Platform
- → Units in KGS, LBS or STONES
- Low Battery Indicator

#### Specifications

Dimensions 300 x 300 x 22mm

Voltage **3V** 

Battery 2 x CR2032 Lithium Ion Batteries

included

Material 8mm Toughened Safety Glass

Certification **CE, UKCA & RoHS** 

Weight **1.94kg** 





Extra Large LCD Display 80 x 45mm



Improved Anti-slip Performance



Stable & Rigid Platform



Fairford - Soft Grip Digital Bathroom Scale

#### **EMBERTON**



## **Ashton**Digital Bathroom Scale

- → High Precision Sensors for accurate weight
- ◆ Auto ON & OFF
- → Modern, Elegant & Stylish Design
- → Weighs up to 180 kgs
- → Stable & Rigid Platform
- → Units in KGS & LBS

#### Specifications

Dimensions 300 x 300 x 24mm

/oltage **3V** 

Battery 2 x AAA Batteries included

Material 8mm Toughened Safety Glass

Tertification **CE, UKCA & RoHS** 

Weight **1.95kg** 





Toughened Safety Glass 8mm thickness



Wide LCD Display 75mm x 31mm







### 1600W Cylindrical Hairdryer

- → Powerful 1600W DC Motor
- → 2 Speed/Heat & Cool Setting
- → Removable Filter for Easy Cleaning
- → Complete with Air-Flow Concentrator for Perfect Styling & Drying
- → Soft Touch Matt Finish
- → Generous cord length 180cm Long
- → Safety Thermostat Over-heating circuit protection
- ◆ Available in EU & UK Plug Variants

#### Specifications

Power
Voltage
Hairdryer Dimension
Certification
Product Weight

1400-1800W
220-240V, 50-60Hz
177 x 235 x 75mm
CE, CB, UKCA, GS
530g





Removable Filter



Removable Concentrator



2 Speed/Heat & Cool settings





### Emergency Torchlight Instant - ON

- → High Energy-Efficiency & Quality 13 LED light with 50,000 hours lifespan
- → INSTANT-ON feature The torch will illuminate immediately when removed from holder if left in ON mode and replaced in holder.
- Aluminum Oxidation Finishing Flashlight with ABS Holder
- Estimated 12 24 hours long per usage period
- → Non-slip contoured handle for comfortable use
- Easy installation Included complete set of screws and screw anchors

NOTE: Please use rechargeable lithium battery ONLY (Not Included) for rechargeable function

#### Specifications

Power AC 100V-250V, 50 - 60Hz x3 1.5V AA Alkaline or Battery Lithium Batteries (NOT INCLUDED) Wattage 3.9 Watts-hours 120 lumen Lumen Beam Angle 180° White Light Light Colour Aluminum and ABS Material Holder Dimension 175mm x 60mm Torchlight Dimension 178mm x 44 mm Certification CE approved

0.28 kg



Weight



All Black Aluminum Oxidation Finishing



Anti-theft Wall Mounted Holder

## **SPECIFICATIONS**



## **SPECIFICATIONS - KETTLES**







Model	Evesham - Steel / Black	Evesham - Steel / Black	Evesham - Black
Art No	EHS0714 (EU Plug-EH Controller) EHS0716 (EU Plug-Strix Controller)	EH50715 (UK Plug-EH Controller) EH50717 (UK Plug-Strix Controller)	EH50724 (EU Plug-EH Controller) EH50722 (EU Plug-Strix Controller)
Page	5	5	5
Power	220-240V, 50-60Hz	220-240V, 50-60Hz	220-240V, 50-60Hz
Wattage	1500-1800W	1500-1800W	1500-1800W
Capacity	1 Litre	1 Litre	1 Litre
DUAL SAFE	Yes	Yes	Yes
Material	Polypropylene	Polypropylene	Polypropylene
	High Grade SS304 Stainless Steel	High Grade SS304 Stainless Steel	High Grade SS304 Stainless Steel
	Body & Heat Plate	Body & Heat Plate	Body & Heat Plate
	Double Layer Safety Insulation	Double Layer Safety Insulation	Double Layer Safety Insulation
Overall Height	220mm	220mm	220mm
Top Diameter	88mm	88mm	88mm
Base Diameter	143mm	143mm	143mm
Weight	930g	930g	930g
Certification Mark/Warranty	C€ CB ĽK 🕳 😝 📴	CE CB LK & REALFRED COMMANDERS	C€CB ¼ 🍝 😝 📴
Packaging Details	8pcs - 69.5 x 20.7 x 44cm	8pcs - 69.5 x 20.7 x 44cm	8pcs - 69.5 x 20.7 x 44cm
	9.6kg 0.0633CBM	9.6kg 0.0633CBM	9.6kg 0.0633CBM
Barcodes	EH50714 (EU Plug-EH Controller)	EHS07IS (UK Plug-EH Controller)	EHS0724 (EU Plug-EH Controller)
	EH50716 (EU Plug-Strix Controller)	EH50777 (UK Plüg-Strix Controller)	EH50722 (EU Plug-Strix Controller)







Model	Evesham - Black	Malvern Brushed Stainless Steel	Malvern Black
Art No	EH50725 (UK Plug-EH Controller) EH50723 (UK Plug-Strix Controller)	EH50550 (EU Plug-EH Controller) EH50635 (EU Plug-Strix Controller) EH50634 (UK Plug-Strix Controller)	EH50726 (EU Plug-EH Controller)) EH50643 (EU Plug-Strix Controller) EH50644 (UK Plug-Strix Controller)
Page	5	7	7
Power	220-240V, 50-60Hz	220-240V, 50-60 Hz	220-240V, 50-60 Hz
Wattage	1500-1800W	800 <b>-</b> 950W	800 <b>-</b> 950W
Capacity	1 Litre	0.5 Litre	0.5 Litre
DUAL SAFE	Yes	Yes	Yes
Material	Polypropylene	High Grade SS304 Stainless Steel	High Grade SS304 Stainless Steel
	High Grade SS304 Stainless Steel	Body & Heat Plate	Body & Heat Plate
	Body & Heat Plate		
	Double Layer Safety Insulation		
Overall Height	220mm	185mm	185mm
Top Diameter	88mm	90mm	90mm
Base Diameter	143mm	143mm	143mm
Weight	930g	<i>77</i> 0g	<i>7</i> 70g
Certification Mark/Warranty	CECBE SE	C€ CB K S S S S S S S S S S S S S S S S S S	CE CB LK L
Packaging Details	8pcs - 69.5 x 20.7 x 44cm	12pcs - 52.5 x 39.5 x 38cm	12pcs - 52.5 x 39.5 x 38cm
	9.6kg 0.0633CBM	11.82kg 0.079CBM	11.82kg 0.079CBM
Barcodes	EH50725 (UK Plug-EH Controller)  EH50723 (UK Plug-Strix Controller)	EH50635 (EU Plug-EH Controller) (EU Plug-Strix Controller)	EH50726 EH50643 (EU Plug-EH Controller) (EU Plug-Strix Controller)  EH50644 (UK Plug-Strix Controller)

## SPECIFICATIONS - KETTLES







Model	Corsham Brushed Stainless Steel	Corsham Black	Corsham Black
Art No	EH50633 (EU Plug-EH Controller) EH50637 (EU Plug-Strix Controller) EH50636 (UK Plug-Strix Controller)	EH50705 (EU Plug-EH Controller) EH50729 (EU Plug-Strix Controller)	EH50709 (UK Plug-EH Controller) EH50728 (UK Plug-Strix Controller)
Page	8	8	8
Power	220-240V, 50-60 Hz	220-240V, 50-60 Hz	220-240V, 50-60 Hz
Wattage	800-950W	800-950W	800-950W
Capacity	1 Litre	1 Litre	1 Litre
DUAL SAFE	Yes	Yes	Yes
Material	High Grade SS304 Stainless Steel	High Grade SS304 Stainless Steel	High Grade SS304 Stainless Steel
	Body & Heat Plate	Body & Heat Plate	Body & Heat Plate
Overa <b>ll</b> Height	209mm	209mm	209mm
Top Diameter	90mm	90mm	90mm
Base Diameter	143mm	143mm	143mm
Weight	790g	790g	790g
Certification Mark/Warranty	C€CB ĽK 🗳 🚉	C€ CB ¼ 🛍 👊	C€CB₩€
Packaging Detai <b>l</b> s	12pcs <b>-</b> 52.5 x 39.5 x 43.0cm	12pcs <b>-</b> 53.0 x 40.0 x 43.0cm	12pcs - 53.0 x 40.0 x 43.0cm
	12.5kg 0.089CBM	12.37kg 0.091CBM	12.37kg 0.091CBM
Barcodes	EH50633 (EU Plug-EH Controller) (EU Plug-Strix Controller)  EH50636 (UK Plug-Strix Controller)	EH50705 (EU Plug-EH Controller)  EH50729 (EU Plug-Strix Controller)	EH50709 (UK Plug-EH Controller)  EH50728 (UK Plug-Strix Controller)







Model	Banbury	Guildford Black	Guildford White
Art No	EH50840 (EU Plug-EH Controller) EH50839 (UK Plug-EH Controller)	EH50740 (EU Plug-EH Controller) EH50739 (UK Plug-Strix Controller	EH50743 (EU Plug-EH Controller) EH50742 (UK Plug-EH Controller)
Page	9	10	10
Power	220-240V, 50-60Hz	220-240V, 50-60Hz	220-240V, 50-60Hz
Wattage	800W	870-1035W	870-1035W
Capacity	0.8 Litre	0.8 Litre	0.8 Litre
DUAL SAFE	Yes	No	No
Material	High Grade SS304 Stainless Steel Body & Heat Plate	Plastic Body	Plastic Body
Overa <b>ll</b> Height	200mm	180mm	180mm
Top Diameter	111.5mm	90mm	90mm
Base Diameter	130mm	139mm	139mm
Weight	750g	605g	60Sg
Certification Mark/Warranty	C€CB ĽK 🛎	C€CB K 🗳	C€ CB ĽK 🛎
Packaging Detail	12pcs <b>-</b> 45 x 35 x 39.8cm	12pcs - 46.5 x 36.5 x 35cm	12pcs - 46.5 x 36.5 x 35cm
	11.2kg 0.063CBM	9.2kg 0.059CBM	9.2kg 0.059CBM
Barcodes	EH50840 (EU Plug-EH Controller)	EH50740 (EU Plug-EH Controller)	EH50743 (EU Plug-EH Controller)
	9 557726 508408 EH50839 (UK Plug-EH Controller) 9 557726 508392	EH50739 (UK Plug-Strix Controller)	EH50742 (UK Plug-EH Controller)

## **SPECIFICATIONS - WELCOME TRAYS BAMBOO**









Model	Fenland Espresso Tray	Fenland Condiment Box	Winford - Black	Amesbury - Black
Art No	EH50820	EH50821	EH50756	EH50813
Page	14	14	15	16
Material	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo
Cert Food Grade	Yes	Yes	Yes	Yes
Overall Length	50cm	21cm	37.0cm	39cm
Overa <b>ll</b> Width	40cm	19cm	35.0cm	31.5cm
Height	4cm	7cm	8.8cm	7.5cm
Weight	1800g	800g	39659	2640g
Certification Mark/Warranty	3	3	3	3
Packaging Details	Spcs- 52.5 x 43.5 x 32cm 11.20kg 0.0730CMB	10pcs- 43.5 x 43 x 25.2cm 9.05kg 0.047lCBM	5pcs- 49.6 x 39 x 37.5cm 18.0kg 0.0725CBM	5pcs - 43.8 x 41.5 x 35.2cm 15.0kg 0.0640CBM
Barcodes	EH50820 9 557726   508200	EH50821 9 557726 508217	EH50756	EH50813









Model	Cambourne Plus - Black	Tongwe <b>ll -</b> Black	Winford - Natural	Amesbury - Natural
Art No	EH50688	EH50467	EH50836	EH50833
Page	17	18	19	20
Material	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo
Cert Food Grade	Yes	Yes	Yes	Yes
Overall Length	27.0cm	26cm	37.0cm	39cm
Overall Width	19.4cm	26cm	35.0cm	31.5cm
Height	8.5cm	3cm	8.8cm	7.5cm
Weight	1450g	850g	4060g	2640g
Certification Mark/Warranty	3	3	3	3
Packaging Detai <b>l</b> s	12pcs- 57.6 x 28.7 x 42.2cm 17.10kg 0.0698CBM	12pcs- 49 x 28 x 28.2cm 11.81kg 0.039CBM	5pcs- 52.5 x 39.5 x 37.9cm 22.1kg 0.0786CBM	5pcs- 43.8 x 41.5 x 35.2cm 15kg 0.0640CBM
Barcodes	EH50688	EH50467	EH50836	EH50833
	9 557726 506886	9 557726 504677	9 557726 508361	9 557726 508330







Cambourne Plus - Natural	Tongwe <b>ll -</b> Natural	Tongwe <b>ll -</b> Mahogany
EH50834	EH50289	EH50468
21	22	22
First Grade Bamboo	First Grade Bamboo	First Grade Bamboo
Yes	Yes	Yes
27.0cm	26cm	26cm
19.4cm	26cm	26cm
8.5cm	3cm	3cm
1450g	850g	850g
3	3	3
musición m	(Secretary)	cushing-ins
12pcs- 57.6 x 28.7 x 42.2cm	12pcs- 49 x 28 x 28.2cm	12pcs- 49 x 28 x 28.2cm
20.5kg 0.0698CBM	11.81kg 0.039CBM	11.81kg 0.039CBM
EH50834	EH50289	EH50468
9  557726  508347	9 \$557726 \$502895	9 557726 504684
	EH50834 21 First Grade Bamboo Yes 27.0cm 19.4cm 8.5cm 1450g  12pcs- 57.6 x 28.7 x 42.2cm 20.5kg 0.0698CBM	EH50834 EH50289 21 22 First Grade Bamboo First Grade Bamboo Yes Yes 27.0cm 26cm 19.4cm 26cm 8.5cm 3cm 1450g 850g  12pcs- 57.6 x 28.7 x 42.2cm 20.5kg 0.0698CBM 11.8lkg 0.039CBM

## **SPECIFICATIONS - WELCOME TRAYS ABS SERIES**







Model	Heywood ABS - Main Tray Black Matt	Heywood Slate - Service Tray Black Matt	Heywood Slate - Amenity Holder Black Matt
Art No	EH50822	EH50823	EH50824
Page	23	23	23
Material	ABS	ABS	ABS
Cert Food Grade	Yes	Yes	Yes
Overall Length	35.8cm	23.5cm	14.5cm
Overa <b>ll</b> Width	25.8cm	llcm	7.5cm
Height	1cm	1cm	4cm
Weight	285g	75g	85g
Certification Mark/Warranty	3	3	3
Packaging Detai <b>l</b> s	24pcs- 37.6 x 28.5 x 31.2cm 7.97kg 0.0334CBM	24pcs- 30 x 26 x 13cm 2.6kg 0.0101CMB	24pcs- 35 x 20 x 17.7cm 2.9kg 0.0123CBM
Barcodes	EH50822	EH50823	EH50824 9   557726   508248







Model	Heywood Slate - Compact Tray. Black Matt	Heywood Slate - Amenity Organiser. Black Matt	Walton
Art No	EH50825	EH50826	EH50175
Page	25	25	26
Material	ABS	ABS	ABS
Cert Food Grade	Yes	Yes	Yes
Overa <b>ll</b> Length	33cm	12.5cm	46cm
Overa <b>ll</b> Width	16cm	8cm	22.5cm
Height	lcm	5.8cm	3.5cm
Weight	170g	120g	738g
Certification Mark/Warranty	3	3	3
Packaging Detai <b>l</b> s	24pcs- 34.5 x 18.5 x 31cm	24pcs- 43.2 x 27.5 x 15.1cm	12pcs <b>-</b> 55 x 25 x 49cm
	4.8kg 0.0198CBM	3.8kg 0.0179CBM	11.37kg 0.067CBM
Barcodes	EH50825	EH50826	EH50I75 9   557726   501751

## **SPECIFICATIONS - WELCOME TRAYS MELAMINE**





Model	Halstead Black (Matt)	Halstead White (Matt)
Art No	EH50678	EH50679
Page	27	27
Material	Melamine	Melamine
Cert Food Grade	Yes	Yes
Overall Length	26.20cm	26.20cm
Overa <b>ll</b> Width	26.20cm	26.20cm
Height	3cm	3cm
Weight	610g	610g
Certification	S. Market	3
Mark/Warranty	nada@dnu	<u></u>
Packaging Detai <b>l</b> s	12pcs- 41 x 29 x 28cm	12pcs- 41 x 29 x 28cm
	9.05kg 0.033CBM	9.05kg 0.033CBM
Barcodes	EH50678	EH50679
	9 557726 506787	9 557726 506794

## **SPECIFICATIONS - HAIRDRYERS**







	,		,	
Model	Thames 2000W	Marlow-Curly Cable 1875W	Marlow-Straight Cable 1875W	
Art No	EH50552 (EU Plug)	EH50689 (EU Plug)	EH50720 (EU Plug)	
	EH50553 (UK P <b>l</b> ug)	EH50690 (UK Plug)	EH50721 (UK Plug)	
Page	29	32	32	
Power	220-240V, 50-60 Hz	220-240V, 50-60 Hz	220-240V, 50-60 Hz	
Wattage	1800-2200W	1800-2000W	1800-2000W	
DUAL SAFE	Yes	Yes	Yes	
Heat Setting	Two	Two	Two	
Removable Filter	Yes	Yes	Yes	
Steam Mesh Blade Cover	Yes	Yes	Yes	
On /Off Press Switch	Yes	Yes	Yes	
Thermostat Overheat	Yes	Yes	Yes	
Protection				
Material	Polypropylene	Polypropylene	Polypropylene	
	Ceramic Ionic	Ceramic coating with tourmaline	Ceramic coating with tourmaline	
Cable length	Heavy Duty Coil Cable 350cm	Coil Cable 300cm	Straight Cable 250cm	
Colour	Black	Black	B <b>l</b> ack	
Dimensions	240 x 85 x 280mm	250 x 95 x 270mm	250 x 95 x 270mm	
Weight	615g	695g	695g	
Certification Mark//Warranty	C€ CB ¼ 🛎	C€ CB ¼ 🗳	C€ CB ĽK 🍝	
Packaging Detai <b>l</b> s	10pcs - 48.5 x 41.5 x 30cm	10pcs - 46.5 x 27.5 x 31cm	10pcs - 46.5 x 27.5 x 31cm	
	8.37kg 0.06CBM	8.07kg 0.04CBM	8.07kg 0.04CBM	
Barcodes	EH50552 (EU Plug)	EHS0689 (EU Plug)	EH50720 (EU Plug)	
		3 /55 Well   11.345		
	EH50553 (UK Plug)	EH50690 (UK Plug)	EH5072l (UK Plug)	

## **SPECIFICATIONS - HAIRDRYERS**



Model	Harrow Black Matt 1600W		
Art No	EH50777 (EU Plug)		
	EH50778 (UK Plug)		
Page	31		
Power	220-240V, 50-60 Hz		
Wattage	1400-1600W		
DUAL SAFE	Yes		
Heat Setting	Two		
Removable Filter	Yes		
Steam Mesh Blade Cover	Yes		
On /Off Press Switch	Yes		
Thermostat Overheat	Yes		
Protection			
Materia <b>l</b>	Plastic with luxury matt finish		
Cable length	200cm		
Colour	Black		
Dimensions	140 x 77 x 231mm		
Weight	390g		
Certification	CC CD UK ROUS		
Mark/Warranty	C€CB LK		
Packaging Detai <b>l</b> s	20pcs <b>-</b> 47 x 27.5 x 45cm		
	11.50kg 0.058CBM		
Barcodes	EH50777 (EU Plug)		
	9 "557726"507777"		
	EH50778 (UK Plug)		
	9 "557726"507784"		



Model	Lathbury Hairdryer Bag
Art No	EH50357
Page	35
Material	Soft Velvet
	Silver Thread Embroidery
	Strong Black PP Drawstring
Colour	Black
Dimensions	400x 300mm
Weight	66g
Packaging Details	200pcs- 44 x 34.5 x 55cm
	14kg 0.084CBM
Barcodes	EH50357
	9 667726 603571







	,	/	
Model	Mursley - Black	Murs <b>l</b> ey - White	Mursley - Chrome/
		·	Black
Art No	EH50608	EH50609	EH50440
Page	34	34	34
Material	Silicon Inner	Silicon - Inner	Silicon - Inner
	Black Rubber - Outer	White Rubber - Outer	Plastic Chrome Rubber
			- Outer
Anti Theft	Yes	Yes	Yes
Suit Hard Wired	Yes	Yes	Yes
Installation			
Easy Mounting	Yes	Yes	Yes
Dimensions	93 x 74 x 50mm	93 x 74 x 50mm	93 x 74 x 50mm
Weight	45g	45g	50g
Packaging Details	200pcs- 90 x 32 x	200pcs <b>-</b> 90 x 32 x	200pcs <b>-</b> 90 x 32 x
	45cm	45cm	45cm
	16.4kg 0.13CBM	16.4kg 0.13CBM	16.63kg 0.13CBM
Barcodes	EH50608	EH50609	EH50440
	2.557727 13.53	B-557/26 (Debet)	8 307720 304400

## **SPECIFICATIONS - IRONS**









				1
Model	Croft Deluxe - Steam Iron	Hertford Black - Steam Iron	Hertford White - Steam Iron	Havant Deluxe - Steam Iron
Art No	EH50785 (EU Plug )	EH50501 (EU Plug)	EH50546 (EU Plug)	EH50515 (UK Plug)
	EH50786 ( UK Plug )	EH50502 (UK Plug)	EH50547 (UK Plug)	
Page	36	38	38	38
Power	220-240V, 50-60 Hz	220-240V, 50-60 Hz	220-240V, 50-60 Hz	220-240V, 50-60 Hz
Wattage	2000W	1600W	1600W	1600W
DUAL SAFE	Yes	Yes	Yes	Yes
Water Tank Capacity	300ml	250ml	250ml	250ml
Eco Auto Off Function	Yes	Yes	Yes	Yes
Anti Drip	Yes	Yes	Yes	Yes
Thermo Weld Technology	Yes	Yes	Yes	Yes
5min Auto Off Function	Yes	Yes	Yes	Yes
Sole Plate Material	Ceramic	Non-Stick	Non-Stick	Non-Stick
Cable	Heavy Duty 300cm	Heavy Duty 250cm	Heavy Duty 250cm	Heavy Duty 190cm
Colour	Black/Grey	Black/Grey	White/Grey	White/Grey
Plate size	228 x 123 mm	206 x 113mm	206 x 113mm	206 x 113mm
Product size	290 x 123 x 151 mm	266 x 120 x 140mm	266 x 120 x 140mm	266 x 120 x 140mm
Weight	1180g	9829	982g	982g
Certification	CECB 🚜 👍 📵	CECB K 🛎	CECBUK 🛎 🖪	CECB LK
Mark/Warranty	C€ CB K 🚰 🚨	1111	11 05 CH	CE CD ca
Packaging Detai <b>l</b> s	10pcs - 66.4 x 31.9 x 32.5cm	10pcs - 62.5 x 30.5 x 32.5cm	10pcs <b>-</b> 62.5 x 30.5 x 32.5cm	10pcs <b>-</b> 62.5 x 30.0 x 32.5cm
	14kg 0.069CBM	11.70kg 0.062CBM	11.70kg 0.062CBM	11.5kg 0.0609CBM
Barcodes	EHS0785 (EU Plug )	EH50501 (EU Plug)	EH50546 (EU Plug)	EH50515 (UK Plug)
	9 557726 507852	<b>3</b>		
	9 557726 507869	EH50502 (UK Plug)	EH50547 (UK Plug)	







Model	Yardley - Dry Iron	Ampthill 2 in 1 Steamer & Iron	Cheshunt 2 in 1 Digital Steamer & Iron
Art No	EH50548 (EU Plug) EH50549 (UK Plug)	EH50853 (EU Plug) EH50854 (UK Plug)	EH50851 (EU Plug) EH50852 (UK Plug)
Page	39	40	41
Power	220-240V, 50-60 Hz	220-240V, 50-60 Hz	220-240V, 50-60 Hz
Wattage	1200W	1650-1950W	1400-1800W
DUAL SAFE	Yes	Yes	Yes
Water Tank Capacity	No	170ml	180ml
Eco Auto Off Function	Yes	Yes	Yes
Anti Drip	Yes	No	No
Thermo Weld Technology	Yes	Yes	Yes
5min Auto Off Function	Yes	Yes	Yes
Sole Plate Material	Non-Stick	Double Layer Ceramic	Double Layer Ceramic
Cab <b>l</b> e	Heavy Duty 250cm	Heavy Duty 250cm	Heavy Duty 250cm
Colour	Black/Grey	Black/Grey	Black/Grey
P <b>l</b> ate size	200 x 110mm	133 x 88mm	143 x 97mm
Product size	257 x 114 x 126mm	413 x 92 x 143mm	362 x 97 x 180mm
Weight	745g	900g	950g
Certification	CECB # 🍎 🖪	44 OD - UK / 3	44 OD - UK - 3
Mark/Warranty	CE CB K 🛎	CECB 🚅 🖺 🚨	CE CB 📥 🖺 🪨
Packaging Details	10pcs - 59.5 x 29 x 31cm 9.22kg 0.054CBM	10pcs - 57.5 x 45.0 x 31.7cm 13.05kg 0.082CBM	10pcs - 60.0 x 41.0 x 47.2cm 14.78kg 0.1161CBM
Barcodes	EH50548 (EU Plug)	EH50853 (EU Plug) 9 557726 508538	EH50851 (EU Plug) 9 557726 508514
	EH50549 (UK Plug)	EH50854 (UK Plug)	EH50852 (UK Plug)

## **SPECIFICATIONS - TOUGH IRONING BOARDS**







Model	Sherington - Ironing Board	Moulton - Ironing Board	Rothwell - Ironing Board Compact
	Fu <b>ll</b> Size	Compact Size	Size with Fixed Metal Rest
Art No	EH50379	EH50380	EH50383
Page	43	43	43
Material	Metal	Metal	Metal
Metal Mesh Top	Yes	Yes	Yes
Rugged Tube	Yes	Yes	Yes
Frame Legs 38mm/28mm			
Suit Hard Wired	Yes	Yes	Yes
Cover Grey Metallic Fabric	Yes	Yes	Yes
Colour	Silver Grey Frame	Silver Grey Frame	Silver Grey Frame
	Grey Fabric Colour	Grey Fabric Colour	Grey Fabric Colour
Underlay Plus Foam	Yes	Yes	Yes
Smooth Binding Edges	Yes	Yes	Yes
Pre fitted System to	Yes	Yes	No
Attached Holders			
Fixed Metal Rest	No	No	Yes
Warranty	3	3	3
Dimensions	109 x 38cm	97 x 33cm	116 x 33cm
Height	87cm	76cm	76cm
Folded Size	133 x 38 x 7cm	117 x 33 x 7cm	128 x 33 x 7cm
Packaging Details	4pcs- 135.5 x 35 x 42.5cm	4pcs- 120.5 x 36 x 37.5cm	4pcs- 131.5 x 35.5 x 38cm
	23.15kg 0.202CBM	20.50kg 0.163CBM	21.55kg 0.177CBM
Barcodes	EH50379	EH50380	EH50383
	9°557726°503783°		9*557728*503830*





Barcodes	EH50388	EH50387
	6.0kg 0.087CBM	5.5kg 0.072CBM
Packaging Details	20pcs <b>-</b> 53 x 32 x 51.5cm	20pcs <b>-</b> 53.5 x 33 x 41cm
Dimensions	109 x 38cm	97 x 33cm
Warranty	3	3
Colour	Charcoal Grey	Charcoal Grey
	Underlay	Underlay
	Surface, Foam & Polyester	Surface, Foam & Polyester
Material	100% Cotton, Coated Aluminium	100% Cotton, Coated Aluminium
Page	44	44
Art No	EH50388	EH50387
	Fu <b>ll</b> Size	Compact Size
Model	Stanion - Iron Board Cover	Warkton - Iron Board Cover

## **SPECIFICATIONS - IRONING CENTRES SAFETY & STORAGE**





Model	Kingsmead	Bromham
Art No	EH50428 (EU Plug)	EH50442 (EU Plug)
7	EH50429 (UK Plug)	EH50441 (UK Plug)
Page	45	45
Inclusions	13	
Ironing Board/Art No	Sherington (Full Size) / EH50379	Sherington (Full Size) / EH50379
Iron / Art No	Hertford Steam Iron 1600W /	Yardley Dry Iron 1200W /
113117 7 112113	EH5050) (EU Plug) EH50502 (UK Plug)	EH50548 (EU Plug) EH50549 (UK Plug)
Iron Holder/Art No	Chorley / EH50518	Deene / EH50398
Dimensions	Chancy / Chisosia	Beeney engage
Board	109 x 38 x 87cm	109 x 38 x 87cm
Folded size without holder	133 x 38 x 7cm	133 x 38 x 7cm
Folded size with holder	144 x 38 x 7cm	144 x 38 x 7cm
Packaging Details		
Ironing Board	4pcs–135.5 x 35 x 42.5cm	4pcs-135.5 x 35 x 42.5cm
	23.15kg 0.202CBM	23.15kg 0.202CBM
Hertford 1600W	10pcs-62.5 x 30.5 x 32.5cm	
	11.70kg 0.062CBM	
Iron Yardley 1200W		10pcs-59.5 x 29 x 31cm
		9.22kg 0.053CBM
Holder Chorley	12pcs-87.5 x 41.7 x 33.7cm	
	15kg 0.123CBM	
Holder Deene		12pcs-42 x 43 x 54.5cm
		14.60kg 0.098CBM
Warranty	3	3
Barcodes	EH50428 EH50429	EH50442 EH50441
- Daredies		





Model	Stagsden	Elstow
Art No	EH50431 (EU Plug)	EH50444 (EU Plug)
	EH50430 (UK Plug)	EH50443 (UK Plug)
Page	45	45
Inclusions		
Ironing Board/Art No	Moulton (Compact Size) / EH50380	Moulton (Compact Size) / EH50380
Iron / Art No	Hertford Steam Iron 1600W /	Yardley Dry Iron 1200W /
	EH50501 (EU Plug) EH50502 (UK Plug)	EH50548 (EU Plug) EH50549 (UK Plug)
Iron Holder/Art No	Chorley / EH50518	Deene / EH50398
Dimensions		
Board	97 x 33 x 76cm	97 x 33 x 76cm
Folded size without holder	117 x 33 x 7cm	117 x 33 x 7cm
Folded size with holder	128 x 33 x 7cm	128 x 33 x 7cm
Packaging Details		
Ironing Board	4pcs <b>-</b> 120.5 x 36 x 37.5cm	4pcs-120.5 x 36 x 37.5cm
	20.5kg 0.163CBM	20.5kg 0.163CBM
Hertford 1600W	10pcs-62.5 x 30.5 x 32.5cm	
	11.70kg 0.062CBM	
Iron Yardley 1200W		10pcs-59.5 x 29 x 31cm
		9.22kg 0.053CBM
Holder Chorley	12pcs-87.5 x 41.7 x 33.7cm	
	15kg 0.123CBM	
Holder Deene		12pcs-42 x 43 x 54.5cm
		14.60kg 0.098CBM
Warranty	3	3
Barcodes	EH50431 EH50430	EH50444 EH50443
	(3)                   (4)   (4)   (5)   (6)   (7	

## **SPECIFICATIONS - IRONING CENTRES SAFETY & STORAGE**









Model	Stroud - Iron Holder	Stroud - U Hook	Swivel Holder Bracket with	Somerton - Iron Holder
			Anti Theft Cable Lock	
Art No	EH50558	EH50563	EH50562	EH50507
Page	46	46	46	47
Material	Steel	Steel	Steel	Soft Coated Protective
	Double Non Slip Rubberized			Quality Steel Frame
	Protective Coating Finish			
Colour	Grey	Grey	Grey	Grey
Certification	EU SOUMER	RECORDER	3	EU SOMMUTY
Mark/Warranty	REGISTERED COMMANTY CHESTN	RECIOTERED COMMUNITY DISSIN	C. JESS TO	REGISTERED COMMUNITY DESIGN
Dimensions	35.6 x 13.5 x 13cm	20.3 x 10.5 x 6.5cm	8.3 x 6 x 5.2cm	35 x 13.5 x 13cm
Weight	0.635kg	0.140kg	0.274kg	0.60kg
Packaging	12pcs- 60.7 x 43.4 x 36.9cm	100pcs- 67 x 27.8 x 24.5cm	100pcs- 52.5 x 34.5 x 15cm	10set- 90.7 x 28.0 x 30.0cm
Details	9.74kg 0.0972CBM	14kg 0.046CBM	30.4kg 0.0272CBM	6.45kg 0.0762CBM
Barcodes	EH50558	EH50563	EH50562	EH50507
	9 557726 505582	9 557726 505636	9 557726 505629	9 557726 505070









		U	บบ	~
Model	Somerton - J Hook	Oakham - Safety Grip Iron Store	Crawley - Universal Steamer Holder with Anti-Theft	Sandhurst - Open Rail Hook
Art No	EH50708	EH50814	EH50911	EH50556
Page	47	48	49	50
Material	Soft Coated Protective Quality Steel Frame	Heat-resistant PA Plate	Steel Double Non Slip Rubberized Protective Coating Finish	Steel- Soft Touch Finish
Colour	Grey	Grey	Black	Grey
Certification Mark/Warranty	COMMAND COMMAN	COMMENT OF STREET		CONTRACTO CONTRA
Dimensions	22 x 10.5 x 5.8cm	24.7 x 15.9 x 2.4cm	29.0 x 12 x 12.3cm	6.6 x 6.2 x 12.6cm
Weight	0.135kg	0.176kg	0.350kg	0.820kg
Packaging Details	50pcs- 58.0 x 40.8 x 24.0cm 9.80kg 0.0568CBM	20set- 33.8 x 26.5 x 29.5cm 5.64kg 0.528CBM	30pcs- 60 x 46 x 38cm 13.5kg 0.105CBM	100pcs- 47 x 20 x 30cm 10.0kg 0.0282CBM
Barcodes	EH50708 9 "557726"507081	EH50814 9 557726 508149	EH50911 9 557726 509115	EH50S56 9 "557726"505568





	_	
Model	Sandhurst - Open Rail Hook	Hyde - Wall Bracket
Art No	EH50556	EH50508
Page	50	51
Material	Steel- Soft Touch Finish	Heavy Duty Carbon Steel
		Double Silver Powder Coated
		Finish
Colour	Grey	Grey
Certification	(ii)	L.
Mark/Warranty	REGIOTERED COMMUNITY DESIGN	COMMONTO
Dimensions	6.6 x 6.2 x 12.6cm	170 x 74mm
Weight	0.820kg	0.160kg
Packaging	100pcs- 47 x 20 x 30cm	100pcs- 70 x 19.5 x 17.5cm
Detai <b>l</b> s	10.0kg 0.0282CBM	18kg 0.024CBM
Barcodes	EH50556	EH50508
	9 "557726"505568"	9 "557726"505087"

## **SPECIFICATIONS - ACCESSORIES & ROOM ESSENTIALS**







Model	Bodmin - Multi-Function Alarm	Woburn - Push Power	Woburn - Push Power
	Clock with Wireless Charging & Speaker	Digital Bathroom Scale	Digital Bathroom Scale
Art No	EH50768-EU Plug/EH50769-UK Plug	EH50755	EH50753
Page	52	55	55
Power	AC 110 – 240V, 50-60Hz	PUSH POWER Button	PUSH POWER Button
Wattage	10W	Battery Free	Battery Free
Battery	2 x 1.5V AAA Batteries	5 <b>-</b> 180kg	5 <b>-</b> 180kg
	(NOT INCLUDED)	Units in KG & LBS	Units in KG & LBS
Colour	Black	Black	White
Material	ABS	8mm Toughened Safety Glass	8mm Toughened Safety Glass
Dimensions	128 x 102 x <i>77</i> mm	310 x 310 x 30mm	310 x 310 x 30mm
Weight	0.45kg	1.6kg	1.6kg
Certification	CEKE E	CE HK 💆	CE HK DES
Mark/Warranty	(	CE K	CE K 💆
Packaging	18pcs- 43.2 x 36.8 x 36cm	6pcs- 37.5 x 34.5 x 34.5cm	6pcs- 37.5 x 34.5 x 34.5cm
Details	11.8kg 0.0572CBM	14.50kg 0.0446CBM	14.50kg 0.0446CBM
Barcodes			
	EH50768 (EU Plug) EH50769 (UK Plug)	EHS0755	EH50753
	Markette Stateste	9 "557726"507555	A THE RESERVE OF THE PERSON NAMED IN COLUMN TO PERSON NAMED IN COLUMN







		_	
Model	Whitehill Scale	Wilton Scale - Black	Wilton Scale - Natural
Art No	EH50806	EH50789	EH50835
Page	57	58	59
Power	2xAAA Battery Included	3xAAA Battery Included	3xAAA Battery Included
Capacity	180kg	5-180kg	5-180kg
Units	KG-LB-ST	KG-LB-ST	KG-LB-ST
Colour	-	Black	Natural
Material	Stainless Steel	First Grade Bamboo	First Grade Bamboo
Dimensions	300 x 300 x22mm SS304+6mm Tempered Glass	300 x 300 x 31mm 15mm Real Bamboo	300 x 300 x 31mm 15mm Real Bamboo
Weight	1690g	1105g	1105g
Certification Mark/Warranty	CE EK	CE EK	CE EK
Packaging Details	6pcs - 33 x 24 x 33.5cm 11.2kg 0.0265CBM	6pcs - 33 x 28.5 x 33.5cm 9.2kg 0.0315CBM	6pcs - 33 x 28.5 x 33.5cm 9.2kg 0.0315CBM
Barcodes	EH50806	EH50789	EH50835
	9   557726   508064	9 557726 507890	9 557726 508354

## **SPECIFICATIONS - ACCESSORIES & ROOM ESSENTIALS**







Model	Fairford - Soft Grip	Fairford - Soft Grip	Ashton
	Digital Bathroom Scale	Digital Bathroom Scale	Digital Bathroom Scale
Art No	EH50626	EH50627	EH50358
Page	60	60	62
Power	2xCR2032	2xCR2032	2xAAA
	Lithium Iron	Lithium Iron	Battery Included
	Battery Included	Battery Included	
Capacity	5 <b>-</b> 180kg	5-180kg	180kg
Units	KG-LB-ST	KG-LB-ST	KG-LB
Colour	Black	White	Black
Material	Non Slip Tempered Glass Platform	Non Slip Tempered Glass Platform	Tempered Glass Platform
Dimensions	300 x 300 x 22mm	300 x 300 x 22mm	300 x 300 x 24mm
	8mm Tempered Glass	8mm Tempered Glass	8mm Tempered Glass
Weight	1.94kg	1.94kg	1.95kg
Certification Mark/Warranty	CE EK E	CE EK 🛎	CE EK 💆
Packaging	4pcs- 35 x 20.5 x 35.5cm	4pcs- 35 x 20.5 x 35.5cm	6pcs <b>-</b> 33.8 x 31.4 x 34.9cm
Detai <b>l</b> s	9.3kg 0.026CBM	9.3kg 0.026CBM	13.20kg 0.037CBM
Barcodes	EH50626	EH50627	EH50358



Model	Alton USB Rechargeable Torchlight
Art No	EH50838
Page	54
Power	5V
Battery	Built in 1200mAh 18650 li-ion
Wattage	10W
Lumen	1000 lm
Beam Distance	100m
Light Colour	White Light
Material	ABS
Charging Port	Micro USB Port
Charging Time	2 Hours
Water Proof Rate	IPX4
Dimensions	13.7 x 3.6 x 2.7cm
Weight	989
Certification Mark/Warranty	( E Res
Packaging Detai <b>l</b> s	100pcs - 52 x 38.5 x 21cm 15kg 0.0420CBM
Barcodes	EH50838



## **SPECIFICATIONS - SERIES - A**



Model	1600W Cylindrical Hairdryer
Art No	SA90034 (UK)
	SA90035 (EU)
Page	63
Power	220-240V, 50-60Hz
Wattage	1400-1800W
DUAL SAFE	NO
Heat Setting	2
Removable Filter	YES
Steam Mesh Blade Cover	YES
On /Off Press Switch	NO
Thermostat Overheat	YES
Protection	
Material	Plastic with Luxury Matt Finish
Cable length	STRAIGHT CABLE 1.8M
Colour	BLACK
Dimensions	17.7 x 23.5 x 7.5cm
Weight	530g
Certification	CE CB UK
Mark//Warranty	CE CB KK
Packaging Detai <b>l</b> s	20pcs - 31.5 x 44.5 x 52cm
	12kg 0.0729CBM
Barcodes	SA90034 (UK Plug)
	9    557726   900349
	SA90035 (EU Plug)
	9   557726   900356



Model	Emergency Torchlight INSTANT-ON	
Art No	SA90005 (Battery) SA90006 (UK Charger) SA90007 (EU Charger)	
Page	64	
Power	AC100V-250V, 50-60Hz	
Battery	x3 1.5V AA Alkaline or	
	Lithium Batteries (NOT INCLUDED)	
Wattage	3.9W - hours	
Lumen	120 lumen	
Beam Ang <b>l</b> e	180°	
Light Colour	White Light	
Material	Aluminium and ABS	
Holder Dimension	175mm x 60 mm	
Torchlight Dimension		
Weight	280g	
Certification Mark/Warranty	C€ <b>E</b>	
Packaging Details	40pcs - 43 x 29 x 36cm 14.0kg 0.045CBM	
Barcodes	SA90005 SA90007 (Battery) (EU Plug)	
	SA90006 (UK Plug)	



## INTELLECTUAL PROPERTY

Patents & Registered Designs



**TOUGH BOARD** - Rugged & Durable; We have combined a rugged frame with heavy duty metal components and robotic welds to withstand guests' tough use.



**DUAL SAFE** - an organic, thermo-sensitive material, remarkably sensitive to abnormally high temperatures. Upon sensing critical heat levels, DUAL SAFE activates and the electrical current will be interrupted immediately and permanently.



**WATER TANK TECHNOLOGY** - Special anti-fracture water tank welding technique ensures a permanent seal to prevent water leakage.



www.emberton.com info@emberton.com

© 2024 All Rights Reserved. Ver2.4 - 2024