



Established 1986

EMBERTON. INVEST FOR YOUR GUEST

"Sustainable Investing in electrical engineering & technology to improve the safety, reliability & performance of electrical appliances worldwide"

Safety, robustness and reliability are built into all of our professional range of guest room products. Emberton products are a solid investment, adding value to your assets.

With 35 years of history - design, innovation & creativity is our passion and the very heart of Emberton.

Working closely with a panel of experienced hoteliers helps us to understand the trends, habits & behavior of guests, perfecting our product innovations all the way from development to production.

SUSTAINABILITY & INNOVATION

At EMBERTON, we strive to make a positive impact on the world around us.

Increased use of recycled materials, eliminating single use plastics and a drive towards localised manufacturing, these sustainable practices enable us to create lasting value for our customers, employees, and the communities we serve.

Emberton is committed to driving positive change by reducing our environmental impact, promoting social responsibility, and maintaining the highest ethical standards. Through readily available, easily inter-changeable components and spare parts we can substantially prolong the service life of our products.

Emberton products are available through a global network of specialist hotel supply distributors, with professional support and service to match the expectation of the Emberton brand.

Let's build a future that thrives—one sustainable choice at a time.















DUAL SAFE™, AN EMBERTON PROPRIETARY ELECTRICAL SAFETY SYSTEM, IS INTEGRATED INTO THE ELECTRICAL CIRCUIT TO DETECT TEMPERATURE

DUAL™ SAFE THERMOPASS WHAT DOES IT DO?

DUAL SAFE[™] prevents electrical appliances catching fire due to overheating.

DUAL™ SAFE HOW DOES IT WORK?

DUAL SAFETM uses an organic, thermo-sensitive material, remarkably sensitive to abnormally high temperatures. Upon sensing critical heat levels, DUAL SAFETM activates and the electrical current will be interrupted immediately and permanently.

Working independently from and in addition to the thermostat, DUAL SAFE $^{\text{TM}}$ system immediately cuts power to an appliance when temperatures reach critical levels.

DUAL™ SAFE WHAT DOES IT DO?

In most electrical appliances, the thermostat is the only safety system. Thermostats are very sensitive components and can become faulty or damaged by misuse. If the thermostat fails, it's easy for the appliance to catch fire.

DUAL SAFETM acts as an additional safety system, preventing risk of an accidental fire when using an EMBERTON DUAL SAFETM electrical appliance.

SPECIFICATIONS

KETTLES 05-12

CLIMATE PURE WATER PURIFIER 13-14

BAMBOO WELCOME TRAYS 15-26

WELCOME TRAYS 27-36

HAIRDRYERS 37-44

STEAMER & IRONS 45-56

TOUGH IRONING BOARDS 57-58

IRONING CENTRES SAFETY & STORAGE 59-64

MINIBAR & **GUEST SAFE BOX** 65-74

ACCESSORIES & ROOM ESSENTIALS 75-86

SERIES - A 87-88

SPECIFICATIONS 89-106

Evesham Malvern Corsham Banbury Guildford

INDEX

1.OL Water Purifier Hot & Cold 4.0L Water Purifier

Fenland Winsford Amesbury Cambourne Plus Tongwell

Heywood Slate ABS Walton ABS Andover ABS Lavenham ABS Mere (Adaptor) Halstead

Thames Harrow Marlow Deluxe Emsworth Ashford Devizes (Hairdryer Holder)

Mursley (Hairdryer Holder) Lathbury (Hairdryer Bag) Shere (Hairdryer Stand)

Croft Deluxe Hertford Ampthill Cheshunt Arundel (Foldable Steamer Board)

Crawley Longridge (Steamer & Iron Bag)

Rothwell Moulton Sherington

Bromham Kingsmead Elstow Stagsden Stroud Somerton Oakham Sandhurst (Holder)

Hyde (Holder)

Keswick Bibury Chesham Brixham Penzance Redditch Derby Dewsbury Witney

Bodmin Multi-Function Alarm Clock Alton USB Rechargeable Torchlight Woburn Push Power Bathroom Scale Wilton Scale (Bamboo)

Whitehill Scale Fairford Bathroom Scale

Ashton Bathroom Scale

1600W Cylindrical Hairdryer Emergency Torchlight INSTANT-ON

Technical Data Dimensions Packaging Details























KETTLES

Evesham

Double Wall Safety Insulated Kettle 1.0L

- → Boil Aware 360 : active BLUE boil-on LED pilot ALERT light encircles complete body with 360° glow for added safety awareness during boiling
- → Double Layer Safety Insulation reduces surface heat to help prevent scalding & heat loss
- Illuminated Water window clear and brightly lit blue LED for greater clarity of water level
- Advanced Technology Isolation Boil Dry
- → Dual Safe Thermostat & Latest Technology Internal Fuse
- → High Grade SS304 Stainless Steel Body & Heat Plate
- ECO saves Water and Energy
- Concealed Heating Element for Easy Cleaning
- Auto Steam Switch off
- Auto Off Power Indicator Light
- Hinged Trigger Style Locking lid
- Available in EU & BS plug variants

Specifications

Power 1500-1800W (220-240V, 50-60Hz)

Dimensions 220 x 143 x 220mm

Overall Height 220mm
Top Diameter 88mm
Base Diameter 143mm

Certification CE, CB, RoHS & UKCA Approved

Veight **930g**







Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc



Double Layer Safety Insulation



360° Swivel



Registered Design







Available in BLACK

EveshamDouble Wall Safety Insulated Kettle 1.0L





Available in BLACK

MalvernBrushed Stainless Steel Kettle 0.5L

- Advanced Technology Isolation Boil Dry
- → Dual Safe Thermostat & Latest Technology Internal Fuse
- Water Level Gauge Window
- ECO saves Water and Energy
- Concealed Heating Element for Easy Cleaning
- Auto Steam Switch off
- Auto Off Power Indicator Light
- Hinged Trigger Style Locking lid
- Available in EU & BS plug variants

Specifications

Power **800-950 Watt (220-240V, 50-60Hz)**

Dimensions 190 x 150 x 185mm

Overall Height 185mm
Top Diameter 90mm
Base Diameter 143mm

Certification CE, CB, RoHS & UKCA Approved

Weight **770**g







Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc



High Grade SS304 Stainless Steel Body & Heat Plate



Cordless 360° Swivel



Registered Design

REGISTERED COMMUNITY DESIGN





Available in BLACK

CorshamBrushed Stainless Steel Kettle 1.0L

- Advanced Technology Isolation Boil Dry
- → Dual Safe Thermostat & Latest Technology Internal Fuse
- Water Level Gauge Window
- ECO saves Water and Energy
- Concealed Heating Element for Easy Cleaning
- Auto Steam Switch off
- → Auto Off Power Indicator Light
- Hinged Trigger Style Locking lid
- Available in EU & BS plug variants

Specifications

Power 800-950 Watt (220-240V, 50-60Hz)

Dimensions **190 x 143 x 209mm**

Overall Height 209mm
Top Diameter 90mm
Base Diameter 143mm

Certification CE, CB, RoHS & UKCA Approved

Weight **790g**







Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc



High Grade SS304 Stainless Steel Body & Heat Plate



Cordless 360° Swivel



Registered Design



Banbury

SEAMLESS Double Wall Safety Insulated Kettle 0.8L

- → Highest Quality & Sturdy Body & Lid
- Only 800W Power Consumption Average
- Advance Technology Isolation Boil Dry
- → Dual Safe Thermostat & Latest Technology Internal Fuse
- → High Grade SS304 Stainless Steel Body & Heat Plate
- → ECO saves Water and Energy
- → SEAMLESS Stainless Steel Interior & Concealed Heating Element for Easy Cleaning
- → Auto Steam Switch Off
- → Auto Off Power Indicator Light
- → Hinged Trigger Style Locking Lid
- Available in EU & BS plug variants

Specifications

Power **800W (220-240V, 50-60Hz)**

Dimensions 190 x 130 x 200mm

Overall Height 200mm
Top Diameter 111.5mm
Base Diameter 130mm

Certification CE, CB, UKCA & RoHS Approved

Weight **750**g









No Welds - Easy Clean SEAMLESS SS304 Steel Body & Heat Plate



360° Swivel Cordless



Hinged Trigger Style Locking Lid



BanburySEAMLESS Double Wall Safety Insulated Kettle 0.8L



GuildfordPremium Hotel Kettle 0.8L

- → Only 950W Power Consumption Average
- → Advanced Technology Isolation Boil Dry 100% OFF Non-Recycle
- → SS 304 Stainless Steel Heat Boiling Plate
- → Water Level Gauge Window
- > Durable Trigger Style Spring Assisted Locking Lid
- → Easy Water Pour & Flow
- → Easy Wipe Clean Plastic Interior
- Concealed Heating Element for Easy Cleaning
- → Auto Steam Switch off
- Auto Off Power Indicator Light
- → Washable Filter

Specifications

Power **870 - 1035W (220-240V, 50-60Hz)**

Dimensions **187 x 139 x 180mm**

Overall Height 180mm
Top Diameter 90mm
Base Diameter 139mm

Certification CE, CB & UKCA Approved

Weight **605g**









SS 304 Stainless Steel Base



360° Swivel Cordless



Highest Quality & Sturdy Body & Lid



Available in WHITE

GuildfordPremium Hotel Kettle 0.8L

1.0L Water Purifier

INSTANT, PURIFIED HOT WATER

Complete purification, rapid heating, and precise temperature adjustment—all in just 3 seconds. Enjoy fresh, clean water at your fingertips!

Installation Free, can be placed anywhere -No Plumbing. No Pipes

Can be used in different locations, not restricted by water sources and positions. Liftable water tank, independent of source and placement, suitable for anywhere.

User Friendly Controller & Dispense

Customize water temperature temperature control with rotary knob 25°C-98°C adjustable as desired.

Press to dispense 200ml - Press Stop for less.

Low Standby Power - 0.5W

Integrates the latest in intelligent eco-friendly technology. Combining energy efficiency with powerful performance.

All parts that come into contact with water are made from BPA-free materials.

- Anti-Bacterial Dispense Pipes
- Hygienic 304 Stainless Steel Pipes
- One-click self-cleaning
- Easy filter Replacement System
- Detachable and washable drip tray
- Safety lock for all temperature
- Water shortage indicator
- Clean, minimalist and stylish design
- Temperature Indicator
- Unlimited Purifier Water
- Suitable for Municipal Tap Water Supply

Specifications

Product Name	1.0L Water Purifier
Power	2000-2400W, AC220-240, 50-60Hz
Product Material	ABS
Product Colour	Matt Black
Cable Length	80cm
Water Tank Capacity	1.0L
Water Source	Suitable for Municipal Tap Water Only
5 Temperature	25°C, 60°C, 70°C, 85°C, 98°C
Product Size	405 x 100 x 263mm
Product Weight	2.1kg
Certification	CE, CB, UKCA, REACH & RoHS Approved



Sustainable Guest Hydration.

www.climatepure.com

Transform Guest Room Water into Pure, Healthy, **Unlimited Drinking** Water in Seconds











Pioneering Purification



Reduced Limescale -Better Taste



Innovative Technology



Fliminates Contaminants in Tap Water



Secures Minerals Most Filters Eliminates



Destroys Bacteria Commonly Present in Filter Jugs



Distinct from **Bottled Water** Free of Microplastics



Avoid Scalev Kettles



CLIMATE*
PURE is a brand of the **EMBERTON*** Group

Hot & Cold 4.0L Water Purifier



INSTANT, PURIFIED HOT WATER RAPID COOLING, CHILLED WATER

R2 SHIELD MASTER DUAL STREAM

- Double Chamber Multi-Stage Purification.
- Bacterial & Virus Intercept Rate: >99.99%
- Filters out residual chlorine, sediment, pesticides, rust, sand and other impurities, ensuring cleaner, odour-free water

Double UV-C Lamp Automatic Sterilization

- Double UV-C technology ensures every drop is sterilised, eliminating bacteria, viruses, and fungi.
- Prevents microorganism growth by disrupting their DNA.

Instant Hot Water

Spiral heating technology delivers hot water at multiple temperature settings (Ambient to 100°C) instantly.

Rapid Cooling

High efficiency R600a compressor cooling chilled water to 5°C

Installation-Free Design

- No plumbing or pipes needed.
- Portable, with a liftable 4L water tank, making it easy to use anywhere.
- Total Dissolved Solids (TDS) Indicator.
- Energy-efficient with low standby power.
- Stainless-steel cold water tank.
- Isolated double filter chambers prevent contamination of stored water.
- One-click self-cleaning system.
- Easy filter replacement and washable drip tray.
- Safety lock for temperatures ranging from 45° to 100° and water shortage indicator
- Super large, bright touch screen design easy to operate.
- Stylish, minimalist design.



Specifications

Product Name	Hot & Cold 4.0L Water Purifier
Power	2200-2300W, AC220-240, 50Hz
Product Material	ABS
Product Colour	Matt Black
Cable Length	1 Metre
Water Tank Capacity	4.0L
Water Source	Suitable for Municipal Tap Water Only
Cold Temperature	5-10°C
Temperature Range	Ambient-100°C
Product Size	468 x 213 x 390mm
Product Weight	11.2kg
Certification	CE, CB, UKCA, REACH & RoHS Approved



Sustainable Water Solution.

Experience Pure, Healthy Water Anytime, At Your Convenience.

www.climatepure.com















Hot and Cold Water in One



RO Filtration



Scale-free Clean Taste



Removes Impurities in Tap Water



Kills Bacteria Often Found In Filter Jugs



Unlike Bottled Water No Microplastics



No Need For Scaley Kettles



CLIMATE*
PURE is a brand of the EMBERTON* Group





1. FASTEST GROWING PLANT IN THE WORLD

Bamboo is the world's fastest-growing plant, shooting out of the ground at an astonishing four centimetres per second. At this rate, certain bamboo species can grow 91 centimetres (about 35 inches) in a single day. A bamboo culm can be ready to re-harvest in a mere 3-5 years. Bamboo shoots are connected to their parent plant by an underground stem, called a rhizome. These rhizomatic cores are part of the reason why bamboo can grow so quickly.

2. DURABILITY AND SUSTAINABLE

Bamboo grows in dense forests where little light reaches the ground and there is strong evolutionary pressure to reach the sunlight as quickly as possible. Bamboo also plays an important role when it comes to protecting the soil and land around it; those long strong roots keep the soil together to prevent erosion.





3. ECO-FRIENDLY PRODUCTS

Bamboo is a climate-adaptable plant that can thrive in a number of different environments and has showcased remarkable resilience in the face of an impressive number of environmental stressors. Compared to an equivalent tree mass, bamboo produces 35% more oxygen and research has shown that bamboo can absorb as much as 12 tonnes of carbon dioxide per hectare per year. Bamboo can also be harvested without killing the plant's core that produces the collectible stalks, meaning that soil erosion is reduced throughout the harvesting process.

4. EROSION CONTROL AND SOIL PROTECTION

Bamboos are being used as living plants as well as construction material in different soil bioengineering techniques in many countries. Bamboo is a great tool for soil protection due to its rapid growth, permanent canopy and huge network of roots and rhizomes. The root system that grows in the surface layer of the soil (20 - 60 cm deep), can reach up to 100 km per hectare.





5. WATER CONSERVATION

Bamboo is a versatile and effective tool for water conservation efforts. It is increasingly used by environmental organisations and governments worldwide to help protect and conserve our precious water resources. Bamboo plants have a low water requirement and can grow in areas with limited water resources, helping to conserve water.

NO to PVC & PU Fake Leather. Hello to Bamboo.....

Plastic, particularly PVC (polyvinyl chloride) and PU (polyvirethane), is widely used in various industries and products. However, there are several reasons why we should reduce our reliance on and avoid using these types of plastic.

Some of the main reasons include:



1. ENVIRONMENTAL IMPACT

PVC and PU production involves the use of fossil fuels and synthetic chemicals, which contribute to air pollution, water pollution and greenhouse gas emissions. Additionally, these plastics are not easily biodegradable and can persist in the environment for hundreds of years, leading to long-term harm to ecosystems.

2. TOXICITY CONCERNS

PVC contains additives such as phthalates, lead and heavy metals, which can leach out and pose risks to human health. Exposure to these toxins has been associated with various health issues, including respiratory problems, hormonal disruptions, developmental disorders and certain types of cancer.





3. WASTE GENERATION

PVC and PU, like most plastics, generate significant waste during their production, use and disposal phases. The improper disposal and incineration of these plastics release toxic by-products and pollutants into the environment, further exacerbating environmental and health concerns.

4. RECYCLING CHALLENGES

PVC and PU pose challenges in terms of recycling. These plastics have different chemical compositions and require specialized recycling processes, which are often limited and costly. As a result, a significant portion of PVC and PU waste ends up in landfills or incinerators rather than being recycled.





5. SUSTAINABLE ALTERNATIVES

There are many sustainable and eco-friendly alternatives to PVC and PU available in the market. For example, **BAMBOO PLANT IS AN EXCELLENT NATURAL ALTERNATIVE** IS MADE INTO TRAYS & FURNITURE. Natural fibers like cotton, hemp, or cork can be used as alternatives to PU in fashion and footwear industries. Recycled or bio-based plastics, such as PLA (polylactic acid), can serve as alternatives to PVC in packaging materials.



WELCOME TRAYS BAMBOO BLACK

Fenland

Espresso Tray & Condiment Box

- Eco-Friendly First Grade Bamboo
- Certified Food Grade
- → Robust & Sturdy Construction
- Stores Condiments Neatly & Dust Free
- Elegant Soft Contour Design
- → Easy to Clean Smooth Surface to Wipe Clean
- Neat and Tidy Condiments Presentation
- Designed to Fit Most Types of Compact Espresso Machines

Specifications

Dimensions 50 x 40 x 4cm 19 x 21 x 7cm
Material First Grade Bamboo Weight 1.8kg CONDIMENT BOX

CONDIMENT BOX

19 x 21 x 7cm

First Grade Bamboo

O.8kg

















Fit Most Types of Compact Espresso Machines



ESPRESSO TRAY EH50820



CONDIMENT BOX EH50821



Winsford

Espresso Coffee Welcome Tray with Protective Spillage Tray

- Eco-Friendly First Grade Bamboo
- Removable Tray Prevents Spillage & Protects Surface
- Elegant Soft Contour Design
- Stores Ingredients Neatly & Dust Free
- Drawer stores condiments 57mm high
- Certified Food Grade
- → Robust & Sturdy Construction
- Easy to clean smooth surface to wipe clean
- → Neat & Tidy Condiments Presentation
- → Easy Slide In & Out Multiple Compartments Drawer
- Drawer Stopper Spring retaining clip prevents intentional removal of drawer
- → Tray Only Excludes Coffee Machine & Kettle
- Designed to fit most types of compact espresso machines

Specifications

Dimensions 370 mm x 350 mm x 88 mm
Material First Grade Bamboo
Weight 3.75 kg















Fit Most Types of Compact Espresso Machines



Elegant SOFT CONTOUR
Design



Space Saving Ultra-Compact



Amesbury

Compact Espresso Drawer Tray

- Eco-Friendly First Grade Bamboo
- Certified Food Grade
- → Robust & Sturdy Construction
- Stores Condiments Neatly & Dust Free
- → Easy Slide In & Out Multiple Compartments Drawer Removable Drawer for Easy Cleaning
- Elegant Soft Contour Design
- → Easy to Clean Smooth Surface to Wipe Clean
- Neat and Tidy Condiments Presentation
- Drawer Stopper Spring Retaining Clip Prevents Intentional Removal of Drawer
- Large Drawer Tray with 4 compartments.
- Designed to Fit Most Types of Compact Espresso Machines

Specifications

Dimensions W31.5 x D39.0 x H7.5 cm
Material First Grade Bamboo
Weight 2.64kg















Fit Most Types of Compact Espresso Machines



Elegant SOFT CONTOUR
Design



Space Saving Ultra-Compact



Cambourne Plus

Drawer Welcome Tray with Protective SpillageTray

- ◆ Eco-Friendly First Grade Bamboo
- → Removable Tray Prevents Spillage & Protects Surface
- Elegant Soft Contour Design
- Stores Ingredients Neatly & Dust Free
- Drawer stores condiments 57mm high
- Certified Food Grade
- Robust & Sturdy Construction
- Easy to clean smooth surface to wipe clean
- → Neat & Tidy Condiments Presentation
- → Easy Slide In & Out Multiple Compartments Drawer
- Designed to fit EMBERTON™ Kettles

Specifications

Dimensions 272mm x 194mm x 85mm
Material First Grade Bamboo
Weight 1450g













(Kettle, Cups & Ingredients not included)



Space Saving Ultra Compact



Removable Drawer for Easy Cleaning



Anti-theft Cable Lock System



TongwellBamboo Welcome Tray

- → Eco Friendly Bamboo
- → Integrated Kettle to Deter Theft
- Elegant and Compact Design
- Easy Wipe-Clean Curved Contour Edges
- First Grade Bamboo Material
- Space Saving, Modular Design
- ◆ Food Grade Safety
- Designed to fit EMBERTON™ Kettles



Dimensions 260mm x 260mm x 30mm

Material First Grade Bamboo

Weight 850g





















WELCOME TRAYS BAMBOO NATURAL

Winsford

Espresso Coffee Welcome Tray with Protective Spillage Tray

- Eco-Friendly First Grade Bamboo
- Removable Tray Prevents Spillage & Protects Surface
- Elegant Soft Contour Design
- Stores Ingredients Neatly & Dust Free
- Drawer stores condiments 57mm high
- Certified Food Grade
- Robust & Sturdy Construction
- ◆ Easy to clean smooth surface to wipe clean
- → Neat & Tidy Condiments Presentation
- → Easy Slide In & Out Multiple Compartments Drawer
- Drawer Stopper Spring retaining clip prevents intentional removal of drawer
- → Tray Only Excludes Coffee Machine & Kettle
- Designed to fit most types of compact espresso machines

Specifications

Dimensions 370 mm x 350 mm x 88 mm
Material First Grade Bamboo
Weight 3.75 kg















Fit Most Types of Compact Espresso Machines



Elegant SOFT CONTOUR
Design



Space Saving Ultra-Compact



Amesbury

Compact Espresso Drawer Tray

- Eco-Friendly First Grade Bamboo
- Certified Food Grade
- Robust & Sturdy Construction
- Stores Condiments Neatly & Dust Free
- → Easy Slide In & Out Multiple Compartments Drawer Removable Drawer for Easy Cleaning
- Elegant Soft Contour Design
- → Easy to Clean Smooth Surface to Wipe Clean
- Neat and Tidy Condiments Presentation
- Drawer Stopper Spring Retaining Clip Prevents Intentional Removal of Drawer
- Large Drawer Tray with 4 compartments.
- Designed to Fit Most Types of Compact Espresso Machines

Specifications

Dimensions W31.5 x D39.0 x H7.5 cm
Material First Grade Bamboo
Weight 2.64kg















Fit Most Types of Compact Espresso Machines



Elegant SOFT CONTOUR

Design



Space Saving Ultra-Compact



Cambourne Plus

Drawer Welcome Tray with Protective SpillageTray

- → Eco-Friendly First Grade Bamboo
- → Removable Tray Prevents Spillage & Protects Surface
- Elegant Soft Contour Design
- Stores Ingredients Neatly & Dust Free
- Drawer stores condiments 57mm high
- Certified Food Grade
- Robust & Sturdy Construction
- Easy to clean smooth surface to wipe clean
- → Neat & Tidy Condiments Presentation
- → Easy Slide In & Out Multiple Compartments Drawer
- Designed to fit EMBERTON™ Kettles

Specifications

Dimensions 272mm x 194mm x 85mm
Material First Grade Bamboo
Weight 1450g

















Space Saving Ultra Compact



Removable Drawer for Easy Cleaning



Anti-theft Cable Lock System



Tongwell Bamboo Welcome Tray

- → Eco Friendly Bamboo
- → Integrated Kettle to Deter Theft
- Elegant and Compact Design
- → Easy Wipe-Clean Curved Contour Edges
- → First Grade Bamboo Material
- Space Saving, Modular Design
- → Food Grade Safety
- Designed to fit EMBERTON™ Kettles

Specifications

Dimensions 260mm x 260mm x 30mm

Material First Grade Bamboo

Weight 850g




















Available in Mahogany



TongwellBamboo Welcome Tray



WELCOME TRAYS

Heywood Slate

ABS Welcome Tray with Service Tray & Amenity Holder

MATT. FINE GRAINED. UNIQUE. ELEGANT. REFINED.

Our HEYWOOD SLATE series offers a unique and creative slate effect - a fine grained MATT finish with the robust material benefits of stain, scratch & heat resistant ABS.

The slender, elegant & stylish design gracefully compliments your guest room - blending perfectly with rooms featuring timber, stone or steel.

- → Innovative & Unique Synthetic Slate Effect Series ABS
- → Slimline Elegant & Refined, Stylish & Luxurious
- Appearance of Natural Slate perfect blend to compliment rooms featuring timber, stone and steel
- Durable Stain, Scratch & Heat Resistant ABS
- Easy Wipe Clean Surface



	MAIN TRAY	SERVICE TRAY	AMENITY HOLDER
Dimensions	358 x 258 x 10mm	235 x 110 x 10mm	145 x 75 x 40mm
Material	ABS	ABS	ABS
Weight	285 g	75 g	85 g





MAIN TRAY EH50822



SERVICE TRAY EH50823



AMENITY HOLDER EH50824



Heywood SlateABS Welcome Tray with Service Tray & Amenity Holder



Heywood Slate

ABS Compact Tray & Amenity Organiser

MATT. FINE GRAINED.
UNIQUE, ELEGANT, REFINED.

Our HEYWOOD SLATE series offers a unique and creative slate effect - a fine grained MATT finish with the robust material benefits of stain, scratch & heat resistant ABS.

The slender, elegant & stylish design gracefully compliments your guest room - blending perfectly with rooms featuring timber, stone or steel.

- → Innovative & Unique Synthetic Slate Effect Series ABS
- Slimline Elegant & Refined, Stylish & Luxurious
- Appearance of Natural Slate perfect blend to compliment rooms featuring timber, stone and steel
- Durable Stain, Scratch & Heat Resistant ABS
- Easy Wipe Clean Surface

Specifications

	COMPACT TRAY	AMENITY ORGANISER
Dimensions	330 x 160 x 10mm	125 x 80 x58mm
Material	ABS	ABS
Weight	170g	120g



(Kettle, Cups & Ingredients not included)



COMPACT TRAY EH50825



AMENITY ORGANISER EH50826



WaltonABS Welcome Tray

- First Grade ABS Material With Wood Grain Effect
- → Integrated Kettle to Deter Theft
- → Removable Perforated Stainless Steel Drip tray to Prevent Spillage
- → All in One Design with Cavities for Sachets, Spoon & Cups
- ◆ Easy Wipe-Clean Curved Contour Edges
- Space Saving, Modular Design
- → Wood Grain Handfeel to Reduce Finger Marks
- Tray Accomodates Kettle Base Controller of 143mm Diameter
- Designed to fit EMBERTON™ Kettles



Dimensions	460mm x 225mm x 35mm
Material	ABS
Weight	7 38g



(Kettle, Cups & Ingredients not included)




Attractive Design and Easy to Clean



Perforated Stainless Steel Drip Tray



Designed to fit **EMBERTON**™ Kettles



Andover

ABS Integrated Welcome Tray

- → First Grade ABS Material With Matt Black Finished
- → Durable Stain, Scratch & Heat Resistant ABS
- → Slimline Elegant & Refined, Stylish & Luxurious
- → Removable Perforated Matt Black Stainless Steel Drip tray to Prevent Spillage
- → Welcome Tray with space for a Kettle, Sachets, Spoon and Cups
- → Tray Accommodates Kettle Base Controller of 143mm Diameter
- → Anti-theft Function-CORD/CABLE Lock System
 → Designed to fit EMBERTONTM Kettle

Specifications

Dimension	36.3 x 24.1 x 3cm
Material	ABS
Weight	400g



(Kettle, Cups & Ingredients not included)



Elegant Soft Contour Design



Anti-theft Cable Lock System



AndoverABS Integrated Welcome Tray



Lavenham

ABS Welcome Tray with Storage Drawer

- → First Grade ABS Material With Matt Black Finish
- → Durable Stain, Scratch & Heat Resistant ABS
- → Slimline Elegant & Refined, Stylish & Luxurious
- Drawer stores condiments 40mm high
- Removable Perforated Matt Black Stainless Steel Drip tray to Prevent Spillage
- Drawer Stopper- Prevents Intentional Removal Of The Drawer
- ◆ Anti-theft Function-CORD/CABLE Lock System

Specifications

Dimension	L279 x W240 x H55mm
Material	ABS
Weight	505 g



(Kettle, Cups & Ingredients not included)



Tray Accommodates Kettle Base Controller of 143mm Diameter



Anti-theft Cable Lock System



MERE Adaptor Option Designed to Fit **EMBERTONTM**Trays with 143mm cutout
(EH50913)



Designed to fit **EMBERTON™** Kettles



Removable Drawer Space Saving Ultra-Compact



Mere

Kettle Controller Base Adaptor

- → Heat Resistant ABS
- ➤ Exquisitely Crafted Adaptor for Hosting BANBURY Kettle
 → Designed to Fit EMBERTONTM Trays with 143mm cutout
- Easy to Install and Remove for Convenient Cleaning
- → The Widened Outer Edge Subtly Resists Contaminants Like Coffee & Sugar Granules
- → Inner Diameter of 131mm



Dimension	150 x 150mm
Material	ABS
Weight	26 g






Exquisitely Crafted Adaptor for Hosting BANBURY Kettle



Inner Diameter 131mm



Removable Adaptor for Easy Cleaning



Halstead

Integrated Kettle Welcome Tray (Matt)

- Integrated Kettle Slot to Deter Theft
- → Robust & Durable Stain, Heat & Scratch Resistant Melamine
- Space Saving Ultra Compact uses less space
- → Innovative & Unique Synthetic Slate Effect
- Elegant Soft Contour Design
- → Neat & Tidy Condiments Presentation
- → Easy Wipe Clean Surface & Contoured Compartments
- → Robust & Sturdy Construction
- → Tray accommodates kettle base controller of 143mm Diameter
- Designed for use with all EMBERTON™ kettle types



Dimensions262mm x 262mm x 30mmMaterialMelamineWeight610g



(Kettle, Cups & Ingredients not included)



Available in WHITE



Elegant Soft Contour Design



(Kettle, Cups & Ingredients not included)

HalsteadIntegrated Kettle Welcome Tray



HAIRDRYERS

Thames

Hotel Safety 1875W Hairdryer with Wall Mount Option Matt Black

- → Hotel Safety ON/OFF Press Switch Saves Energy & Safe
- → Dual Safe Thermostat & Latest Technology Internal Fuse
- Ionic Ceramic for Smooth Shiny Result
- Luxurious Soft Touch Finish
- Powerful 1875 Watt DC Motor
- 2 Speed/ 2 Heat & Cool Settings
- Removable Filter Cover & Safety Mesh Blade Cover
- Complete with Air-Flow Concentrator for Perfect Styling & Drying
- Safety Thermostat Over-heating Circuit Protection
- Ergonomic Non-slip Contoured Handle for Comfortable Use and Hold
- Stylish & Elegant Design
- Insulated Motor to Reduce Noise
- Generous 350cm Long Extendable COIL Cord
- Build in Hanging Loop
- Available in EU & BS Plug Variants

Specifications

 Power
 AC220-240V (50-60Hz)

 Wattage
 1800-2200W

 Dimensions
 240 x 85 x 280mm

CE, CB, RoHS & UKCA Approved

/eight **615**





WARNING: Do Not Use This Appliance Near Bathtubs, Showers, Basins or Other Vessels Containing Water.



Matt Black Finish



Safety ON/OFF Press Switch



Specially Constructed Coil to Retain Shape



Wall Holder Option

Thames

Hotel Safety 1875W Hairdryer with Wall Mount Option Matt Black



Harrow

1600W Folding Hairdryer Matt Black

- → Hotel Safety ON/OFF Press Switch to save energy & safe
- Dual Safe Thermostat & Latest Technology Internal Fuse
- Soft Touch Matt Finish Toughened Coating
- Ceramic Coating with Tourmaline for Smooth Shiny Results
- Complete with Air-flow Concentrator for Perfect Styling and Drying
- Cool Shot Switch feature
- Insulated motor to reduce noise
- Generous cord length 200cm long
- Removable Filter for easy cleaning
- Ergonomic Non-slip contoured handle for comfortable use
- Built in Hanging Loop
- Available in EU & BS plug variants

Specifications

Power AC220-240V, 50/60Hz
Wattage 1400-1600W
Dimensions 140mm x 77mm x 231mm
Certification CE, CB, ROHS & UKCA Approved
Weight 390g





WARNING: Do Not Use This Appliance Near Bathtubs, Showers, Basins or Other Vessels Containing Water.



Folds for convenience



2 Speed/Heat settings



Marlow Deluxe

Foldable Hairdryer 1875W Ionic Ceramic

- Dual Safe Thermostat & Latest Technology Internal Fuse
- → Powerful 1875W DC Motor
- Ionic Ceramic Coating with Tourmaline for Smooth Shiny Result
- 2 Speed/ 3 Heat Settings
- COOL SHOT Button Blasts cool air to help set your style
- Removable Filter Cover for Easy Cleaning
- Complete with Air-flow Concentrator for Perfect Styling and Drying
- Insulated Motor to Reduce Noise
- Ergonomic Slide Grip Switch for easier control of speed and heat
- Safety Thermostat Over-heating circuit protection
- Built in Hanging Loop
- Available with a generous 300cm Extendable COIL cord or a 250cm Straight cord
- Matt Black Finish
- Available in EU & BS plug variants

Specifications

 Power
 AC220-240V (50-60Hz)

 Wattage
 1800-2200W

 Dimensions
 265 x 89 x 280mm

 Certification
 CE, CB, UKCA & RoHS Approved

 Weight
 520g





WARNING: Do Not Use This Appliance Near Bathtubs, Showers, Basins or Other Vessels Containing Water.



Folds for Convenience



Slide Grip Switch for easier control of 2 speed/3 heat



Specially Constructed Coil to Retain Shape



Available in Straight Cable EH50877 - STRAIGHT. EU PLUG EH50878 - STRAIGHT. UK PLUG



Emsworth

Hotel Safety Hairdryer 1875W Ionic Ceramic

- → Hotel Safety ON/OFF Press Switch Saves Energy & Safe
- → Ionic Ceramic for Smooth Shiny Result
- Dual Safe Thermostat & Latest Technology Internal Fuse
- Powerful 1875Watt DC Motor
- 2 Speed/ 2 Heat & Cool Shot Settings
- Removable Filter Cover for Easy Cleaning
- Magnetic Concentrator Easy to attach, offers smooth styling experience
- Safety Thermostat Over-heating Circuit Protection
- Ergonomic Non-slip Contoured Handle for Comfortable Use and Hold
- Generous 300 cm Long Extendable COIL Cord
- Stylish & Elegant Cylindrical Design
- Matt Black Finish
- Available in EU & BS Plug Variants

Specifications

Power AC220-240V (50-60Hz)

Wattage 1800-2000W

Dimensions 197 x 78 x 218mm

Certification CE, CB, UKCA & RoHS Approved

Weight 675g





WARNING: Do Not Use This Appliance Near Bathtubs, Showers, Basins or Other Vessels Containing Water.



Wall Mounted Hairdryer Holder Option (Devizes)



2 Speed/ 2 Heat & Cool Shot Settings



Specially Constructed Coil to Retain Shape



Ashford

1600W Hi-Speed Brushless Motor Hairdryer Titanium Grey

- → High-Speed Brushless Motor: 110,000 RPM for rapid drying and styling
- → Strong Airflow Speed: 70M/S in High Setting, 50M/S in Lower Setting
- 3 Intelligent Heat Modes: Choose from Hot, Warm, Cold or Auto Cycling to suit your hair type and styling needs
- Constant Temperature Technology to ensure consistent heat for safer, more effective drying
- Ionic Technology: Negative ions help lock in moisture, leaving your hair silky smooth and frizz-free
- Dual Safety Thermostat and Latest Technology Internal Fuse
- → Magnetic Filter to prevent hair from entering the air duct, ensuring longer-lasting performance
- → Magnetic Concentrator Easy to attach, offers smooth styling experience
- Low Noise Operation: Enjoy a soothing drying experience in a quiet environment
- Includes a Filter Cleaning Brush that effectively removes dirt and debris from the air filter
- Generous 250cm Cord Length
- → LED Display & Light indicator
- Available in EU & BS Plug Variants

Specifications **ASHFORD**

Power AC220-240V (50-60Hz)

Wattage 1400-1600W
Dimensions 123 x 76 x 270mm

Certification CE, CB, UKCA & RoHS Approved

Veight **535**g

tem Code EH50918 - EU PLUG EH50919 - UK PLUG





WARNING: Do Not Use This Appliance Near Bathtubs, Showers, Basins or Other Vessels Containing Water.

Dimensions	L140 x W160 x H240mm	L90 x W90 x H79mm	L350 x W165 x H100mm
Material	Carbon Steel with Heat Resistant	ABS	PU
Weight	1150g	56 g	875g
Item Code	EH50949	EH50951	EH50950



3 Intelligent Heat Modes



Magnetic Concentrator



3

Hairdryer Stand Option (Shere - EH50949)





Wall Mounted Hairdryer Holder Option (Devizes - EH50951)



Magnetic Filter Cover



Hairdryer Box Option (Ely - EH50950)



Devizes

Wall Mounted Hairdryer Holder with Anti-Theft Cable Track

- → Built in Anti-theft Cable Tracks
- → Easily Mounts on Wall
- Suitable for Cylindrical Shape Hairdryer
- → Soft silicone pad with anti-slip function

Specifications

90 x 90 x 79mm ABS

56g



Suitable For Cylindrical Shape Hairdryer





Anti-theft Lock Cable Track



Available in Titanium Grey - EH50951




Mursley

Wall Mounted Hairdryer Holder with Anti-Theft Cable Track

- → Built in Anti-theft Cable Tracks
- Easily Mounts on Wall
- Soft Glide Lining

Specifications			
	MURSLEY CHROME/	MURSLEY	MURSLEY
	BLACK	MATT BLACK	MATT WHITE
Dimensions	L93 x W74 x	L93 x W74 x	L93 x W74 x
	H50mm	H50mm	H50mm
Material	Inner - Silicon	Inner - Silicon	Inner - Silicon
	Outer - Plastic Chrome	Outer - ABS	Outer - ABS
Weight	50 g	45 g	45g



Easily Mounts On Wall



Anti-theft Lock Cable Track



Soft Glide Lining



Available in MATT BLACK or MATT WHITE







Silver Thread Embroidery



Strong PP Drawstring

Lathbury Hairdryer Bag

- → High Quality Black Soft Velvet
- Silver Thread Embroidery
- Strong PP Drawstring
- → Perfect for keeping hairdryers scratch & dust free

Specifications

Dimensions	400 x 300mm
Material	Soft Velvet
Weight	66 g



Shere Hairdryer Stand

- Suitable for Cylindrical Shape Hairdryer
- Strong Carbon Steel material
- Engineered from heat-resistant Carbon Steel



Suitable For Cylindrical Shape Hairdryer

Dimensions	L140 x W160 x H240mm
Material	Carbon Steel with Heat Resistant
Weight	1150g





IRONS

Croft Deluxe

2000W Hotel Safety Steam Iron

- ◆ DUAL SAFE Thermostat & Latest Technology Internal Fuse
- → ECO Auto Off Function for Extra Energy Saving & Environmental Protection
- Special Anti-drip feature to prevent water dripping through steam outlets after water cools
- → FUSION Anti-Leak New water tank assembly method using a wire frame and latest thermo-weld technology to prevent tank fracture
- → 3-way Auto-Cut off Safety Motion Sensor. 30 seconds unattended on soleplate or Side & 5 minutes Upright.
- → Super long 300cm cable
- Anti-calc to remove the limescale build up
- → Auto Off Indicator Light
- 300 ML Capacity water reservoir
- Red In-Use Indicator Light
- Includes Refil Beaker
- UK or EU Plug variants


Specifications

Power AC220-240V, 50/60Hz

Wattage 2000W
Capacity 300ML
Colour Black / Grey
Plate Size 228 x 123mm
Soleplate Ceramic

Certification **CE, CB, PAHS & UKCA Approved**

Veight 1180g



Steam & Spray
Vertical & Horizontal



Easy Steam Finger Release Button














Ceramic Soleplate

Croft Deluxe 2000W Hotel Safety Steam Iron



Hertford

1600W Hotel Safety Steam Iron

- → DUAL SAFE Thermostat & Latest Technology Internal Fuse
- 3 Way Auto-Cut Off Safety Motion Sensor 30 Seconds unattended on Soleplate or Side and 5 minutes Upright
- → ECO Auto Off Function for extra Energy Saving & Environmental Protection
- → FUSION Anti-Leak New water tank assembly method using a wire frame and latest thermo-weld technology to prevents tank fracture
- Special Anti-drip feature to prevent water dripping through steam outlets after water cools
- → Extra long 250cm cable
- → Auto Off Indicator Light
- Cable cord guard tested to 20,000 cycles to ensure cable safety
- → LED Green & Red In-Use Indicator Light
- Includes Refil Beaker
- UK or EU Plug variants



Power AC220-240V, 50/60Hz

Wattage 1600W
Capacity 250ML
Colour Black / Grey
Plate Size 206 x 113mm
Soleplate Ceramic

Certification CE, CB, RoHS & UKCA Approved

Veiaht **982c**



Powerfull Burst of Steam & Spray Vertical & Horizontal







Self Clean Feature











Available in **WHITE**

Hertford 1600W Hotel Safety Steam Iron



STEAMER & IRON

Ampthill

Hotel Safety 2 in 1 Steamer & Iron

Why Use EMBERTON™ Garment Steamers

Our AMPTHILL Hotel Safety 2 in 1 Steamer & Iron, offers a convenient and effective alternative to traditional ironing. With both vertical steam and horizontal steam or dry ironing capabilities, you can effortlessly refesh your clothing - no ironing board required. Professional & wrinkle-free - 2x faster results compared to other

Time-saving - No hassle to set up ironing boards and waiting for the iron to heat up. Easily steam multiple garments in a short amount of time. Safe & éco-friendly - Garment steamers use only water & heat to generate steam.

- > Powerful 1950W
- Safety Auto Shut Off 5 minutes
- Continuous Steam Action
- Steam Rate 20-30 grams/minute
- ➤ Long 250cm power cord for convenience
- → Steam & Dry Ironing Vertically & Horizontally

Specifications

AC220-240V (50-60Hz) 1650-1950W 170ML Black / Grey Double Layer Ceramic Soleplate Size 133 x 88mm 413 x 92 x 143mm CE, CB, UKCA & RoHS Approved

900g











Iron Horizontally



Steam Vertically



Auto-Tilt 45° Rest



30 Seconds Heat-Up Time



Wall Mounted Steamer Holder Option (Crawley)







IRONING STEAM OR DRY







Ampthill
Hotel Safety 2 in 1 Steamer & Iron



Cheshunt

Hotel Safety 2 in 1 Digital Steamer & Iron

Why Use EMBERTON™ Garment Steamers

Our CHESHUNT Hotel Safety 2 in 1 Steamer & Iron, offers a convenient and effective alternative to traditional ironing. With both vertical steam and horizontal steam or dry ironing capabilities, you can effortlessly refesh your clothing - no ironing board required. Professional & wrinkle-free - 2x faster results compared to other steamers.

Time-saving - No hassle to set up ironing boards and waiting for the iron to heat up. Easily steam multiple garments in a short amount of time. Safe & eco-friendly - Garment steamers use only water & heat to generate steam.

- Powerful 1800W
- Safety Auto Shut Off 5 minutes
- Continuous Steam Action
- Steam Rate 18-25 grams/minute
- → Long 250cm power cord for convenience
- Steam & Dry Ironing Vertically & Horizontally
- One Button for 3 Steam Power with LED display panel

Specifications

Power AC220-240V (50-60Hz)

Wattage 1400-1800W
Water Tank Capacity 180ML
Colour Black / Grey

Colour Black / Grey
Soleplate Double Layer Ceramic
Soleplate Size 143 x 97mm

Unit Size **362 x 97 x 180mm**

Certification CE, CB, UKCA & RoHS Approved

/eight______**950g**









One Button with LED Display



Wall Mounted Steamer Holder Option (Crawley)



Iron Horizontally



Steam Vertically



Auto-Tilt 45° Rest



25 Seconds Heat-Up Time







IRONING STEAM OR DRY







Cheshunt

Hotel Safety 2 in 1 Digital Steamer & Iron



Arundel

Foldable Steamer Board

Specially designed for the hospitality industry, our Arundel Steamer Board offers guests a convenient and comfortable solution for quick garment care during their stay.

- Dual-sided design suitable for both ironing and steaming, enhancing guest convenience.
- Built-in hanging hook for easy storage in closets, or on wall hooks
- Steam-resistant surface handles high heat and moisture without damage
- Foldable design for easy storage and space-saving convenience in quest rooms
- → Lightweight construction makes it easy for guests to handle and set up.
- Neutral, modern design to match a wide range of hotel room interiors
- Guest-friendly and durable built to meet the needs of frequent use in hospitality settings

Specifications

Product Material
Board Material
Board Colour
Board Size
Folded Size
Product Weight

Cotton/ Foam/ Plastic
Smm Foam
Charcoal Grey
41 x 95cm
41 x 26 x 6.5cm
0.86kg





Designed for both horizontal and vertical ironing using the Emberton™ 2-in-1 Steamer & Iron



Compact Foldable Steamer Board



Perfect for vertical garment care with the Emberton™ Steam Iron





ArundelFoldable Steamer Board





PROTECTIVE SILICONE PAD to prevent sole plate damage and absorb heat



HOLDER ANGLE matches steamer shape for perfect fit



INTEGRATED CABLE WRAP Cables can be neatly wrapped around the frame



SOLID & STURDY HOOK easily to hang clothes for ironing

Crawley

Universal Steamer Holder with Anti-Theft Function

- Convenient, Easy & Safe Easy to lift on and lift out with frame design to prevent falling hazard
- → Designed to fit Emberton™ Steamer
- Protective Silicone Pad protects soleplate and prevent scratches
- ◆ Anti-Theft Cable Lock included
- Durable and Robust Hook- Makes hanging clothes for ironing easy



Two Hooks for Hanging Clothes



Wall Mounted Steamer Holder

Specifications

Holder Dimension 290 x 120 x 122mm


Material Steel/ Non Slip Rubberized

Holder Weight 472g





Integrated Cable Wrap Stores Neatly



Anti-theft Cable Lock



Longridge Steamer & Iron 2 in 1 Bag

- → Heat Resistant Cotton
- Silver Thread Embroidery
- Strong PP Drawstring
- → Design to Fit EMBERTON[™] Steamer & Iron

Dimensions	460 x 252mm
Material	Heat Resistant Cotton
Weight	35 g









Silver Thread Embroidery



IRONING BOARDS



Ironing BoardEngineered Series

Our super strong series of tough ironing board is a result of extensive research and development with industry professionals and hotels., working closely to identify the needs, habits and often rough treatment of hotel ironing boards.


Rugged & Durable - We have combined a rugged frame with heavy duty metal components and robotic welds to withstand guests' tough use.

THE ULTIMATE STRENGTH IN IRONING BOARDS


- → Tube Frame Legs 38mm/28mm
- Strong Double Handle Height Adjustment Lever
- → Steam Flow Metal Mesh Top
- 2mm Foam and 5mm Felt Combination Padding
- > Smooth Binding Edges to Withstand Fraying
- Cover Material: Cotton with Felt Underlay
- → Cover Colour : Charcoal Grey
- → Frame Colour : Silver Grey







MOULTON (Dimensions in CM)









Height Adjustment Lever



HEAVY DUTYSafety Lock

HEAVY DUTY Height Adjustment Rail

HEAVY DUTY ANGLE PROFILE

Metal Components & Robotic Welds



ROTHWELL

SHERINGTON

116(L) x 33(D) x 76(H)cm




MOULTON

97(L) x 33(D) x 76(H)cm



STANION 109 x 38cm

EH50388



Smooth Bound Edges to Avoid Fraying



WARKTON

97 x 33cm

2mm foam & 5mm felt Combination Padding



Steam Flow Metal Mesh Top



Metallic Heat Reflective Iron Board Cover











New Generation

Ironing Centres Safety & Storage

EMBERTON BROMHAM Ironing Centre EH50442 - EU PLUG EH50441 - UK PLUG (Dimensions in CM) DEENE YARDLEY 1200W Dry Iron 109 133 138 OR **KINGSMEAD Ironing Centre** EH50428 - EU PLUG EH50429 - UK PLUG 38cm CHORLEY + 1600W Steam Iron HERTFORD **SHERINGTON**

Full Size Ironing Board









Wall mounted



Rapid cable tidy slot. Cables can be bundled and Inserted to save time



Integrated cable wrap Stores neatly



Optional holder To mount ironing board EH50563

StroudIroning Centre

SAFE. ROBUST. CONVENIENT.PATENTED DESIGN

- → Unique and Patented Design sliding frame design secures iron
- Convenient, Easy and Safe swivel, lift out & replace during ironing
- Universal Fitting Suits and fits almost all iron types and sizes
- Protective Silicon Pad protects soleplate







Protective silicon pad to prevent soleplate damage and absorb heat



Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc







Heat resistant pad to prevent soleplate damage and absorbs heat



Rapid cable tidy slot. Cables can be gathered and inserted directly in slot to save time



Integrated cable wrap. Cables can be neatly wrapped around frame



Holder Angle matches iron shape for Perfect Fit



Optional J Hook to hang ironing board EH50708

Somerton

Universal Iron & Iron Board Storage

SECURES IRON TO PREVENT FALLING HAZARD UNIQUE & PATENTED

- Convenient, Easy & Safe Easy lift in and lift out with frame design to prevent falling hazard
- Universal Fitting Fits almost all iron types and sizes
- Soft Coated Protective Quality Steel Frame protects iron from scratches and damage

Dimensions







Z Shape FramePrevents Iron
Falling Hazard



Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc







HEAT RESISTANT
PROTECTIVE IRON PAD
to prevent sole plate damage
and absorb heat



Spring Pressure Slide Wings



360° Swivel



INTEGRATED CORD WRAP

Cord may be neatly

wrapped using

Silicone Cord Wrap



OPTIONAL J HOOK TO HANG IRONING BOARD EH50708

Oakham Safety Grip Iron Store

Oakham's Safety Frame Design prevents falling hazards. With patented, spring loaded Slide Guides for safe and firm grip to keep iron in position safely. Convenient and easy to insert and lift out. Durable construction and universal design to fit most iron types.

- → Unique Guide & Slide Safety Solution
- → Holds Iron Securely
- → Strong & Sturdy
- → Improves Guest Room Safety

Specifications

Plate Dimension 247 x 159 x 24mm
Plate Weight 197g

300 x 16mm

Cable Wrap Thickness **3.75mm**



Design Protected by International Registered Designs & Patents Pending © Emberton Limited





Sandhurst Universal Iron Board Holder & Store

- Unique and Patented Design Instant & Easy to Fit
- Ultimate safety specially designed U frame safely secures iron board to prevent falling out
- → Universal Suits all sizes of T Leg Ironing Boards
- Easy to remove and replace ironing board
- Fits regular door or wall hooks
- Stores iron board neatly on rail
- → Robust & Rigid Strong welded joints with welded plate centre
- Thick 5mm steel and strong welded plate for years of trouble free
- Durable NON slip finish to hold iron board securely in place



Secure & safe to prevent falling



Stores Boards on Wall Hooks



Open Rail Sandhurst available EH50556



Neat & tidy wardrobe storage

Specifications

Dimensions Material Weight $65(W) \times 126(H) \times 62(D)$ mm Smm Steel with Welded Joints 27g



Hyde

Ironing Board Wall Holder

- Made of Heavy Duty Carbon Steel
- Durable Silver Powder Coated Finish
- Compact and Strong
- Recess Bolt Holes for Flush Fitting Bolts
- Mounts To The Wall To Store Ironing Board
- Stores Ironing Board neatly

Specifications

Dimensions 170(W) x 74(H) x 40 (D) mm
Material Quality Carbon Steel
Weight 160g



RECESS BOLT HOLES for Flush Fitting Bolts



SPECIAL PROFILEKeeps Board Clear of Wall



Space Saving



Curved angle is a perfect match for Tough Board frame

Design Protected by International Registered Designs & Patents Pending © Emberton Group Inc





EH50955 - WITH ON/OFF SWITCH & KEY & LOCK. EU PLUG EH50958 - WITH ON/OFF SWITCH & KEY & LOCK. UK PLUG

MINIBAR

Keswick

20L Minibar Fridge Silent **Thermoelectric** (Solid Door)

with On/Off Switch & Key & Lock

- ◆ Average Energy Consumption Per Year at an Ambient Temperature of 25°C and a Cooling Temperature of 8°C According to EN 1060/2010
- ◆ ErP Level: Class E
- → Noise: 22dB (Class A)
- → Non-wearing Peltier Thermoelectric
- → Fuzzy Logic Control System For Low Energy Consumption
- → No Moving Parts 100% Silent and Vibration Free
- Environmentally Friendly Ammonia Free
- → Height-adjustable & Removable Shelves
- Soft LED Interior Light With Door Sensor
- Automatic Drain Water Evaporation
- → With Key & Lock and Power On/Off Switch

Product Dimension	400(W) x 350(D) x 450(H)mm
Capacity	20L
Colour	Black / Solid Door
Voltage	100-240V
Power	58W
Heater Power	10W
Refrigeration	R600a
Insulation	Cyclopentane
Certification	CE, CB, UKCA & RoHS Approved
Weight	9.5kg





Chilled Refreshments



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



EH50956 - WITH ON/OFF SWITCH & KEY & LOCK. EU PLUG EH50959 - WITH ON/OFF SWITCH & KEY & LOCK. UK PLUG

Bibury

20L Minibar Fridge Silent **Thermoelectric** (Glass Door)

with On/Off Switch & Key & Lock

- ◆ Average Energy Consumption Per Year at an Ambient Temperature of 25°C and a Cooling Temperature of 12°C According to EN 1060/2010
- → ErP Level: Class D
- → Noise: 22dB (Class A)
- Non-wearing Peltier Thermoelectric
- → Fuzzy Logic Control System For Low Energy Consumption
- → No Moving Parts 100% Silent and Vibration Free
- Environmentally Friendly Ammonia Free
- → Height-adjustable & Removable Shelves
- → Soft LED Interior Light With Door Sensor
- → Automatic Drain Water Evaporation
- → With Key & Lock and Power On/Off Switch

Product Dimension	400(W) x 350(D) x 450(H)mm
Capacity	20L
Colour	Black / Glass Door
Voltage	100-240V
Power	58W
Heater Power	10W
Refrigeration	R600a
Insulation	Cyclopentane
Certification	CE, CB, UKCA & RoHS Approved
Weight	12kg





Chilled Refreshments



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



EH50925 - WITH ON/OFF SWITCH & KEY & LOCK. EU PLUG EH50930 - WITH ON/OFF SWITCH & KEY & LOCK. UK PLUG

Chesham

35L Minibar Fridge Silent **Thermoelectric** (Solid Door)

with On/Off Switch & Key & Lock

- ◆ Average Energy Consumption Per Year at an Ambient Temperature of 25°C and a Cooling Temperature of 8°C According to EN 1060/2010
- → ErP Level: Class E
- → Noise: 22dB (Class A)
- Non-wearing Peltier Thermoelectric
- → Fuzzy Logic Control System For Low Energy Consumption
- → No Moving Parts 100% Silent and Vibration Free
- Environmentally Friendly Ammonia Free
- → Height-adjustable & Removable Shelves
- Soft LED Interior Light With Door Sensor
- Automatic Drain Water Evaporation
- → With Key & Lock and Power On/Off Switch

Product Dimension Capacity	400(W) x 420(D) x 500(H)mm 35L
Colour	Black / Solid Door
Voltage	100-240V
Power	58W
Heater Power	10W
Refrigeration	R600a
Insulation	Cyclopentane
Certification	CE, CB, UKCA & RoHS Approved
Weight	11.5kg





Chilled Refreshments



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



EH50933 - WITH ON/OFF SWITCH & KEY & LOCK. EU PLUG EH50934 - WITH ON/OFF SWITCH & KEY & LOCK. UK PLUG

Brixham

3SL Minibar Fridge Silent **Thermoelectric** (Glass Door)

with On/Off Switch & Key & Lock

- ◆ Average Energy Consumption Per Year at an Ambient Temperature of 25°C and a Cooling Temperature of 12°C According to EN 1060/2010
- → ErP Level: Class D
- → Noise: 22dB (Class A)
- Non-wearing Peltier Thermoelectric
- → Fuzzy Logic Control System For Low Energy Consumption
- → No Moving Parts 100% Silent and Vibration Free
- Environmentally Friendly Ammonia Free
- → Height-adjustable & Removable Shelves
- Soft LED Interior Light With Door Sensor
- → Automatic Drain Water Evaporation
- → With Key & Lock and Power On/Off Switch

Product Dimension Capacity Colour	400(W) x 420(D) x 500(H)mm 35L Black / Glass Door
Voltage Power Heater Power	100-240V 58W 10W
Refrigeration Insulation Certification	R600a Cyclopentane CE, CB, UKCA & RoHS Approved
Weight	13.9kg





Chilled Refreshments



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



EH50891 - WITH ON/OFF SWITCH & KEY & LOCK. EU PLUG EH50892 - WITH ON/OFF SWITCH & KEY & LOCK. UK PLUG

Penzance

40L Minibar Fridge Silent **Thermoelectric** (Solid Door)

with On/Off Switch & Key & Lock

- ◆ Average Energy Consumption Per Year at an Ambient Temperature of 25°C and a Cooling Temperature of 8°C According to EN 1060/2010
- → ErP Level: Class E
- → Noise: 22dB (Class A)
- Non-wearing Peltier Thermoelectric
- → Fuzzy Logic Control System For Low Energy Consumption
- → No Moving Parts 100% Silent and Vibration Free
- Environmentally Friendly Ammonia Free
- → Height-adjustable & Removable Shelves
- Soft LED Interior Light With Door Sensor
- → Automatic Drain Water Evaporation
- → With Key & Lock and Power On/Off Switch

Product Dimension	400(W) x 420(D) x 550(H)mm
Capacity	40L
Colour	Black / Solid Door
Voltage	100-240V
Power	58W
Heater Power	10W
Refrigeration	R600a
Insulation	Cyclopentane
Certification	CE, CB, UKCA & RoHS Approved
Weight	13kg





Chilled Refreshments



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



EH50897 - WITH ON/OFF SWITCH & KEY & LOCK. EU PLUG EH50898 - WITH ON/OFF SWITCH & KEY & LOCK. UK PLUG

Redditch

40L Minibar Fridge Silent **Thermoelectric** (Glass Door)

with On/Off Switch & Key & Lock

- ◆ Average Energy Consumption Per Year at an Ambient Temperature of 25°C and a Cooling Temperature of 12°C According to EN 1060/2010
- → ErP Level: Class D
- → Noise: 22dB (Class A)
- Non-wearing Peltier Thermoelectric
- → Fuzzy Logic Control System For Low Energy Consumption
- → No Moving Parts 100% Silent and Vibration Free
- Environmentally Friendly Ammonia Free
- → Height-adjustable & Removable Shelves
- Soft LED Interior Light With Door Sensor
- → Automatic Drain Water Evaporation
- → With Key & Lock and Power On/Off Switch

Product Dimension	400(W) x 420(D) x 550(H)mm 40L
Capacity	
Colour	Black / Glass Door
Voltage	100-240V
Power	58W
Heater Power	10W
Refrigeration	R600a
Insulation	Cyclopentane
Certification	CE, CB, UKCA & RoHS Approved
Weight	15.7kg





Chilled Refreshments



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



GUEST SAFE BOX

Derby

14" Top Open Safe

- → Bright LED Keypad Display
- Programmable Digital Lock with User and Master Codes
- → Override Key Included for Emergency Use
- → Anchor Bolts Included to Mount Safe to Wall or Floor
- → Run on 4 AA Batteries (Excluded)
- Carpet Mat Padding on Inside Bottom

Specifications

400(W) x 350(D) x 130(H)mm

Door Thickness
Body Thickness
Colour
Battery
Certification 3mm 1.2mm Black / Grey

Operates on 4 AA Batteries (Not Included)

CE Approved 7.4kg





Ideal for Storage of Valueable Items



Bright LED Display & Easy to Use Keypad



Fit in Drawer



Derby 14" Top Open Safe

EMBERTON



Dewsbury 15" & 17" Hotel Safe

Hotel Safe

- → Bright LED Keypad Display
- → Programmable Digital Lock with 4 to 6 Digit User Input
- → Override Key Included for Emergency Use
- Motorised Locking Door Bolts
- Carpet Lined Interior Base
- ◆ Anchor Bolts Included to Mount Safe to Wall or Floor
- → Optional Audit Trail Reader to Display or Print Opening Records

Specifications

420(W) x 360(D) x 190(H)mm (15")
420(W) x 480(D) x 190(H)mm (17")
3mm
1.2mm
Black
Operates on 4 AA Batteries (Not Included)
CE Approved
8kg (15")
9.5kg (17")





15" & 17" Model is Easy to Store Widescreen Laptops



Override Key Included for Emergency Use



CEU Slot - Optional Audit Trail Reader

EMBERTON



Witney

15" & 17" Hotel Safe

Hotel Safe

- → Bright LED Keypad Display
- → Programmable Digital Lock with 4 to 6 Digit User Input
- Override Key Included for Emergency Use
- Motorised Locking Door Bolts
- Carpet Lined Interior Base
- → Anchor Bolts Included to Mount Safe to Wall or Floor
- → Optional Audit Trail Reader to Display or Print Opening Records

Specifications

Product Dimension	420(W) x 360(D) x 190(H)mm (15")
Product Dimension	420(W) x 480(D) x 190(H)mm (17")
Door Thickness	3mm
Body Thickness	1.2mm
Colour	Black
Battery	Operates on 4 AA Batteries (Not Included)
Certification	CE Approved
Weight	8kg (15")
	9.5kg (17")






15" & 17" Model is Easy to Store Widescreen Laptops



Override Key Included for Emergency Use



CEU Slot - Optional Audit Trail Reader



ACCESSORIES & ROOM ESSENTIALS

Bodmin

Multi-Function Alarm Clock with Wireless Charging & Speaker

- Built-in Latest Wireless Connection Technology & Able to Pair with Almost All Compatible Devices
- → Highest Quality Speaker 5 Wattage Full Frequency Loudspeaker each for Dynamic Audio
- → Hassle-free Wireless Charger with Fast Charging Technology feature & Compatibles with Almost All Support Devices
- Available setting of Wireless pairing, Dual Alarm Clock setting, Snooze Alarm Mode, AUX Audio & FM Radio, TF Card and Double USB Port for wire-style pairing
- Ultra Large LCD Display with Anti-Scratch Screen, adjustable LCD Screen Brightness and Day, Time details display
- ◆ Back-up Clock Memory with 2x 1,5V AAA Batteries
- → Optional USB Type-C Adaptor & Screw fixing point with Anti-Theft Cable
- Battery Slot with Secured Cover

Specifications

Power **AC 110 – 240V, 50-60Hz**

Wireless Charger Wattage 10W

2 x 1.5V AAA Batteries (NOT INCLUDED)
Dimensions
128mm (L) x 102mm (W) x 77mm (H)
CE, UKCA, FCC, RoHS & CCC Approved

Veight **0.45 Kg**



Available Setting Options



Optional USB Type-C Adaptor EH50775



Optional Screw Type Anti-Theft Cable EH50776







Fast Charging Technology

BodminMulti-Function Alarm Clock with Wireless Charging & Speaker



Alton

USB Rechargeable Torchlight

- → Light & Compact Portable Design Mini and handy size to keep in the pocket
- Charging a cell phone as an emergency power bank
- > Zoom in or out the torchlight to adjust the brightness intensity of illumination area
- > IPX4-rated water-resistant and designed for use in a rainy day
- → Build in rechargeable battery with micro USB charging in 2 hours and constant brightness up to 4 hours!
- > Bottom of the torchlight is equipped with a lanyard for easy hanging and carrying
- → Bright & Powerful 4 Modes: High, Low, Flash and Zoomable light
- Suitable for Hotel Housekeeping or Outdoor activities

Specifications

137 x 36 x 27 MM

0.098KG 10W

Built-in 1200mAh Micro USB port

2 hrs 5V IPX4 2.5-4 hrs





Light & Portable Design



Built-in 1200mAh rechargable battery



Come with USB cable & pouch for easy carry









AltonUSB Rechargeable Torchlight



ACCESSORIES & ROOM ESSENTIALS

Woburn PUSHPOWER Digital Bathroom Scale

- ◆ BATTERY-FREE powered by **PUSH POWER** Button
- 4 High Precision Sensors for Accurate Weight
- → TOUGHENED SAFETY GLASS 8MM Thickness
- → ULTRA LARGE LCD Display
- Modern, Elegant & Stylish Design
- → Stable & Rigid Platform
- → Overload & Error Indication
- → Weight up to 180 kgs
- Auto Switch OFF
- → Units in KGS & LBS

Specifications

Dimensions 310mm x 310mm x 30mm

Material 8mm Toughened Safety Glass

Tertification **CE, UKCA & RoHS**

Veight 1.6 kg







Battery-Free **PUSH POWER Button**



Ultra Large LCD Display



8mm Ultra-Tough Glass



Woburn PUSHPOWER Digital Bathroom Scale



Whitehill Stainless Steel Scale

- → High Precision Sensors for accurate weight
- → Smudge-resistant and easy-to-clean high quality Stainless Steel 304 Platform
- Anti-Fingerprint coating to reduce scratches
- → Weight up to 180kgs
- Stable & Rigid Platform
- Overload & Error Indication
- Low Battery Indicator
- Units in KGS, LBS & STONES

Specifications

300 x 300 x220mm 2xAAA battery included Stainless Steel + 6mm Tempered Glass CE, UKCA & RoHS Approved











304 Stainless Steel & 6mm Tempered Glass



Wide LCD Display 76mm x 40mm



Stable and Rigid Platform with Anti-fingerprint coating

EMBERTON



Fairford Digital Bathroom Scale

- → Unique & Patented Soft Grip Touch
- Improved Anti-Slip Performance
- 4 High Precision Sensors for Accurate Weight
- → Non Slip Glass with 8mm Tempered Glass
- → Auto Switch ON/OFF Saves Battery Life
- Modern, Elegant & Stylish Design
- → Weight range 5 to 180 kgs
- Overload & Error Indication
- → Stable & Rigid Platform
- → Units in KGS, LBS or STONES
- ◆ Low Battery Indicator

Specifications

300 x 300 x 22mm

2 x CR2032 Lithium Ion Batteries

included

8mm Tempered Glass

UKCA, CE & RoHS Approved

1.985kg












Extra Large LCD Display 81mm x 43mm



Improved Anti-slip Performance



Stable and Rigid Platform



Wilton Bamboo Black Scale

- → High Precision Sensors for accurate weight
- High-quality, anti-mildew surface made out of real bamboo 15mm thickness
- → Weight up to 180kgs
- Stable & Rigid Platform
- Overload & Error Indication
- Low Battery Indicator
- → Units in KGS, LBS & STONES
- → Designed & Manufactured for use in Guest Bedrooms, Living Rooms, Suites etc. *NOT SUITABLE FOR USE IN BATHROOMS



300 x 300 x 31 mm

3 x AAA Batteries Included

15mm Real Bamboo

CE, UKCA & RoHS Approved

1.105kg



Wide LCD Display 76mm x 40mm



Stable & Rigid Platform









EMBERTON



Wilton Bamboo Natural Scale

- → High Precision Sensors for accurate weight
- High-quality, anti-mildew surface made out of real bamboo 15mm thickness
- → Weight up to 180kgs
- Stable & Rigid Platform
- Overload & Error Indication
- Low Battery Indicator
- → Units in KGS, LBS & STONES
- → Designed & Manufactured for use in Guest Bedrooms, Living Rooms, Suites etc. *NOT SUITABLE FOR USE IN BATHROOMS



300 x 300 x 31 mm

3 x AAA Batteries Included

15mm Real Bamboo

CE, UKCA & RoHS Approved

1.105kg



15 mm Real Bamboo



Wide LCD Display 76mm x 40mm



Stable & Rigid Platform











AshtonDigital Bathroom Scale

- → High Precision Sensors for accurate weight
- ◆ Auto ON & OFF
- → Modern, Elegant & Stylish Design
- → Weighs up to 180 kgs
- → Stable & Rigid Platform
- → Units in KGS & LBS

Specifications

Dimensions 300 x 300 x 24mm

√oltage **3**

Battery 2 x AAA Batteries included
Material 8mm Toughened Safety Glass

Certification **CE, UKCA & RoHS**

Weight **1.95kg**





Toughened Safety Glass 8mm thickness



Wide LCD Display 75mm x 31mm



AshtonDigital Bathroom Scale







1600W Cylindrical Hairdryer

- → Powerful 1600W DC Motor
- → 2 Speed/Heat & Cool Setting
- → Removable Filter for Easy Cleaning
- → Complete with Air-Flow Concentrator for Perfect Styling & Drying
- → Soft Touch Matt Finish
- → Generous cord length 180cm Long
- → Safety Thermostat Over-heating circuit protection
- ◆ Available in EU & UK Plug Variants

Specifications

Power
Voltage
Hairdryer Dimension
Certification
Product Weight

1400-1800W
220-240V, 50-60Hz
177 x 235 x 75mm
CE, CB, UKCA
530g





Wall Mounted Hairdryer Holder Option (Devizes)



Removable Concentrator



2 Speed/Heat & Cool settings







SA90007 - EU PLUG SA90006 - UK PLUG SA90005 - BATTERY

Emergency Torchlight Instant - ON

- → High Energy-Efficiency & Quality 13 LED light with 50,000 hours lifespan
- → INSTANT-ON feature The torch will illuminate immediately when removed from holder if left in ON mode and replaced in holder.
- → Aluminum Oxidation Finishing Flashlight with ABS Holder
- → Estimated 12 24 hours long per usage period
- → Non-slip contoured handle for comfortable use
- → Easy installation Included complete set of screws and screw anchors

NOTE: Please use rechargeable lithium battery ONLY (Not Included) for rechargeable function

Specifications

Power AC 100V-250V, 50 - 60Hz x3 1.5V AA Alkaline or Battery Lithium Batteries (NOT INCLUDED) 3.9 Watts-hours Wattage 120 lumen Lumen Beam Angle 180° Light Colour White Light Aluminum and ABS Material Holder Dimension 175mm x 60mm Torchlight Dimension 178mm x 44 mm Certification CE approved 0.28 kg Weight






All Black Aluminum Oxidation Finishing



Anti-theft Wall Mounted Holder

SPECIFICATIONS



SPECIFICATIONS - KETTLES







Model	Evesham - Steel / Black Evesham - Steel / Black		Evesham - Black
, ,		EHS0715 (UK Plug-EH Controller) EHS0717 (UK Plug-Strix Controller)	EH50724 (EU Plug-EH Controller) EH50722 (EU Plug-Strix Controller)
Page	5	5	5
Power	220-240V, 50-60Hz	220-240V, 50-60Hz	220-240V, 50-60Hz
Wattage	1500-1800W	1500-1800W	1500-1800W
Capacity	1 Litre	1 Litre	1 Litre
DUAL SAFE	Yes	Yes	Yes
Material	Polypropylene	Polypropylene	Polypropylene
	High Grade SS304 Stainless Steel	High Grade SS304 Stainless Steel	High Grade SS304 Stainless Steel
	Body & Heat Plate	Body & Heat Plate	Body & Heat Plate
	Double Layer Safety Insulation	Double Layer Safety Insulation	Double Layer Safety Insulation
Overall Height	220mm	220mm	220mm
Top Diameter	88mm	88mm	88mm
Base Diameter	143mm	143mm	143mm
Weight	930g	930g	930g
Certification Mark/Warranty	C€ CB ¼ € REGISTRED COMMAND C	C€ CB ĽK 🗳 📆	CE CB LK & REGISTER COMMUNICATION COMMUNICAT
Packaging Detai l s	8pcs - 69.5 x 20.7 x 44cm	8pcs - 69.5 x 20.7 x 44cm	8pcs - 69.5 x 20.7 x 44cm
	9.6kg 0.0633CBM	9.6kg 0.0633CBM	9.6kg 0.0633CBM
Barcodes	EH50714 (EU Plug-EH Controller)	EH50715 (UK Plug-EH Controller)	EH50724 (EU Plug-EH Controller)
	9 557726 507142 EH5076 (EU Plug-Strix Controller) 9 557726 507166	9 557726 507159 EH5077 (UK Plug-Strix Controller) 9 557726 507173	9 "557726"507241" EH50722 (EU Plug-Strix Controller) 9 "557726"507227







Model	Evesham - Black	Malvern Brushed Stainless Steel	Malvern Black
Art No	EH50725 (UK Plug-EH Controller) EH50723 (UK Plug-Strix Controller)	EH50550 (EU Plug-EH Controller) EH50635 (EU Plug-Strix Controller) EH50634 (UK Plug-Strix Controller)	EH50726 (EU Plug-EH Controller)) EH50643 (EU Plug-Strix Controller) EH50644 (UK Plug-Strix Controller)
Page	5	7	7
Power	220-240V, 50-60Hz	220-240V, 50-60Hz	220-240V, 50-60Hz
Wattage	1500-1800W	800-950W	800-950W
Capacity	1 Litre	0.5 Litre	0.5 Litre
DUAL SAFE	Yes	Yes	Yes
Material	Polypropylene	High Grade SS304 Stainless Steel	High Grade SS304 Stainless Steel
	High Grade SS304 Stainless Steel	Body & Heat Plate	Body & Heat Plate
	Body & Heat Plate		
	Double Layer Safety Insulation		
Overa ll Height	220mm	185mm	185mm
Top Diameter	88mm	90mm	90mm
Base Diameter	143mm	143mm	143mm
Weight	930g	770g	<i>7</i> 70g
Certification Mark/Warranty	CE CB LK LOS COMPANY	CECB CE CE CECEPT CONTROL CONTROL CECEPT CEC	CECB Section Construction
Packaging Detai l s	8pcs - 69.5 x 20.7 x 44cm	12pcs - 52.5 x 39.5 x 38cm	12pcs - 52.5 x 39.5 x 38cm
	9.6kg 0.0633CBM	11.82kg 0.079CBM	11.82kg 0.079CBM
Barcodes	EHS0725 (UK Plug-EH Controller)	EH50550 EH50635 (EU Plug-EH Controller) (EU Plug-Strix Controller)	EH50726 EH50643 (EU Plug-EH Controller) (EU Plug-Strix Controller)
	9 557726 507258 EH50723 (UK Plug-Strix Controller) 9 557726 507234	9 557726 505506 9 557726 506350 (UK Plug-Strix Controller) 9 557726 506343	9 "557726"507265" 9 "557726"506435" EH50644 (UK Plug-Strix Controller) 9 "557726"506442

SPECIFICATIONS - KETTLES







Model	Corsham Brushed Stainless Steel	Corsham Black	Corsham Black
Art No	EH50633 (EU Plug-EH Controller) EH50637 (EU Plug-Strix Controller) EH50636 (UK Plug-Strix Controller)	EH50705 (EU Plug-EH Controller) EH50729 (EU Plug-Strix Controller)	EH50709 (UK Plug-EH Controller) EH50728 (UK Plug-Strix Controller)
Page	8	8	8
Power	220-240V, 50-60Hz	220-240V, 50-60Hz	220-240V, 50-60Hz
Wattage	800-950W	800-950W	800-950W
Capacity	1 Litre	1 Litre	1 Litre
DUAL SAFE	Yes	Yes	Yes
Material	High Grade SS304 Stainless Steel	High Grade SS304 Stainless Steel	High Grade SS304 Stainless Steel
	Body & Heat Plate	Body & Heat Plate	Body & Heat Plate
Overall Height	209mm	209mm	209mm
Top Diameter	90mm	90mm	90mm
Base Diameter	143mm	143mm	143mm
Weight	790g	790g	790g
Certification Mark/Warranty	C€ CB ¼ 🗳 🐯	C€ CB ĽK 🗳 📆	C€CBK €
Packaging Details	12pcs - 52.5 x 39.5 x 43.0cm	12pcs - 53.0 x 40.0 x 43.0cm	12pcs - 53.0 x 40.0 x 43.0cm
	12.5kg 0.089CBM	12.37kg 0.091CBM	12.37kg 0.091CBM
Barcodes	EH50633 (EU Plug-EH Controller) (EU Plug-Strix Controller) 9 *557726 *506336 *9 *557726 *506374 *EH50636 (UK Plug-Strix Controller) 9 *557726 *506367	EHS0705 (EU Plug-EH Controller) 9 *557726*507050* EHS0729 (EU Plug-Strix Controller) 9 *557726*507296	EH50709 (UK Plug-EH Controller) 9 "557726"507098" EH50728 (UK Plug-Strix Controller) 9 "557726"507289







Model	Banbury	Guildford Black	Guildford White
Art No	EH50840 (EU Plug-EH Controller) EH50839 (UK Plug-EH Controller)	EH50740 (EU Plug-EH Controller) EH50739 (UK Plug-Strix Controller	EH50743 (EU Plug-EH Controller) EH50742 (UK Plug-EH Controller)
Page	9	11	11
Power	220-240V, 50-60Hz	220-240V, 50-60Hz	220-240V, 50-60Hz
Wattage	800W	870-1035W	870-1035W
Capacity	0.8 Litre	0.8 Litre	0.8 Litre
DUAL SAFE	Yes	No	No
Material	High Grade SS304 Stainless Steel Body & Heat Plate	Plastic Body	Plastic Body
Overa ll Height	200mm	180mm	180mm
Top Diameter	111.5mm	90mm	90mm
Base Diameter	130mm	139mm	139mm
Weight	750g	60Sg	60Sg
Certification Mark/Warranty	C€CB LK 🛎	C€ CB LK 🛎	C€CB₩ Ű
Packaging Detail	12pcs - 45 x 35 x 39.8cm 11.2kg 0.063CBM	12pcs - 46.5 x 36.5 x 35cm 9.2kg 0.059CBM	12pcs - 46.5 x 36.5 x 35cm 9.2kg 0.059CBM
Barcodes	EH50840 (EU Plug-EH Controller) 9	9 557726 507401 EH50739 (UK Plug-Strix Controller) 9 557726 507395	EH50743 (EU Plug-EH Controller) 9

SPECIFICATIONS - CLIMATE PURE WATER PURIFIER





Model	1.0L Water Purifier	Hot & Cold 4.0L Water Purifier
Art No	CP60898 (EU Plug) CP60899 (UK Plug)	CP60900 (EU Plug) CP60901 (UK Plug)
Page	13	14
Power	220-240, 50-60Hz	220-240, 50Hz
Wattage	2000-2400W	2200-2300W
Low Standby Power	0.5W	0.5W
DUAL SAFE	Yes	Yes
Cable Length	80cm	1 Metre
Water Tank Capacity	1.OL	4.0L
Water Source	Municipal Tap Water	Municipal Tap Water
Temperature	25°C, 60°C, 70°C, 85°C, 98°C	Room : 25°C Cold : 5°C - 10°C Hot : 45°C - 100°C
Heat Technology	Spiral 360° Technology	Spiral Heating Technology
Filtration Method	5 Stage Purification System	Reverse Osmosis
Sterilization Method	LED UV-C System	Double UV-C Lamp
Filter Cartridge	Zì Shield Master	R2 Shield Master Dual Stream
Colour	Matt Black	Matt Black
Material	ABS	ABS
Product Dimensions	405(W) x 100(D) x 263(H)mm	468(W) x 213(D) x 390(H)mm
Weight	2.1kg	11.2kg
Certification Mark/Waranty	CECB# €	C€CB#¥ €
Packaging Details	4pcs - 53.5 x 48 x 33.8cm 10.5kg 0.0868CBM	1pcs - 50.5 x 27 x 46cm 12.35kg 0.0627CBM
Barcodes	9 557726 608993	9 557726 609013

SPECIFICATIONS - WELCOME TRAYS BAMBOO









Model	Fenland Espresso Tray	Fenland Condiment Box	Winford - Black	Amesbury - Black
Art No	EH50820	EH50821	EH50756	EH50813
Page	17	17	18	19
Material	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo
Cert Food Grade	Yes	Yes	Yes	Yes
Overall Length	50cm	21cm	37.0cm	39cm
Overa ll Width	40cm	19cm	35.0cm	31.5cm
Height	4cm	7cm	8.8cm	7.5cm
Weight	1800g	800g	39659	2640g
Certification Mark/Warranty	3	3	3	3
Packaging Details	5pcs- 52.5 x 43.5 x 32cm 11.20kg 0.0730CMB	10pcs- 43.5 x 43 x 25.2cm 9.05kg 0.047lCBM	5pcs- 49.6 x 39 x 37.5cm 18.0kg 0.0725CBM	5pcs - 43.8 x 41.5 x 35.2cm 15.0kg 0.0640CBM
Barcodes	EH50820 9 557726 508200	EH50821	EHS0756	EH50813 9 557726 508132









Model	Cambourne Plus - Black	Tongwe ll - Black	Winford - Natural	Amesbury - Natural
Art No	EH50688	EH50467	EH50836	EH50833
Page	20	21	22	23
Material	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo
Cert Food Grade	Yes	Yes	Yes	Yes
Overall Length	27.0cm	26cm	37.0cm	39cm
Overall Width	19.4cm	26cm	35.0cm	31.5cm
Height	8.5cm	3cm	8.8cm	7.5cm
Weight	1450g	850g	4060g	2640g
Certification Mark/Warranty	3	3	3	3
Packaging Details	12pcs- 57.6 x 28.7 x 42.2cm 17.10kg 0.0698CBM	12pcs- 49 x 28 x 28.2cm 11.81kg 0.039CBM	5pcs- 52.5 x 39.5 x 37.9cm 22.1kg 0.0786CBM	5pcs- 43.8 x 41.5 x 35.2cm 15kg 0.0640CBM
Barcodes	EH50688	EH50467	EH50836	EH50833







			_
Model	Cambourne Plus - Natural	Tongwell - Natural	Tongwe ll - Mahogany
Art No	EH50834	EH50289	EH50468
Page	24	25	25
Material	First Grade Bamboo	First Grade Bamboo	First Grade Bamboo
Cert Food Grade	Yes	Yes	Yes
Overall Length	27.0cm	26cm	26cm
Overa ll Width	19.4cm	26cm	26cm
Height	8.5cm	3cm	3cm
Weight	1450g	850g	850g
Certification	3	3	3
Mark/Warranty	nakitika.	Commences	California.
Packaging Details	12pcs- 57.6 x 28.7 x 42.2cm	12pcs- 49 x 28 x 28.2cm	12pcs- 49 x 28 x 28.2cm
	20.5kg 0.0698CBM	11.81kg 0.039CBM	11.81kg 0.039CBM
Barcodes	EH50834	EH50289	EH50468
	9 557726 508347	9 \$557726 \$02895	9 557726 504684

SPECIFICATIONS - WELCOME TRAYS ABS SERIES







Model	Heywood ABS - Main Tray Matt Black	Heywood Slate - Service Tray Matt Black	Heywood Slate - Amenity Holder Matt Black
Art No	EH50822	EH50823	EH50824
Page	27	27	27
Material	ABS	ABS	ABS
Cert Food Grade	Yes	Yes	Yes
Overall Length	35.8cm	23.5cm	14.5cm
Overall Width	25.8cm	llcm	7.5cm
Height	lcm	lcm	4cm
Weight	285g	75g	85g
Certification Mark/Warranty	3	3	3
Packaging Details	24pcs- 37.6 x 28.5 x 31.2cm 7.97kg 0.0334CBM	24pcs- 30 x 26 x 13cm 2.6kg 0.0101CMB	24pcs- 35 x 20 x 17.7cm 2.9kg 0.0123CBM
Barcodes	EH50822	EH50823	EH50824







Model	Heywood Slate - Compact Tray. Matt Black	Heywood Slate - Amenity Organiser. Matt Black	Walton
Art No	EH50825	EH50826	EH50175
Page	29	29	30
Material	ABS	ABS	ABS
Cert Food Grade	Yes	Yes	Yes
Overall Length	33cm	12.5cm	46cm
Overa ll Width	16cm	8cm	22.5cm
Height	lcm	5.8cm	3.5cm
Weight	170g	120g	738g
Certification Mark/Warranty			3
Packaging Details	24pcs- 34.5 x 18.5 x 31cm 4.8kg 0.0198CBM	24pcs- 43.2 x 27.5 x 15.1cm 3.8kg 0.0179CBM	12pcs- 55 x 25 x 49cm 11.37kg 0.067CBM
Barcodes	EH50825	EH50826	EH50I75







Model	Andover	Lavenham	Mere
Art No	EH50873	EH50954	EH50826
Page	31	33	34
Material	ABS	ABS	ABS
Cert Food Grade	Yes	Yes	Yes
Overall Length	36.3cm	27.9cm	15cm
Overall Width	24.1cm	24cm	15cm
Height	3cm	5.5cm	
Weight	400g	505g	26g
Certification Mark/Warranty	3	3	3
Packaging Details	48pcs- 84 x 38.2 x 50.4cm 22.9kg 0.161CBM	12pcs- 50.5 x 29.5 x 36cm 16kg 0.05363CBM	108pcs- 47 x 31.5 x 30cm 4.28kg 0.0444CBM
Barcodes	EH50873	EH50954	EH50913
	9 557726 508736	9 "557726"509542"	9 "557726"509139"

SPECIFICATIONS - WELCOME TRAYS MELAMINE





Model	Halstead Black (Matt)	Halstead White (Matt)
Art No	EH50678	EH50679
Page	35	35
Material	Melamine	Melamine
Cert Food Grade	Yes	Yes
Overall Length	26.20cm	26.20cm
Overall Width	26.20cm	26.20cm
Height	3cm	3cm
Weight	610g	610g
Certification Mark/Warranty	3	3
Packaging Details	12pcs- 41 x 29 x 28cm	12pcs- 41 x 29 x 28cm
	9.05kg 0.033CBM	9.05kg 0.033CBM
Barcodes	EH50678	EH50679
	9 557726 506787	9 557726 506794

SPECIFICATIONS - HAIRDRYERS





	ŗ	P .	
Model	Thames 1875W	Harrow Matt Black 1600W	
Art No	EH50844 (EU Plug)	EH50777 (EU Plug)	
	EH50845 (UK Plug)	EH50778 (UK Plug)	
Page	37	39	
Power	220-240V, 50 - 60Hz	220-240V, 50-60Hz	
Wattage	1800-2200W	1400-1600W	
DUAL SAFE	Yes	Yes	
Heat Setting	Two	Two	
Removable Filter	Yes	Yes	
Steam Mesh Blade Cover	Yes	Yes	
On /Off Press Switch	Yes	Yes	
Thermostat Overheat	Yes	Yes	
Protection			
Material	Polypropylene	Plastic with luxury matt finish	
	Ionic Ceramic		
Cable length	Heavy Duty Coil Cable 350cm	200cm	
Colour	Black	Black	
Dimensions	240 x 85 x 280mm	140 x 77 x 231mm	
Weight	615g	390g	
Certification	CECB # S	CC CD UK RAMS	
Mark/ Warranty	CECB K 🛎	C€ CB K 🎂	
Packaging Detai l s	10pcs - 48.5 x 41.5 x 30cm	20pcs - 47 x 27.5 x 45cm	
	8.37kg 0.06CBM	11.50kg 0.058CBM	
Barcodes	EH50844 (EU Plug)	EHS0777 (EU Plug)	
	9 557726 508446	9 557726 507777	
	EH50845 (UK Plug)	EH50778 (UK Plug)	
	9 "557726"508453"	9 "557726"507784"	

SPECIFICATIONS - HAIRDRYERS







3
n
(

SPECIFICATIONS - HAIRDRYERS







Model	Mursley - Matt Black	Mursley - Matt White	Mursley - Chrome/
			Black
Art No	EH50952	EH50953	EH50440
Page	43	43	43
Material	Silicon Inner	Silicon - Inner	Silicon - Inner
	Matt Black - Outer	Matt White - Outer	Plastic Chrome - Outer
Anti Theft	Yes	Yes	Yes
Suit Hard Wired	Yes	Yes	Yes
Installation			
Easy Mounting	Yes	Yes	Yes
Dimensions	93 x 74 x 50mm	93 x 74 x 50mm	93 x 74 x 50mm
Weight	4 5g	45g	50g
Packaging Details	200pcs - 90 x 32 x	200pcs - 90 x 32 x	200pcs- 90 x 32 x
	45cm	45cm	45cm
	16.4kg 0.13CBM	16.4kg 0.13CBM	16.63kg 0.13CBM
Barcodes	EH50952	EH50953	EH50440
	9 557726 509528	9 557726 509535	9 557726 504400





	_	
Model	Devizes - Hairdryer Holder	Shere - Hairdryer Stand
Art No	EH50866	EH50949
Page	43	44
Material	ABS	Carbon Steel with Heat Resistant
Anti Theft	Yes	NIL
Suit Hard Wired	Yes	NIL
Installation		
Easy Mounting	Yes	Yes
Colour	Matt Black	Dark Grey Titanium
Dimensions	90 x 90 x 79mm	140 x 160 x 240mm
Weight	56 g	1150g
Packaging Detai l s	200pcs- 95 x 51 x 46cm 30kg 0.22287CBM	10pcs- 86 x 30 x 40cm 14kg 0.103CBM
Barcodes	EH50866	EH50949
	9 557726 508668	9 557726 509498



Model	Lathbury Hairdryer Bag
Art No	EH50357
Page	44
Materia l	Soft Velvet
	Silver Thread Embroidery
	Strong Black PP Drawstring
Colour	B l ack
Dimensions	400 x 300mm
Weight	66g
Packaging Detai l s	200pcs- 44 x 34.5 x 55cm
	14kg 0.084CBM
Barcodes	EH50357
	9 557726 503571

SPECIFICATIONS - IRONS





Model	Croft Deluxe - Steam Iron	Hertford Black - Steam Iron
Art No	EH50785 (EU Plug)	EH50501 (EU Plug)
	EH50786 (UK Plug)	EH50502 (UK Plug)
Page	45	47
Power	220-240V, 50-60 Hz	220-240V, 50-60 Hz
Wattage	2000W	1600W
DUAL SAFE	Yes	Yes
Water Tank Capacity	300ml	250ml
Eco Auto Off Function	Yes	Yes
Anti Drip	Yes	Yes
Thermo Weld Technology	Yes	Yes
Smin Auto Off Function	Yes	Yes
Sole Plate Material	Ceramic	Non-Stick
Cable	Heavy Duty 300cm	Heavy Duty 250cm
Colour	B l ack/Grey	Black/Grey
Plate size	228 x 123 mm	206 x 113mm
Product size	290 x 123 x 151 mm	266 x 120 x 140mm
Weight	1180g	982g
Certification	C€ CB ĽK	CE CB K 🛎
Mark/Warranty	1102 th	((3B CH -
Packaging Detai l s	10pcs - 66.4 x 31.9 x 32.5cm	10pcs - 62.5 x 30.5 x 32.5cm
	14kg 0.069CBM	11.70kg 0.062CBM
Barcodes	EH50785 (EU Plug)	EH50501 (EU Plug)
	9 557726 507852	9 557726 505018
	9 557726 507869	9 557726 505025





Model Art No EH50546 (EU Plug) EH50515 (UK Plug) EH50515 (UK Plug) EH50547 (UK Plug) Page Power Wattage DUAL SAFE Water Tank Capacity Eco Auto Off Function Anti Drip Thermo Weld Technology Smin Auto Off Function Sole Plate Material Cable Colour Plate size Product size Weight Certification Mark/Warranty Packaging Details Hertford White - Steam Iron EH50546 (EU Plug) EH50547 (UK Plug) EH50547 (UK Plug) EH50547 (UK Plug) EH505515 (UK Plug			
EHS0547 (UK Plug) Page Power 47 47 220-240V, 50-60 Hz 220-240V, 50-60 Hz 1600W 1600W 1600W 1600W DUAL SAFE Yes Yes Yes Yes Yes Anti Drip Thermo Weld Technology Smin Auto Off Function Sole Plate Material Cable Colour Plate size Product size Weight Certification Mark/Warranty Packaging Details EHS0546 (EU Plug) EHS0545 (UK Plug) 47 47 47 47 47 47 47 47 47 4	Model	Hertford White - Steam Iron	Havant Deluxe - Steam Iron
Page Power Power 220-240V, 50-60 Hz 220-240V, 50-60 Hz 1600W 1600W 1600W 1600W DUAL SAFE Water Tank Capacity Eco Auto Off Function Anti Drip Thermo Weld Technology Smin Auto Off Function Sole Plate Material Cable Colour Plate size Product size Weight Certification Mark/Warranty Packaging Details 47 220-240V, 50-60 Hz 250ml 250ml Yes Yes Yes Yes Non-Stick Non-	Art No	EH50546 (EU Plug)	EH50515 (UK Plug)
Power Wattage DUAL SAFE Water Tank Capacity Eco Auto Off Function Anti Drip Thermo Weld Technology Smin Auto Off Function Sole Plate Material Cable Colour Plate size Product size Weight Certification Mark/Warranty Packaging Details Product Barcodes 220-240V, 50-60 Hz 1600W		EH50547 (UK Plug)	
Wattage DUAL SAFE Water Tank Capacity Eco Auto Off Function Anti Drip Thermo Weld Technology Smin Auto Off Function Sole Plate Material Cable Colour Plate size Product size Weight Certification Mark/Warranty Packaging Details 1600W 1	Page	47	47
DUAL SAFE Water Tank Capacity Eco Auto Off Function Anti Drip Thermo Weld Technology Smin Auto Off Function Sole Plate Material Cable Colour Plate size Product size Weight Certification Mark/Warranty Packaging Details DUAL SAFE Yes Yes Yes Yes Yes Yes Non-Stick Non	Power	220-240V, 50-60 Hz	220-240V, 50-60Hz
Water Tank Capacity Eco Auto Off Function Anti Drip Thermo Weld Technology Smin Auto Off Function Sole Plate Material Cable Colour Plate size Product size Weight Certification Mark/Warranty Packaging Details Marcodes Z50ml 250ml Yes Yes Yes Yes Yes Non-Stick Non-Stick Heavy Duty 250cm White/Grey 206 x 113mm 206 x 120 x 140mm 266 x 120 x 140mm 266 x 120 x 140mm 266 x 120 x 140mm 267 x 30.5 x 32.5cm 10pcs - 62.5 x 30.0 x 32.5cm 11.70kg 0.062CBM EH50546 (EU Plug) EH505IS (UK Plug) EH505IS (UK Plug)	Wattage	1600W	1600W
Eco Auto Off FunctionYesYesAnti DripYesYesThermo Weld TechnologyYesYesSmin Auto Off FunctionYesYesSole Plate MaterialNon-StickNon-StickCableHeavy Duty 250cmHeavy Duty 190cmColourWhite/GreyWhite/GreyPlate size206 x 113mm206 x 113mmProduct size266 x 120 x 140mm266 x 120 x 140mmWeight982g982gCertificationGC CB LA STORY AND STORY AN	DUAL SAFE	Yes	Yes
Anti Drip Thermo Weld Technology Smin Auto Off Function Sole Plate Material Cable Colour Plate size Product size Weight Weight Certification Mark/Warranty Packaging Details Packaging Details Yes Yes Yes Non-Stick Non-Stick Heavy Duty 250cm White/Grey White/Grey 206 x 113mm 206 x 120 x 140mm 266 x 120 x 140mm 266 x 120 x 140mm 266 x 120 x 140mm 267 x 120 x 140mm 268 x 120 x 140mm 269 x 120 x 140mm 269 x 120 x 140mm 260 x	Water Tank Capacity	250ml	250ml
Thermo Weld Technology Smin Auto Off Function Sole Plate Material Cable Colour Plate size Product size Weight Certification Mark/Warranty Packaging Details Packaging Details Product EHS0546 (EU Plug) Plate Size Product Size	Eco Auto Off Function	Yes	Yes
Smin Auto Off Function Sole Plate Material Cable Colour Plate size Product size Weight Certification Mark/Warranty Packaging Details Packaging Details Pind Auto Off Function Yes Non-Stick Non-Stick Heavy Duty 190cm White/Grey 206 x 113mm 206 x 120 x 140mm 266 x 120 x 140mm 266 x 120 x 140mm 982g 982g CECB LA CECB LA IOpcs - 62.5 x 30.0 x 32.5cm 11.70kg 0.062CBM EH50546 (EU Plug) EH50515 (UK Plug) 9 557726 505155	Anti Drip	Yes	Yes
Sole Plate Material Cable Colour Plate size Product size Weight Certification Mark/Warranty Packaging Details EH50546 (EU Plug) Non-Stick Non-Stick Heavy Duty 190cm White/Grey White/Grey 206 x 113mm 206 x 120 x 140mm 266 x 120 x 140mm 266 x 120 x 140mm 266 x 120 x 140mm 267 x 120 x 140mm 268 x 120 x 140mm 269 29 209 29 209 29 209 29 209 29 209 29 209 29 209 29 209 29 209 29 200 200 200 200 200 200 200 200 200 200	Thermo Weld Technology	Yes	Yes
Cable Colour Plate size Product size Weight Certification Mark/Warranty Packaging Details EH50546 (EU Plug) Heavy Duty 190cm White/Grey White/Grey White/Grey 206 x 113mm 206 x 120 x 140mm 265 x 120 x 140mm 275 x 120 x 140mm 282 g 882 g 882 g 882 g 882 g 883 g 884 g 885 g 886 g 887 g 886 g 887 g 887 g 888 g 888 g 888 g 889 g 889 g 889 g 880 g 8	Smin Auto Off Function	Yes	Yes
Colour Plate size Product size Weight Certification Mark/Warranty Packaging Details Packaging Details White/Grey 206 x 113mm 266 x 120 x 140mm 266 x 120 x 140mm 268 x 120 x 140mm 278 x 120 x 140mm 288 x 120 x 140mm 298 x 120 x 140mm 10pcs - 62.5 x 30.0 x 32.5cm 11.70kg 0.062CBM EH50546 (EU Plug) EH50515 (UK Plug) 9 557726 505155	Sole Plate Material	Non-Stick	Non-Stick
Plate size Product size 206 x 113mm 206 x 120 x 140mm 266 x 120 x 140mm 982g 982g Certification Mark/Warranty Packaging Details 10pcs - 62.5 x 30.5 x 32.5cm 11.70kg 0.062CBM EH50546 (EU Plug) EH50515 (UK Plug) 9 557726 505155	Cable	Heavy Duty 250cm	' '
Product size Weight Quantification Mark/Warranty Packaging Details Packaging Details Packaging Details Dipcs - 62.5 x 30.5 x 32.5cm 11.70kg 0.062CBM EH50546 (EU Plug) Physical Substitution (EH50515) (UK Plug)	Colour	White/Grey	White/Grey
Weight 982g 982g Certification C€ CB ≅ S C€ CB ≅ S Mark/Warranty 10pcs - 62.5 x 30.5 x 32.5cm 10pcs - 62.5 x 30.0 x 32.5cm 11.70kg 0.062CBM 11.5kg 0.0609CBM Barcodes EH50546 (EU Plug) EH505IS (UK Plug) 9 557726 505165 9 557726 505155	P l ate size	206 x 113mm	206 x 113mm
Certification C € CB ≝K € G C € CB ≝K € G Nark/Warranty 10pcs - 62.5 x 30.5 x 32.5cm 10pcs - 62.5 x 30.0 x 32.5cm 11,70kg 0.062CBM 11,5kg 0.0609CBM Barcodes EH50546 (EU Plug) EH50515 (UK Plug) 9 557726 505165 9 557726 505155	Product size	266 x 120 x 140mm	266 x 120 x 140mm
Mark/Warranty Packaging Details 10pcs - 62.5 x 30.5 x 32.5cm 11,70kg 0.062CBM 10pcs - 62.5 x 30.0 x 32.5cm 11,5kg 0.0609CBM EH50546 (EU Plug) 9 557726 505469 EH50515 (UK Plug) 9 557726 505155	Weight	982g	982g
Packaging Details 10pcs - 62.5 x 30.5 x 32.5cm 11,70kg 0.062CBM 10pcs - 62.5 x 30.0 x 32.5cm 11.5kg 0.0609CBM EH50546 (EU Plug) 9 557726 505469 EH50515 (UK Plug) 9 557726 505155	Certification	44 OD UK / 3	66 OD UK V 3
11.70kg 0.062CBM 11.5kg 0.0609CBM EH50546 (EU Plug) ###################################	Mark/Warranty	CECB & 🖷	CECB & 📻
Barcodes EH50546 (EU Plug) 9 557726 505469 EH50515 (UK Plug) 9 557726 505155	Packaging Details	10pcs - 62.5 x 30.5 x 32.5cm	10pcs - 62.5 x 30.0 x 32.5cm
9 557726 505469 Plug) 9 557726 505469 9 9 557726 505155		11.70kg 0.062CBM	11.5kg 0.0609CBM
9 557726 505469 9 557726 505155	Barcodes	EH50546 (EU Plug)	EHSOSIS (UK Plun)
9 557726 505469 EH50547 (UK Plug) 9 557726 505476			
9 557726 505469 EH50547 (UK Plug) 9 557726 505476			
EH50547 (UK Plug) 9 557726 505476		9 557726 505469	0 557726 505155
9 557726 505476		EH50547 (UK Plua)	9 00/120 000100
9 557726 505476			
9 557726 505476			
3 337720 303470			
		3 337720 303470 ——	

SPECIFICATIONS - STEAMER & IRON





Model	Ampthill 2 in 1 Steamer & Iron	Cheshunt 2 in 1 Digital Steamer & Iron	
Art No	EH50853 (EU Plug) EH50854 (UK Plug)	EH50851 (EU Plug) EH50852 (UK Plug)	
Page	49	51	
Power	220-240V, 50-60Hz	220-240V, 50-60Hz	
Wattage	1650-1950W	1400-1800W	
DUAL SAFE	Yes	Yes	
Water Tank Capacity	170ml	180ml	
Eco Auto Off Function	Yes	Yes	
Anti Drip	No	No	
Thermo Weld Technology	Yes	Yes	
Smin Auto Off Function	Yes	Yes	
Sole Plate Material	Double Layer Ceramic	Double Layer Ceramic	
Cable	Heavy Duty 250cm	Heavy Duty 250cm	
Colour	Black/Grey	Black/Grey	
Plate size	133 x 88mm	143 x 97mm	
Product size	413 x 92 x 143mm	362 x 97 x 180mm	
Weight	900g	950g	
Certification Mark/Warranty	CECB K 🛎	CE CB K	
Packaging Details	10pcs - 57.5 x 45.0 x 31.7cm 13.05kg 0.082CBM	10pcs - 60.0 x 41.0 x 47.2cm 14.78kg 0.1161CBM	
Barcodes	EH50853 (EU Plug) 9 557726 508538	9 557726 508514	
	9 557726 508545	9 557726 508521	







Model	Arundel Foldable Steamer Board	Crawley - Universal Steamer Holder with Anti-Theft	Longridge Steamer Bag
Art No	EH50961	EH50911	EH50920
Page	53	55	56
Material	Cotton/ Foam/ Plastic	Steel Double Non Slip Rubberized Protective Coating Finish	Heat Resistant Cotton Silver Thread Embroidery Strong PP Drawstring
Certification	3	S. S	3
Colour	Charcoal Grey	Black	Black
Dimensions	41 x 95cm	29.0 x 12 x 12.2cm	46 x 25.2cm
Weight	0.86kg	0.472kg	35g
Packaging Details	10pcs- 67 x 42.5 x 27.5cm 10.75kg 0.0783CBM	30pcs- 60 x 46 x 38cm 13.5kg 0.105CBM	200pcs- 55 x 34 x 35cm 10kg 0.06545CBM
Barcodes	EH50961	EH50911	EH50920
	9 557726 509610	9 557726 509115	9 557726 509207

SPECIFICATIONS - TOUGH IRONING BOARDS







			•
Model	Sherington - Ironing Board	Moulton - Ironing Board	Rothwell - Ironing Board Compact
	Fu ll Size	Compact Size	Size with Fixed Metal Rest
Art No	EH50379	EH50380	EH50383
Page	58	58	58
Material	Metal	Metal	Metal
Metal Mesh Top	Yes	Yes	Yes
Rugged Tube	Yes	Yes	Yes
Frame Legs 38mm/28mm			
Suit Hard Wired	Yes	Yes	Yes
Cover Grey Metallic Fabric	Yes	Yes	Yes
Colour	Silver Grey Frame	Silver Grey Frame	Silver Grey Frame
	Grey Fabric Colour	Grey Fabric Colour	Grey Fabric Colour
Underlay Plus Foam	Yes	Yes	Yes
Smooth Binding Edges	Yes	Yes	Yes
Pre fitted System to	Yes	Yes	No
Attached Holders			
Fixed Metal Rest	No	No	Yes
Warranty	3	3	3
Dimensions	109 x 38cm	97 x 33cm	116 x 33cm
Height	87cm	76cm	76cm
Folded Size	133 x 38 x 7cm	117 x 33 x 7cm	128 x 33 x 7cm
Packaging Details	4pcs - 135.5 x 35 x 42.5cm	4pcs - 120.5 x 36 x 37.5cm	4pcs- 131.5 x 35.5 x 38cm
	23.15kg 0.202CBM	20.50kg 0.163CBM	21.55kg 0.177CBM
Barcodes	EH50379	EH50380	EH50383
	9 "557726"503793"	9 557726 503809	9 557726 503830
			-





Model	Stanion - Iron Board Cover	Warkton - Iron Board Cover
	Fu ll Size	Compact Size
Art No	EH50388	EH50387
Page	58	58
Material	100% Cotton, Coated Aluminium	100% Cotton, Coated Aluminium
	Surface, Foam & Polyester	Surface, Foam & Polyester
	Underlay	Underlay
Colour	Charcoal Grey	Charcoal Grey
Warranty	3	3
Dimensions	109 x 38cm	97 x 33cm
Packaging Details	20pcs- 53 x 32 x 51.5cm	20pcs - 53.5 x 33 x 41cm
	6.0kg 0.087CBM	5.5kg 0.072CBM
Barcodes		
	EH50388	EH50387
	9 557726 503885	9 557726 503878

SPECIFICATIONS - IRONING CENTRES SAFETY & STORAGE





Model	Kingsmead	Bromham	
Art No	EH50428 (EU Plug)	EH50442 (EU Plug)	
	EH50429 (UK Plug)	EH50441 (UK Plug)	
Page	60	60	
Inclusions			
Ironing Board/Art No	Sherington (Fu ll Size) / EH50379	Sherington (Full Size) / EH50379	
Iron / Art No	Hertford Steam Iron 1600W /	Yardley Dry Iron 1200W /	
	EH50501 (EU Plug) EH50502 (UK Plug)	EH50548 (EU Plug) EH50549 (UK Plug)	
Iron Holder/Art No	Chorley / EH50518	Deene / EH50398	
Dimensions			
Board	109 x 38 x 87cm	109 x 38 x 87cm	
Folded size without holder	133 x 38 x 7cm	133 x 38 x 7cm	
Folded size with holder	144 x 38 x 7cm	144 x 38 x 7cm	
Packaging Details			
Ironing Board	4pcs-135.5 x 35 x 42.5cm	4pcs-135.5 x 35 x 42.5cm	
	23.15kg 0.202CBM	23.15kg 0.202CBM	
Hertford 1600W	10pcs - 62.5 x 30.5 x 32.5cm		
	11.70kg 0.062CBM		
Iron Yardley 1200W		10pcs-59.5 x 29 x 31cm	
		9.22kg 0.053CBM	
Holder Chorley	12pcs-87.5 x 41.7 x 33.7cm		
	15kg 0.123CBM	12 12 515	
Holder Deene		12pcs-42 x 43 x 54.5cm	
NA Incomplete		14.60kg 0.098CBM	
Warranty	3	3	
Barcodes	EH50428 EH50429	EH50442 EH50441	
	9 557726 504288 9 557726 504295	9 557726 504424 9 557726 504417	





Model	Stagsden	Elstow
Art No	EH50431 (EU Plug)	EH50444 (EU Plug)
	EH50430 (UK Plug)	EH50443 (UK Plug)
Page	60	60
Inclusions		
Ironing Board/Art No	Moulton (Compact Size) / EH50380	Moulton (Compact Size) / EH50380
Iron / Art No	Hertford Steam Iron 1600W /	Yardley Dry Iron 1200W /
	EH50501 (EU Plug) EH50502 (UK Plug)	EH50548 (EU Plug) EH50549 (UK Plug)
Iron Holder/Art No	Chorley / EH50518	Deene / EH50398
Dimensions		
Board	97 x 33 x 76cm	97 x 33 x 76cm
Folded size without holder	117 x 33 x 7cm	117 x 33 x 7cm
Folded size with holder	128 x 33 x 7cm	128 x 33 x 7cm
Packaging Details		
Ironing Board	4pcs - 120.5 x 36 x 37.5cm	4pcs-120.5 x 36 x 37.5cm
	20.5kg 0.163CBM	20.5kg 0.163CBM
Hertford 1600W	10pcs-62.5 x 30.5 x 32.5cm	
	11.70kg 0.062CBM	
Iron Yardley 1200W		10pcs-59.5 x 29 x 31cm
		9.22kg 0.053CBM
Holder Chorley	12pcs-87.5 x 41.7 x 33.7cm	
	15kg 0.123CBM	
Holder Deene		12pcs-42 x 43 x 54.5cm
		14.60kg 0.098CBM
Warranty	3	3
Barcodes	EH50431 EH50430	EH50444 EH50443
	9 557726 504318 9 557726 504301	9 557726 504448 9 557726 504431

SPECIFICATIONS - IRONING CENTRES SAFETY & STORAGE









Model	Stroud - Iron Holder	Stroud - U Hook	Swivel Holder Bracket with Anti Theft Cable Lock	Somerton - Iron Holder
Art No	EH50558	EH50563	EH50562	EH50507
Page	61	61	61	62
Material	Steel	Steel	Steel	Soft Coated Protective
	Double Non Slip Rubberized			Quality Steel Frame
	Protective Coating Finish			
Colour	Grey	Grey	Grey	Grey
Certification	S CONTROL OF THE PERSON OF THE	S CONTRACTO	3	EU:
Mark/Warranty	RECEIVED COMMUNITY DESIGN	REGISTERED COMMUNITY DISISTR	CANIMATOR.	REGISTERED COMMANTY DEBUTY
Dimensions	35.6 x 13.5 x 13cm	20.3 x 10.5 x 6.5cm	8.3 x 6 x 5.2cm	35 x 13.5 x 13cm
Weight	0.635kg	0.140kg	0.274kg	0.60kg
Packaging	12pcs- 60.7 x 43.4 x 36.9cm	100pcs- 67 x 27.8 x 24.5cm	100pcs- 52.5 x 34.5 x 15cm	10set- 90.7 x 28.0 x 30.0cm
Details	9.74kg 0.0972CBM	14kg 0.046CBM	30.4kg 0.0272CBM	6.45kg 0.0762CBM
Barcodes	EH50558	EH50563	EH50562	EH50507
	9 557726 505582	9 557726 505636	9 557726 505629	9 '557726' 505070









		O		
Model	Somerton - J Hook	Oakham - Safety Grip Iron Store	Sandhurst - Open Rail Hook/ Close Rail Hook	Hyde - Wall Bracket
Art No	EH50708	EH50814	EH50556/ EH50566	EH50508
Page	62	63	64	64
Material	Soft Coated Protective	Heat-resistant PA Plate	Steel- Soft Touch Finish	Heavy Duty Carbon Steel
	Quality Steel Frame			Double Silver Powder Coated
				Finish
Colour	Grey	Grey	Grey	Grey
Certification	EU .	EU:	EU INGOSTRINO CONSCIONATY	G Q. AMPL CO
Mark/Warranty	REGISTERIO CONSULTITY OFFICE OF THE CONSULTITY OF THE CONSULT OF T	INCOMPRING COMMUNITY COMMUNITY	PEAR COMMITY COSIN	TELAN (SELAN CATHE)
Dimensions	22 x 10.5 x 5.8cm	24.7 x 15.9 x 2.4cm	6.6 x 6.2 x 12.6cm	170 x 74mm
Weight	0.135kg	0.176kg	0.820kg	0.160kg
Packaging	50pcs- 58.0 x 40.8 x 24.0cm	20set- 33.8 x 26.5 x 29.5cm	100pcs - 47 x 20 x 30cm	100pcs- 70 x 19.5 x 17.5cm
Details	9.80kg 0.0568CBM	5.64kg 0.0264CBM	10.0kg 0.0282CBM	18kg 0.024CBM
Barcodes	EH50708	EH50814	EH50556 (Open Rail Hook)	EH50508
	9 "557726"507081	9 557726 508149	9 "557726"505568	9 "557726"505087"
			EH50566 (Close Rail Hook) 9 "557726"505667	

SPECIFICATIONS - MINIBAR







Model	Keswick 20L Minibar Fridge Silent Thermoelectric (Solid Door)	Bibury 20L Minibar Fridge Silent Thermoelectric (Glass Door)	Chesham 35L Minibar Fridge Silent Thermoelectric (Solid Door)	
Art No	EH50955 (With ON/OFF Switch & Key & Lock. EU Plug) EH50958 (With ON/OFF Switch & Key & Lock. UK Plug)	EH50956 (With ON/OFF Switch & Key & Lock. EU Plug) EH50959 (With ON/OFF Switch & Key & Lock. UK Plug)	EH50925 (With ON/OFF Switch & Key & Lock. EU Plug) EH50930 (With ON/OFF Switch & Key & Lock. UK Plug)	
Page	65	66	67	
Power	58W	58W	58W	
Voltage	100-240V	100-240V	100-240V	
Heater Power	10W	10W	10W	
Capacity	20L	20L	35L	
Refrigeration	R600a	R600a	R600a	
Insulation	Cyclopentane	Cyclopentane	Cyclopentane	
ErP Level	Class E	Class D	Class E	
Noise	22dB (Class A)	22dB (Class A)	22dB (Class A)	
With Key & Lock	Yes	Yes	Yes	
Power On/Off Switch	Yes	Yes	Yes	
Colour	Black/ Solid Door	Black/ Glass Door	Black/ Solid Door	
Material	Plastic + Steel	Plastic + Steel	Plastic + Steel	
Product Dimensions	400(W) x 350(D) x 450(H)mm	400(W) x 350(D) x 450(H)mm	400(W) x 420(D) x 500(H)mm	
Weight	9.5kg	12kg	11.5kg	
Certification Mark/Waranty	CECBUK 🛎	C€CB ĽK 🛎	C€ CB ĽK 🛎	
Packaging Details	1pcs - 45.5 x 40.5 x 52.5cm 10.6kg 0.09674CBM	lpcs - 45.5 x 40.5 x 52.5cm 13.2kg 0.09674CBM	lpcs - 45.5 x 47.5 x 57.5cm 12.7kg 0.12427CBM	
Barcodes	EH50955 (EU Plug) 9 557726 509559 EH60956 (UK Plug) 9 557726 509550	EH50956 (EU Plug) 9 557726 509566 EH509599 (UK Plug) 9 557726 509597	EHS0925 (EU Plug) 9 557726 509252 EHS0930 (UK Plug) 9 557726 509308	







Model	Brixham 35L Minibar Fridge Silent Thermoelectric (Glass Door)	Penzance 40L Minibar Fridge Silent Thermoelectric (Solid Door)	Redditch 40L Minibar Fridge Silent Thermoelectric (Glass Door)	
Art No	EH50933 (With ON/OFF Switch & Key & Lock. EU Plug) EH50934 (With ON/OFF Switch & Key & Lock. UK Plug)	EH50891 (With ON/OFF Switch & Key & Lock. EU Plug) EH50892 (With ON/OFF Switch & Key & Lock. UK Plug)	EH50897 (With ON/OFF Switch & Key & Lock. EU Plug) EH50898 (With ON/OFF Switch & Key & Lock. UK Plug)	
Page	68	69	70	
Power	58W	58W	58W	
Voltage	100-240V	100-240V	100-240V	
Heater Power	10W	10W	10W	
Capacity	35L	40L	40L	
Refrigeration	R600a	R600a	R600a	
Insulation	Cyclopentane	Cyclopentane	Cyclopentane	
ErP Level	Class D	Class E	Class D	
Noise	22dB (Class A)	22dB (Class A)	22dB (Class A)	
With Key & Lock	Yes	Yes	Yes	
Power On/Off Switch	Yes	Yes	Yes	
Colour	Black/ Glass Door	Black/ Solid Door	Black/ Glass Door	
Material	Plastic + Steel	Plastic + Steel	Plastic + Steel	
Product Dimensions	400(W) x 420(D) x 500(H)mm	400(W) x 420(D) x 550(H)mm	400(W) x 420(D) x 550(H)mm	
Weight	13.9kg	13kg	15.7kg	
Certification Mark/Waranty	C€ CB ĽK 🗳	C€ CB ¼ 🍝	CE CB LK	
Packaging Details	1pcs - 45.5 x 47.5 x 57.5cm 15.1kg 0.12427CBM	1pcs - 45.5 x 47.5 x 62.5cm 14.2kg 0.13508CBM	1pcs - 45.5 x 47.5 x 62.5cm 16.9kg 0.13508CBM	
Barcodes	EH50933 (EU Plug) 9 557726 509337 EH50934 (UK Plug)	EH50891 (EU Plug) 9 557726 508910 EH50892 (UK Plug)	EH50897 (EU Plug) 9 557726 508972 EH50898 (UK Plug)	

SPECIFICATIONS - GUEST SAFE BOX





	-	
Model	Derby 14" Top Open Safe	Dewsbury 15" & 17" Hotel Safe
Art No	EH50927	15" - EH50861 17" - EH50862
Page	71	73
Battery	4 x 1.5V AA Batteries	4 x 1.5V AA Batteries
Colour	Black / Grey	Black
Material	Steel	Steel
Dimensions	400(W) x 350(D) x 130(H)mm	15" - 420(W) x 360(D) x 190(H)mm 17" - 420(W) x 480(D) x 190(H)mm
Door Thickness	3mm	Зтт
Body Thickness	1.2mm	1.2mm
With Key & Lock	Yes	Yes
CEU Slot	Nil	Yes (Optional)
Weight	7.4kg	15" - 8kg 17" - 9.5kg
Certification Mark/Warranty	(€	€
Packaging Details	1pcs - 43.5 x 38.5 x 17cm 8.4kg 0.0284CBM	15" ~ 1pcs - 46 x 40.5 x 23.5cm 8.5kg 0.0437CBM 17" ~ 1pcs - 46 x 52.5 x 23.5cm 10kg 0.0567CBM
Barcodes	EH50927 9 557726 509276	EH50851 (15") EH50862 (17') 9 '557726'508613' 9 '557726'508620'



Model	Witney 15" & 17" Hotel Safe		
Art No	15" - EH50859 17" - EH50860		
Page	74		
Battery	4 x 1.5V AA Batteries		
Colour	Black		
Material	Steel		
Dimensions	15" - 420(W) x 360(D) x 190(H)mm 17" - 420(W) x 480(D) x 190(H)mm		
Door Thickness	3mm		
Body Thickness	1.2mm		
With Key & Lock	Yes		
CEU Slot	Yes (Optional)		
Weight	15" - 8kg 17" - 9.5kg		
Certification Mark/Warranty	(E		
Packaging Details	15" ~ 1pcs - 46 x 40.5 x 23.5cm 8.5kg 0.0437CBM 17" ~ 1pcs - 46 x 52.5 x 23.5cm 10kg 0.0567CBM		
Barcodes	EH50859 (IS') EH50850 (IZ') 9 557726 508590 9 557726 508606		

SPECIFICATIONS - ACCESSORIES & ROOM ESSENTIALS







Model	Alton USB Rechargeable Torchlight	
Art No	EH50838	
Page	77	
Power	5V	
Battery	Built in 1200mAh 18650 li-ion	
Wattage	10W	
Lumen	1000 lm	
Beam Distance	100m	
Light Colour	White Light	
Material	ABS	
Charging Port	Micro USB Port	
Charging Time	2 Hours	
Water Proof Rate	IPX4	
Dimensions	13.7 x 3.6 x 2.7cm	
Weight	98g	
Certification Mark/Warranty	(E 🛎	
Packaging Details	100pcs - 52 x 38.5 x 21cm 15kg 0.0420CBM	
Barcodes	EH50838 9 557726 508385	







Model	Woburn - Push Power	Woburn - Push Power	Whitehill Scale
Art No	Digital Bathroom Scale EH50755	Digital Bathroom Scale EH50753	EH50806
		=: := =: ==	
Page	79	79	81
Power	PUSH POWER Button	PUSH POWER Button	2xAAA Battery Included
	Battery Free	Battery Free	
Capacity	5 - 180kg	5-180kg	180kg
Units	Units in KG & LBS	Units in KG & LBS	Units in KG-LB-ST
Colour	Black	White	-
Material	8mm Toughened Safety Glass	8mm Toughened Safety Glass	Stainless Steel
Dimensions	310 x 310 x 30mm	310 x 310 x 30mm	300 x 300 x22mm SS304+6mm Tempered Glass
Weight	1.6kg	1.6kg	1690g
Certification Mark/Warranty	CE ER 🐔	CE ER 💆	CE ER S
Packaging	6pcs- 37.5 x 34.5 x 34.5cm	6pcs- 37.5 x 34.5 x 34.5cm	6pcs - 33 x 24 x 33.5cm
Details	14.50kg 0.0446CBM	14.50kg 0.0446CBM	11.2kg 0.0265CBM
Barcodes	EH50755	EH50753	EH50806
	9 557726 507555	9 557726 507531	915577261508064

SPECIFICATIONS - ACCESSORIES & ROOM ESSENTIALS









Model	Fairford	Wilton Scale - Black	Wilton Scale - Natural	Ashton
	Digital Bathroom Scale			Digital Bathroom Scale
Art No	EH50928	EH50789	EH50835	EH50358
Page	82	83	84	85
Power	2xCR2032	3xAAA Battery Included	3xAAA Battery Included	2xAAA
	Lithium Iron			Battery Included
	Battery Included			
Capacity	5 - 180kg	5-180kg	5-180kg	180kg
Units	KG-LB-ST	KG-LB-ST	KG-LB-ST	KG-LB
Colour	White	Black	Natural	Black
Material	Non Slip Tempered Glass Platform	First Grade Bamboo	First Grade Bamboo	Tempered Glass Platform
Dimensions	300 x 300 x 22mm	300 x 300 x 31mm	300 x 300 x 31mm	300 x 300 x 24mm
	8mm Tempered Glass	15mm Real Bamboo	15mm Real Bamboo	8mm Tempered Glass
Weight	1.985kg	1105g	1105g	1.95kg
Certification Mark/Warranty	CE EK 🛎	CE EK	CE EK	CE EK 🛎
Packaging	4pcs- 35 x 20.5 x 35.5cm	6pcs - 33 x 28.5 x 33.5cm	6pcs - 33 x 28.5 x 33.5cm	6pcs= 33.8 x 31.4 x 34.9cm
Details	9.3kg 0.026CBM	9.2kg 0.0315CBM	9.2kg 0.0315CBM	13.20kg 0.037CBM
Barcodes	EH50928	EH50789	EH50835	EH50358
	9 557726 509283	9155772815078901	9#557728#508354#	9 557726 503588



SPECIFICATIONS - SERIES - A





	T
Model	1600W Cylindrical Hairdryer
Art No	SA90035 (EU)
	SA90034 (UK)
Page	87
Power	220-240V, 50-60Hz
Wattage	1400-1800W
DUAL SAFE	No
Heat Setting	2
Removable Filter	Yes
Steam Mesh Blade Cover	Yes
On /Off Press Switch	No
Thermostat Overheat	Yes
Protection	
Material	Plastic with Luxury Matt Finish
Cable length	Straight Cable 1.8M
Colour	Black
Dimensions	17.7 x 23.5 x 7.5cm
Weight	530g
Certification Mark/ Warranty	C€ CB ¼ 🛎
Packaging Details	20pcs - 31.5 x 44.5 x 52cm 12kg 0.0729CBM
Barcodes	SA90034 (UK Plug) 9 557726 900343
	SA90035 (EU Plug) 9

Model	Emergency Torchlight INSTANT-ON
Art No	SA90007 (EU Charger) SA90006 (UK Charger) SA90005 (Battery)
Page	88
Power	AC100V-250V, 50-60Hz
Battery	x3 1.5V AA Alkaline or Lithium Batteries (NOT INCLUDED)
Wattage	3.9W - hours
Lumen	120 lumen
Beam Angle	180°
Light Colour	White Light
Material	Aluminium and ABS
Holder Dimensions	175mm x 60 mm
Torchlight Dimensions	178mm x 44 mm
Weight	280g
Certification Mark/Warranty	C€
Packaging Details	40pcs - 43 x 29 x 36cm 14.0kg 0.045CBM
Barcodes	SA90005 SA90007 (Battery) (EU Plug)
	9 557726 900059 9 557726 900073
	SA90006 (UK Plug)
	9 557720 900060





TOUGH BOARD - Rugged & Durable; We have combined a rugged frame with heavy duty metal components and robotic welds to withstand guests' tough use.



DUAL SAFE - an organic, thermo-sensitive material, remarkably sensitive to abnormally high temperatures. Upon sensing critical heat levels, DUAL SAFE activates and the electrical current will be interrupted immediately and permanently.



WATER TANK TECHNOLOGY - Special anti-fracture water tank welding technique ensures a permanent seal to prevent water leakage.



www.emberton.com info@emberton.com

EH50977

© 2026 All Rights Reserved.