

EMBERTON™

*EMBERTON. INVEST FOR
YOUR GUEST*

GUEST ROOM



**INNOVATION, DESIGN
& MANUFACTURE** for
ELECTRICAL APPLIANCES

www.emberton.com



EMBERTON™

Established 1986

EMBERTON. INVEST FOR YOUR GUEST

"Sustainable Investing in electrical engineering & technology to improve the safety, reliability & performance of electrical appliances worldwide"

Safety, robustness and reliability are built into all of our professional range of guest room products. Emberton products are a solid investment, adding value to your assets.

With 35 years of history - design, innovation & creativity is our passion and the very heart of Emberton.

Working closely with a panel of experienced hoteliers helps us to understand the trends, habits & behavior of guests, perfecting our product innovations all the way from development to production.

SUSTAINABILITY & INNOVATION



At EMBERTON, we strive to make a positive impact on the world around us.

Increased use of recycled materials, eliminating single use plastics and a drive towards localised manufacturing, these sustainable practices enable us to create lasting value for our customers, employees, and the communities we serve.

Emberton is committed to driving positive change by reducing our environmental impact, promoting social responsibility, and maintaining the highest ethical standards. Through readily available, easily inter-changeable components and spare parts we can substantially prolong the service life of our products.

Emberton products are available through a global network of specialist hotel supply distributors, with professional support and service to match the expectation of the Emberton brand.

Let's build a future that thrives—one sustainable choice at a time.



IRONING CENTRE SYSTEM

TOUGH Board Series



- Rugged Tube Frame Legs 38mm/28mm
- Steam Flow Metal Mesh Top
- 2mm Foam and 5mm Felt Combination Padding
- Smooth Binding Edges to Withstand Fraying
- Cover Material : Cotton with Felt Underlay
- Cover Colour : Black
- Frame Colour : Textured Matt Black



SHERINGTON BLACK (Full)



Board Dimensions :
■ Size : 109cm x 38cm
■ Height : 87cm

BROMHAM
■ Full size with 1200W Dry Iron + Deene)
■ EU PLUG : EH50442
■ UK PLUG : EH50441

KINGSMEAD
■ Full size with 1600W Steam Iron + Chorley)
■ EU PLUG : EH50428
■ UK PLUG : EH50429

MOULTON BLACK (Compact)



Board Dimensions :
■ Size : 97cm x 34cm
■ Height : 76cm

ELSTOW
■ (Compact size with 1200W Dry Iron + Deene)
■ EU PLUG : EH50444
■ UK PLUG : EH50443

STAGSDEN
■ (Compact size with 1600W Steam Iron + Chorley)
■ EU PLUG : EH50431
■ UK PLUG : EH50430

ROTHWELL BLACK (Compact)



Board Dimensions :
■ Size : 97cm x 33cm
■ Height : 76cm



REGULAR IRONING BOARD
with Fixed Metal Iron Rest

SOMERTON

Universal Iron & Board Store



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc



- Universal Fitting - Fits almost all iron types and sizes
- Soft Coated Protective Frame - protects iron from scratches and damage
- Heat Resistant Protective Iron Pad to prevent sole plate damage and absorb heat
- Holder Dimensions : W350 x D135 x H130mm
- Holder Weight : 600g



SOMERTON
EH50507



OPTIONAL J HOOK TO HANG IRONING BOARD
EH50708

OAKHAM

Safety Grip Iron Store



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc




- Unique Guide & Slide Safety Solution
- Holds Iron Securely
- Strong & Sturdy
- Improves Guest Room Safety
- Plate Dimensions : W247 x D159 x H24mm
- Plate Weight : 197g
- Cable Wrap Dimensions : 300mm x 25mm
- Cable Wrap Thickness : 3.75mm



OAKHAM
EH50814



OPTIONAL SWIVEL HOLDER BRACKET & ANTI-THEFT CORD LOCK
EH50562



OPTIONAL J HOOK TO HANG IRONING BOARD
EH50708



STROUD IRON HOLDER

SAFE. UNIQUE.
ROBUST. CONVENIENT



- Unique and Patented Design – sliding frame design secures iron
- Convenient, Easy and Safe – swivel, lift out & replace during ironing
- Universal Fitting - Suits and fits almost all iron types and sizes
- Protective Silicon Pad protects sole plate
- System Options – Ironing Centre or Iron Store



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc



ANTI-THEFT CABLE LOCK
on Optional Iron Board
Mount Bracket



IRON HOLDER FRAME
EH50558



IRON BOARD U HOOK
EH50563



EH50558

**OPTIONAL
IRON BOARD
U HOOK**
EH50563

IRONING BOARD COVER

Engineered Series



- Steam Flow Metal Mesh Top
- 2mm Foam and 5mm Felt Combination Padding
- Smooth Binding Edges to Withstand Fraying
- Cover Material : Cotton with Felt Underlay
- Cover Colour : Black



EH51018

STANION BLACK (Cover)
(Full Size)
Cover Dimensions :
■ Size: 109cm x 38cm



EH50819

WARKTON BLACK (Cover)
(Compact Size)
Cover Dimensions :
■ Size: 97cm x 33cm

IRON BOARD HOLDERS OPTION

- Stores ironing board efficiently in wardrobe or on wall
- Removable, anti-theft or wall mounted options available



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc



**HYDE
WALL HOLDER**
EH50508



**SANDHURST
CLOSE LOOP HOOK**
EH50566



**SANDHURST
LIFT OFF HOOK**
EH50556



AMPTHILL

Hotel Safety 2 in 1 Steamer & Iron



EU PLUG : EH50853
UK PLUG : EH50854

- Powerful - 1950W
- Safety Auto Shut Off - 5 minutes
- Continuous Steam Action
- Steam Rate 20-30 grams/minute
- Steam & Dry Ironing - Vertically & Horizontally
- Power : AC 220-240V, 50-60Hz
- Water Tank Capacity : 170ml
- Soleplate size : W133 x D88mm
- Weight : 900g
- Certification : CE, GS, CB, UKCA & RoHS Approved

CHESHUNT

Hotel Safety 2 in 1 Digital Steamer & Iron




EU PLUG : EH50851
UK PLUG : EH50852

- Powerful - 1800W
- Safety Auto Shut Off - 5 minutes
- Continuous Steam Action
- Steam Rate 18-25 grams/minute
- One-touch Operation with LED Display Panel
- Steam & Dry Ironing - Vertically & Horizontally
- Power : AC 220-240V, 50-60Hz
- Water Tank Capacity : 180ml
- Soleplate size : W143 x D97mm
- Weight : 950g
- Certification : CE, GS, CB, UKCA & RoHS Approved

CRAWLEY

Universal Steamer Holder with Anti-Theft Function



EH50911

- Designed to fit **EMBERTON™** Steamer
- Protective Silicone Pad protects soleplate and prevent scratches
- Anti-Theft Cable Lock included
- Durable and Robust Hook
- Holder Dimensions : W290 x D120 x H122mm
- Holder Weight : 472g

ARUNDEL

Foldable Steamer Board



Designed for both horizontal and vertical ironing using the **EMBERTON™** 2-in-1 Steamer & Iron

- Built-in 360° hanging hook for flexible steaming and easy storage
- Foldable design with strap for easy storage
- Product Material : Cotton/ Foam/ Plastic
- Board Size : 410 x 930mm (Hook Included)
- Folded Size : 410 x 260 x 65mm
- Weight : 860g



EH50961

LONGRIDGE

Steamer & Iron 2 in 1 Bag

- Heat Resistant Cotton
- Strong PP Drawstring
- Design to fit **EMBERTON™**
- Steamer & Iron
- Dimensions : 460 x 252mm
- Weight : 35g



EH50920

CROFT DELUXE

2000W Hotel Safety Steam Iron Black



EASY STEAM FINGER
Release Button

- 3 - Way Auto-Cut Off safety Motion Sensor 30 seconds unattended on Soleplate or Side and 5 minutes upright
- Dual Safe - Thermostat & Latest Technology Internal Fuse
- ECO Auto Off Function for Energy Saving & Environmental Protection
- FUSION Anti-Leak - New water tank assembly method using wire frame and latest thermo-weld technology, prevents tank fracture
- Ceramic Soleplate
- Plate size : W228 x D123mm
- Power : AC 220-240V, 50-60Hz
- Weight : 1180g
- Certification : CE, CB, GS & UKCA Approved

BLACK

EU PLUG : EH50785
UK PLUG : EH50786

HERTFORD

1600W Hotel Safety Steam Iron Black



Also available in



White



- 3 - Way Auto-Cut Off safety Motion Sensor 30 seconds unattended on Soleplate or Side and 5 minutes upright
- ECO Auto Off Function for Energy Saving & Environmental Protection
- FUSION Anti-Leak - New water tank assembly method using wire frame and latest thermo-weld technology, prevents tank fracture
- Ceramic Soleplate
- Plate size : W206 x D113mm
- Power : AC 220-240V, 50-60Hz
- Weight : 982g
- Certification : CE, CB, RoHS & UKCA Approved

BLACK

EU PLUG : EH50501
UK PLUG : EH50502

WHITE

EU PLUG : EH50546
UK PLUG : EH50547



ASHFORD

1600W Hi-Speed Brushless Motor Hairdryer
Titanium Grey

SHERE



Hairdryer Stand Option (SHERE)

ELY



Hairdryer Box Option (ELY)



EU PLUG : EH50918
UK PLUG : EH50919

SHERE ELY
EH50949 EH50950

- High-Speed Brushless Motor 110,000 RPM
- Strong Airflow Speed: 70M/S in High Setting, 50M/S in Lower Setting
- 3 Intelligent Heat Modes: Hot, Warm, Cold
- Ionic Technology
- Power : 1400-1600W (AC220-240V, 50-60Hz)
- Dimensions : 123mm x 270mm x 74mm
- Weight : 535g
- Certification : CE, CB, UKCA & RoHS Approved

THAMES

Hotel Safety 1875W
Hairdryer with Wall Mount Option
Matt Black

MURSLEY



Wall Mounted Hairdryer Holder with Anti-theft Cable Track



EU PLUG : EH50844
UK PLUG : EH50845

MURSLEY
● CHROME BLACK EH50440
● BLACK EH50608
● WHITE EH50609

- Hotel Safety ON/OFF Press Switch to save energy & avoid misuse
- Dual Safe - Thermostat & Latest Technology Internal Fuse
- Generous 350cm Long Extendable COIL cord
- Power : 1800-2200W (AC220-240V, 50-60Hz)
- Dimensions : 240mm x 85mm x 280mm
- Weight : 615g
- Certification : CE, CB, RoHS & GS Approved

EMSWORTH

Hotel Safety Hairdryer 1875W
Ionic Ceramic

DEVIZES



Wall Mounted Hairdryer Holder Option (DEVIZES) with Anti-theft Lock Cable Track



EU PLUG : EH50846
UK PLUG : EH50847

DEVIZES
EH50866

- Hotel Safety ON/OFF Press Switch Saves Energy & Safe
- Ionic Ceramic for Smooth Shiny Result
- 2 Speed/ 2 Heat & Cool Shot Settings
- Dual Safe - Thermostat & Latest Technology Internal Fuse
- Power : 1875W DC Motor (AC220-240V, 50-60Hz)
- Dimensions : 197mm x 78mm x 218mm
- Weight : 600g
- Certification : CE, CB, UKCA & RoHS Approved

MARLOW DELUXE

Foldable Hairdryer 1875W
Ionic Ceramic



Cool Shot



Folds for Convenience



EU PLUG : EH50879
UK PLUG : EH50880

- COOL SHOT Button Blasts cool air to help set your style
- 2 Speed/3 Heat Settings
- Dual Safe - Thermostat & Latest Technology Internal Fuse
- Ergonomic Slide Grip Switch for easier control of speed and heat
- Power : 1875W DC Motor (AC220-240V, 50-60Hz)
- Dimensions : 265mm x 89mm x 280mm
- Weight : 520g
- Certification : CE, CB, UKCA & RoHS Approved

HARROW

1600W Folding Hairdryer
Matt Black

MURSLEY



Fold for Convenience



Wall Mounted Hairdryer Holder with Anti-theft Cable Track



EU PLUG : EH50778
UK PLUG : EH50777

MURSLEY
● CHROME BLACK EH50440
● BLACK EH50608
● WHITE EH50609

- Hotel Safety ON/OFF Press Switch to save energy & avoid misuse
- Dual Safe - Thermostat & Latest Technology Internal Fuse
- 1600 Watt Power DC Motor (AC220-240V, 50-60Hz)
- Dimensions : 140mm x 77mm x 231mm
- Weight : 390g
- Certification : CE, CB, RoHS & UKCA Approved

DEVIZES

Wall Mounted Hairdryer Holder
with Anti-Theft Cable Track

Also available in



Titanium Grey EH50951



EH50866

- Built in Anti-theft Cable Tracks
- Easily Mounts on Wall
- Suitable for Cylindrical Shape Hairdryer
- Dimensions : 90mm x 90mm x 78.5mm
- Weight : 56g

CYLINDRICAL HAIRDRIER AVAILABLE

	ASHFORD EU PLUG : EH50918 UK PLUG : EH50919		EMSWORTH EU PLUG : EH50846 UK PLUG : EH50847		SERIES-A EU PLUG : SA90035 UK PLUG : SA90034
--	--	--	---	--	---

LATHBURY

Hairdryer Bag Black Velvet



EH50357

- High Quality Black Soft Velvet
- Strong Black PP Drawstring
- Silver Thread Embroidery - HAIRDRIER
- Dimensions : 400mm x 300mm
- Weight : 65g



EVESHAM

1.0L Double Wall Safety Insulated Kettle . STC



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc



Available in Black



EU PLUG : EH50714
UK PLUG : EH50715
MATT BLACK
EU PLUG : EH50724
UK PLUG : EH50725

- Boil Aware 360 : active BLUE boil-on LED pilot ALERT light encircles complete body with 360° glow for added safety awareness during boiling
- Double Layer Safety Insulation - reduces surface heat to help prevent scalding & heat loss
- Illuminated Water window - clear and brightly lit blue LED for greater clarity of water level
- Advanced Technology Isolation Boil Dry
- 1500-1800 Watt (220-240V, 50-60 Hz)
- Dimensions : 220mm x 143mm x 220mm
- Weight : 930g
- Certification : CE, CB, RoHS, GS & UKCA Approved

BANBURY

SEAMLESS Double Wall Safety Insulated Kettle 0.8L



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc



EU PLUG : EH50840
UK PLUG : EH50839

- Highest Quality & Sturdy Body & Lid
- High Grade SS304 Stainless Steel Body & Heat Plate
- ECO saves Water and Energy
- SEAMLESS Stainless Steel Interior & Concealed Heating Element for Easy Cleaning
- Auto Off Power Indicator Light
- Advance Technology Isolation Boil Dry
- 800W (220-240V, 50-60Hz)
- Dimensions : 190mm x 130mm x 200mm
- Weight : 750g
- Certification : CE, CB, UKCA & RoHS Approved

CORSHAM

1.0L Brushed Stainless Steel Kettle. STC



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc



Available in Black



CORSHAM 1.0L
EU PLUG : EH50633
UK PLUG : EH50632
MATT BLACK
EU PLUG : EH50705
UK PLUG : EH50709

- Advanced Technology Isolation Boil Dry
- High Grade SS304 Stainless Steel Body & Heat Plate
- 800-950 Watt (220-240V, 50-60 Hz)
- Dimensions : 197mm x 143mm x 209mm
- Weight : 790g
- Certification : CE, CB, RoHS & UKCA Approved

MALVERN

0.5L Brushed Stainless Steel Kettle. STC



Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc



Available in Black



- Advanced Technology Isolation Boil Dry
- High Grade SS304 Stainless Steel Body & Heat Plate
- 800-950 Watt (220-240V, 50-60 Hz)
- Dimensions : 190mm x 150mm x 185mm (**MALVERN**)
- Weight : 770g
- Certification : CE, CB, RoHS & UKCA Approved

MALVERN 0.5L
EU PLUG : EH50550
UK PLUG : EH50551
MATT BLACK
EU PLUG : EH50726
UK PLUG : EH50727

GUILDFORD

0.8L Premium Hotel Kettle Black.EHC



- ECO-Saves Water & Energy – 0.8L & 950 watts
- SS 304 Stainless Steel Heat Boiling Plate
- 870 - 1035W (220-240V, 50-60Hz)
- Dimensions : 187mm x 139mm x 180mm
- Weight : 605g
- Certification : CE, CB, RoHS & UKCA Approved


Available in White



BLACK
EU PLUG : EH50740
UK PLUG : EH50741

WHITE
EU PLUG : EH50743
UK PLUG : EH50742





NO to PVC & PU Fake Leather

- **ENVIRONMENTAL IMPACT** : The production process uses fossil fuels and synthetic chemicals, leading to air pollution, water pollution and greenhouse gas emissions.
- **TOXICITY CONCERNS** : Contains phthalates, lead, and heavy metals that can pose risks to human health.
- **WASTE GENERATION** : Plastics create substantial waste in their production, use and disposal phases.
- **RECYCLING CHALLENGES** : It poses challenges in terms of recycling.
- **SUSTAINABLE ALTERNATIVES** : There are many sustainable and eco-friendly alternatives available in the market. For example, **BAMBOO IS AN EXCELLENT NATURAL ALTERNATIVE IS MADE INTO TRAYS & FURNITURE.**

YES to Bamboo

- **FASTEST GROWING PLANT IN THE WORLD** : Shooting out of the ground at an astonishing 4 cm/sec. Some species are capable of growing 91 cm in a single day.
- **DURABILITY & SUSTAINABLE** : It protects the soil and land by keeping them together to prevent erosion.
- **STRONG & FLEXIBLE** : This material is a durable alternative to steel and is commonly used in instruments, sports equipment and other items.
- **ECO-FRIENDLY** : This plant produces 35% more oxygen and can absorb 12 tonnes of carbon dioxide per hectare annually.
- **EROSION CONTROL & SOIL PROTECTION** : Its fast growth, dense canopy and extensive root system make it ideal for soil protection.
- **WATER CONSERVATION** : This plant requires less water, thrives in areas with limited resources and helps conserve water.

WINSFORD

Espresso Coffee Welcome Tray with Protective Spillage Tray



EH50836

(Tray Only - Excludes Coffee Machine, Kettle, Cups & Ingredients)

- Removable Tray Prevents Spillage & Protects Surface
- Drawer stores condiments 57mm high
- Easy Slide In & Out Multiple Compartments Drawer
- Designed to fit most types of compact espresso machines
- Dimensions : W370 x D350 x H88mm
- Weight : 3750g

AMESBURY

Compact Espresso Drawer Tray



EH50833

(Tray Only - Excludes Coffee Machine, kettle, Cups & Ingredients)

- Drawer Stopper - Spring Retaining Clip Prevents Intentional Removal of Drawer
- Large Drawer Tray with 4 compartments.
- Designed to Fit Most Types of Compact Espresso Machines
- Dimensions : W315 x D390 x H75mm
- Weight : 2640g



CERTIFIED
FOOD
GRADE



DUST
FREE



eco

CONDIMENTS
STORE

1st GRADE
BAMBOO

CAMBOURNE PLUS

Drawer Welcome Tray with Protective Spillage Tray



EH50834

(Tray Only - Excludes Kettle, Cups & Ingredients)

- Removable Perforated Stainless Steel Tray - Prevents Spillage & Protects Tray Surface
- Easy Slide In & Out Multiple Compartments Drawer
- Condiment Drawer stores condiments 58mm high
- Designed for use with all **EMBERTON™** kettle types
- Dimensions : W272 x D194 x H85mm
- Weight : 1450g

TONGWELL

Bamboo Welcome Tray



EH50289

(Tray Only - Excludes Kettle, Cups & Ingredients)

- Tray Accomodate Kettle Base Controller of 143mm Diameter
- Designed to fit **EMBERTON™** Kettles
- Dimensions : W260 x D260 x H30mm
- Weight : 850g



CERTIFIED
FOOD
GRADE



DUST
FREE



eco

CONDIMENTS
STORE

1st GRADE
BAMBOO





FENLAND

Espresso Tray & Condiment Box



[Tray & Condiment Box Only - Excludes Coffee Machine, Kettle, Cups & Ingredients]



ESPRESSO TRAY

EH50820

Dimensions : W500 x D438 x H40mm
Weight : 2150g



CONDIMENT BOX

EH50821

Dimensions : W190 x D210 x H70mm
Weight : 600g

- Easy to Clean - Smooth Surface to Wipe Clean
- Neat and Tidy Condiments Presentation
- Designed to Fit Most Types of Compact Espresso Machines



CERTIFIED
FOOD
GRADE

DUST
FREE

CONDIMENTS
STORE



1st GRADE
BAMBOO

WINSFORD

Espresso Coffee Welcome Tray
with Protective Spillage Tray



EH50756

[Tray Only - Excludes Coffee Machine, Kettle, Cups & Ingredients]

- Removable Tray Prevents Spillage & Protects Surface
- Drawer stores condiments 57mm high
- Easy Slide In & Out Multiple Compartments Drawer
- Designed to fit most types of compact espresso machines
- Dimensions : W370 x D350 x H88mm
- Weight : 3750g

AMESBURY

Compact Espresso Drawer Tray



EH50813

[Tray Only - Excludes Coffee Machine, kettle, Cups & Ingredients]

- Drawer Stopper - Spring Retaining Clip Prevents Intentional Removal of Drawer
- Large Drawer Tray with 4 compartments
- Designed to Fit Most Types of Compact Espresso Machines
- Dimensions : W315 x D390 x H75mm
- Weight : 2640g



CERTIFIED
FOOD
GRADE

DUST
FREE


CONDIMENTS
STORE



1st GRADE
BAMBOO

CAMBOURNE PLUS

Drawer Welcome Tray
with Protective Spillage Tray



EH50688

[Tray Only - Excludes Kettle, Cups & Ingredients]

- Removable Perforated Stainless Steel Tray - Prevents Spillage & Protects Tray Surface
- Easy Slide In & Out Multiple Compartments Drawer
- Condiment Drawer stores condiments 58mm high
- Designed for use with all **EMBERTON™** kettle types
- Dimensions : W272 x D194 x H85mm
- Weight : 1450g

TONGWELL

Bamboo Welcome Tray



EH50467

[Tray Only - Excludes Kettle, Cups & Ingredients]

- Tray Accomodate Kettle Base Controller of 143mm Diameter
- Designed to fit **EMBERTON™** Kettle
- Dimensions : W260 x D260 x H30mm
- Weight : 850g



CERTIFIED
FOOD
GRADE

DUST
FREE

CONDIMENTS
STORE



1st GRADE
BAMBOO



ANDOVER

ABS Integrated Welcome Tray



Matt Black. ABS



Anti-theft Cable Lock



EH50873

[Kettle, Cups & Ingredients not included]


- Durable Stain & Heat Resistant ABS
- Removable Perforated Matt Black Stainless Steel Drip Tray to Prevent Spillage
- Tray Accommodates Kettle Base Controller of 143mm Diameter
- Anti-theft Function-CORD/CABLE Lock System
- Designed to fit **EMBERTON™** Kettle
- Dimensions : W363 x D241 x H30mm
- Weight : 400g

LAVENHAM

ABS Welcome Tray with Storage Drawer



Diameter 143mm



Anti-theft Cable Lock System



EH50954

[Kettle, Cups & Ingredients not included]


- Durable Stain, Scratch & Heat Resistant ABS
- Drawer stores condiments 40mm high
- Removable Perforated Matt Black Stainless Steel Drip tray to Prevent Spillage
- Drawer Stopper - Prevents Intentional Removal of the Drawer
- Anti-theft Function-CORD/CABLE Lock System
- Designed to fit **EMBERTON™** Kettles
- Dimensions : W279 x D240 x H55mm
- Weight : 505g

MERE

Kettle Controller Base Adaptor



Exquisitely Crafted Adaptor for Hosting **BANBURY** Kettle



EH50913



Diameter: 131mm

- Heat Resistant ABS
- Designed to Fit **EMBERTON™** Trays with 143mm cutout
- Easy to Install and Remove for Convenient Cleaning
- The Widened Outer Edge Subtly Resists Contaminants Like Coffee Grounds
- Inner Diameter of 131mm
- Dimensions : W150 x D150mm
- Weight : 26g

HEYWOOD SLATE

ABS Welcome Tray with Service Tray & Amenity Holder - Matt Black



[Kettle, Cups & Ingredients not included]

MAIN TRAY

EH50822

Dimensions : W358 x D258 x H10mm
Weight : 285g

AMENITY HOLDER

EH50824

Dimensions : W145 x D75 x H40mm
Weight : 85g

SERVICE TRAY

EH50823

Dimensions : W235 x D110 x H10mm
Weight : 75g

ABS Compact Tray & Amenity Organiser
Matt Black



[Kettle, Cups & Ingredients not included]

COMPACT TRAY

EH50825

Dimensions : W330 x D160 x H10mm
Weight : 170g

AMENITY ORGANISER

EH50826

Dimensions : W125 x D80 x H58mm
Weight : 120g

- Durable Stain & Heat Resistant ABS
- Space Saving Ultra Compact
- Elegant Soft Contour Design
- Robust & Sturdy Construction
- Designed for use with all **EMBERTON™** kettle types

HALSTEAD

Integrated Kettle Welcome Tray
Matt Black

Also available in



Matt White



BLACK : EH50678
WHITE : EH50679



- Integrated Kettle Slot to Defer Theft
 - Robust & Durable Stain, Heat & Scratch Resistant Melamine
 - Innovative & Unique Synthetic Slate Effect
 - Designed for use with all **EMBERTON™** kettle types
 - Tray accommodates kettle base controller of 143mm Diameter
 - Dimensions : W262 x D262 x H30mm
 - Weight : 610g
- [Kettle, Cups & Ingredients not included]

WALTON

ABS Welcome Tray



EH50175


[Kettle, Cups & Ingredients not included]

- Wood Grain Handfeel to Reduce Finger Marks
- Removable Perforated Stainless Steel Drip tray to Prevent Spillage
- Tray Accommodates Kettle Base Controller of 143mm Diameter
- Designed to fit **EMBERTON™** Kettle
- Dimensions : W460 x D225 x H35mm
- Weight : 738g



WHITEHILL

Stainless Steel Scale



Wide LCD Display
76mm x 40mm



Stable and Rigid Platform
with Anti-fingerprint coating



EH50806

- High Precision Sensors for accurate weight
- Smudge-resistant and easy-to-clean high quality Stainless Steel 304 Platform
- Anti-Fingerprint coating to reduce scratches
- Weighs up to 180kgs
- Overload & Error Indication
- Low Battery Indicator
- Units in KGS, LBS & STONES
- Dimensions : W300 x D300 x H22mm
- Battery : 2xAAA battery included
- Certification : CE, UKCA & RoHS Approved
- Weight : 1690g

FAIRFORD

Digital Bathroom Scale



Wide LCD Display
81mm x 43mm



Stable and Rigid Platform
with Anti-fingerprint coating



EH50928

- Non slip glass with 8mm tempered glass
- Auto Switch ON/OFF saves battery life
- Weighs up to 180kgs
- Overload & Error Indication
- Low Battery Indicator
- Units in KGS, LBS & STONES
- Dimensions : W300 x D300 x H22mm
- Battery : 2x CR2032 battery included
- Certification : CE, UKCA & RoHS Approved
- Weight : 1985g

WOBURN

PUSH POWER Digital Bathroom Scale



Battery-Free
PUSH POWER Button



Available in **WHITE**




BLACK : EH50755
WHITE : EH50753

- BATTERY-FREE – powered by PUSH POWER Button
- 4 High Precision Sensors for Accurate Weight
- TOUGHENED SAFETY GLASS 8MM Thickness
- Weighs up to 180kgs
- Units in KGS & LBS
- Auto Switch OFF
- Dimensions : W310 x D310 x H30mm
- Weight : 1600g
- Certification : CE, UKCA & RoHS

ASHTON

Digital Bathroom Scale



EH50358

- Toughened Safety Glass 8mm thickness
- Large LCD Display 75mm x 31mm
- Dimensions : W300 x D300 x H24mm
- Uses 2 x AAA Batteries (included)
- Weighs up to 180kgs
- Weight : 1950g
- Certification : CE, UKCA & RoHS



WILTON

Bamboo Scale



Wide LCD Display
76mm x 40mm



15mm Real Bamboo



Black
EH50789



Natural
EH50835

- High Precision Sensors for accurate weight
- High-quality, anti-mildew surface made out of real bamboo 15mm thickness
- Weighs up to 180kgs
- Stable & Rigid Platform
- Overload & Error Indication
- Low Battery Indicator
- Units in KGS, LBS & STONES
- Designed & Manufactured for use in Guest Bedrooms, Living Rooms, Suites etc.
- *NOT SUITABLE FOR USE IN BATHROOMS

- Dimensions : W300 x D300 x H31mm
- Voltage : 3V
- Battery : 3 x AAA batteries included
- Material : 15mm Real Bamboo
- Certification : CE, UKCA & RoHS Approved
- Weight : 1105g



MINIBAR

KESWICK

20L Minibar Fridge Silent
Thermoelectric (Solid Door)
with On/Off Switch & Key & Lock



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



- Non-wearing Peltier Thermoelectric
- Fuzzy Logic Control System
- No Moving Parts - 100% Silent
- ErP Level : Class F
- Noise : 22dB (Class A)
- Cooling Temperature : 8°C
- Ambient Temperature : 25°C
- Voltage : 220-240V
- Power : 60W
- Refrigeration : R600a
- Certification : CE, CB, UKCA & RoHS Approved
- Capacity : 20L
- Dimensions : W400 x D350 x H450mm
- Weight : 9.5kg
- Item Code : EH50955 - With ON/OFF Switch & Key & Lock. EU PLUG
- EH50958 - With ON/OFF Switch & Key & Lock. UK PLUG

BIBURY

20L Minibar Fridge Silent
Thermoelectric (Glass Door)
with On/Off Switch & Key & Lock



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



- Non-wearing Peltier Thermoelectric
- Fuzzy Logic Control System
- No Moving Parts - 100% Silent
- ErP Level : Class F
- Noise : 22dB (Class A)
- Cooling Temperature : 12°C
- Ambient Temperature : 25°C
- Voltage : 220-240V
- Power : 60W
- Refrigeration : R600a
- Certification : CE, CB, UKCA & RoHS Approved
- Capacity : 20L
- Dimensions : W400 x D350 x H450mm
- Weight : 12kg
- Item Code : EH50956 - With ON/OFF Switch & Key & Lock. EU PLUG
- EH50959 - With ON/OFF Switch & Key & Lock. UK PLUG

CHESHAM

35L Minibar Fridge Silent
Thermoelectric (Solid Door)
with On/Off Switch & Key & Lock



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



- Non-wearing Peltier Thermoelectric
- Fuzzy Logic Control System
- No Moving Parts - 100% Silent
- ErP Level : Class E
- Noise : 22dB (Class A)
- Cooling Temperature : 8°C
- Ambient Temperature : 25°C
- Voltage : 220-240V
- Power : 60W
- Refrigeration : R600a
- Certification : CE, CB, UKCA & RoHS Approved
- Capacity : 35L
- Dimensions : W400 x D420 x H500mm
- Weight : 11.5kg
- Item Code : EH50925 - With ON/OFF Switch & Key & Lock. EU PLUG
- EH50930 - With ON/OFF Switch & Key & Lock. UK PLUG

BRIXHAM

35L Minibar Fridge Silent
Thermoelectric (Glass Door)
with On/Off Switch & Key & Lock



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



- Non-wearing Peltier Thermoelectric
- Fuzzy Logic Control System
- No Moving Parts - 100% Silent
- ErP Level : Class F
- Noise : 22dB (Class A)
- Cooling Temperature : 12°C
- Ambient Temperature : 25°C
- Voltage : 220-240V
- Power : 60W
- Refrigeration : R600a
- Certification : CE, CB, UKCA & RoHS Approved
- Capacity : 35L
- Dimensions : W400 x D420 x H500mm
- Weight : 13.9kg
- Item Code : EH50933 - With ON/OFF Switch & Key & Lock. EU PLUG
- EH50934 - With ON/OFF Switch & Key & Lock. UK PLUG

PENZANCE

40L Minibar Fridge Silent
Thermoelectric (Solid Door)
with On/Off Switch & Key & Lock



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



- Non-wearing Peltier Thermoelectric
- Fuzzy Logic Control System
- No Moving Parts - 100% Silent
- ErP Level : Class E
- Noise : 22dB (Class A)
- Cooling Temperature : 8°C
- Ambient Temperature : 25°C
- Voltage : 220-240V
- Power : 60W
- Refrigeration : R600a
- Certification : CE, CB, UKCA & RoHS Approved
- Capacity : 40L
- Dimensions : W400 x D420 x H550mm
- Weight : 13kg
- Item Code : EH50891 - With ON/OFF Switch & Key & Lock. EU PLUG
- EH50892 - With ON/OFF Switch & Key & Lock. UK PLUG

REDDITCH

40L Minibar Fridge Silent
Thermoelectric (Glass Door)
with On/Off Switch & Key & Lock



Power Switch - Energy Saving in Unoccupied Rooms



With Key & Lock



- Non-wearing Peltier Thermoelectric
- Fuzzy Logic Control System
- No Moving Parts - 100% Silent
- ErP Level : Class D
- Noise : 22dB (Class A)
- Cooling Temperature : 12°C
- Ambient Temperature : 25°C
- Voltage : 220-240V
- Power : 60W
- Refrigeration : R600a
- Certification : CE, CB, UKCA & RoHS Approved
- Capacity : 40L
- Dimensions : W400 x D420 x H550mm
- Weight : 15.7kg
- Item Code : EH50897 - With ON/OFF Switch & Key & Lock. EU PLUG
- EH50898 - With ON/OFF Switch & Key & Lock. UK PLUG

GUEST SAFE BOX

DERBY

14" Top Open Safe



EH50927

- Bright LED Keypad Display
- Programmable Digital Lock with User and Master Codes
- Override Key Included for Emergency Use
- Door Thickness : 3mm
- Body Thickness : 1.2mm
- Colour : Black / Gray
- Battery : Operates on 4 AA Batteries (Not Included)
- Dimensions : W400 x D350 x H130mm
- Weight : 7.4kg
- Certification : CE Approved



Fit in Drawer

BURFORD

15" Hotel Safe



EH50986

- Programmable Digital Lock with 3-8 Digit User Input
- Override Key Included for Emergency Use
- Housing Thickness : 1.5mm
- Door Thickness : 4mm
- Colour : Black
- Battery : Operates on 4 AA Batteries (Not Included)
- Dimensions : W420 x D370 x H200mm
- Weight : 10kg
- Certification : CE & UKCA Approved



DEWSBURY

15" & 17" Hotel Safe



CEU Slot - Optional
Audit Trail Reader
EH50865

- Bright LED Keypad Display
- Programmable Digital Lock with 4 to 6 Digit User Input
- Override Key Included for Emergency Use
- Motorised Locking Door Bolts
- Optional Audit Trail Reader
- Door Thickness : 3mm
- Body Thickness : 1.2mm
- Colour : Black
- Battery : Operates on 4 AA Batteries (Not Included)
- Certification : CE Approved



15" : EH50861
17" : EH50862

Hotel Safe 15"

- Dimensions : W420 x D360 x H190mm
- Weight : 8kg

Hotel Safe 17"

- Dimensions : W420 x D480 x H190mm
- Weight : 9.5kg

WITNEY

15" & 17" Hotel Safe



CEU Slot - Optional
Audit Trail Reader
EH50865

- Bright LED Keypad Display
- Programmable Digital Lock with 4 to 6 Digit User Input
- Override Key Included for Emergency Use
- Motorised Locking Door Bolts
- Optional Audit Trail Reader
- Door Thickness : 3mm
- Body Thickness : 1.2mm
- Colour : Black
- Battery : Operates on 4 AA Batteries (Not Included)
- Certification : CE Approved



15" : EH50859
17" : EH50860

Hotel Safe 15"

- Dimensions : W420 x D360 x H190mm
- Weight : 8kg

Hotel Safe 17"

- Dimensions : W420 x D480 x H190mm
- Weight : 9.5kg

BODMIN

Multi-Function Alarm Clock with Wireless Charging & Speaker



- Built-in Latest Wireless Connection Technology & Able to Pair with Almost All Compatible Devices
- AUX Audio & FM Radio, TF Card and Double USB Port for wire-style pairing
- Back-up Clock Memory with 2x 1.5V AAA Batteries
- Optional USB Type-C Adaptor & Screw fixing point with Anti-Theft Cable
- Power : AC110 - 240V, 50-60Hz
- Wireless Charger Wattage : 10W
- Battery : 2 x 1.5V AAA Batteries (not included)
- Dimensions : W128 x D102 x H77mm
- Weight : 450g
- Certification : CE, UKCA, FCC, RoHS & CCC Approved

EU PLUG : EH50768
UK PLUG : EH50769
USB TYPE C ADAPTOR : EH50775
ANTI-THEFT CABLE : EH50776

ALTON

USB Rechargeable Torchlight



Bright & Powerful



Comes with lanyard for easy hanging and carry



EH50838

- Light & Compact Portable Design - Mini and handy size to keep in the pocket
- Build in rechargeable battery with micro USB charging in 2 hours and constant brightness up to 4 hours!
- Bright & Powerful - 4 modes: High, Low, Flash and Zoomable light
- Dimensions : W137 x D36 x H27mm
- Weight : 98g
- Power : 10W
- Battery : Build-in 1200mAh
- Charging Port : Micro USB port
- Input Voltage : 5V
- Waterproof Rate : IPX4
- Certification : CE & RoHS Approved

SERIES-A

1600W CYLINDRICAL HAIRDRIER

DEVIZES



Wall Mounted For Cylindrical Shape Hairdryer Holder



Removable Concentrator



EU PLUG : SA90035
UK PLUG : SA90034

DEVIZES
EH50866

- Removable Filter for Easy Cleaning
- Complete with Air-Flow Concentrator for Perfect Styling & Drying
- Soft Touch Matt Finish
- Generous cord length 180cm Long
- Safety Thermostat Over-heating Circuit Protection
- Power : 1400 - 1800W (220-240V, 50-60Hz)
- Dimensions : 177mm x 235mm x 75mm
- Weight : 530g
- Certification : CE, CB, UKCA & GS Approved

SERIES-A

EMERGENCY TORCHLIGHT INSTANT - ON



On/Off press switch



Charger Slot
Anti-theft Wall Mounted Holder



SA90005

RECHARGEABLE CHARGER
EU PLUG : SA90007
UK PLUG : SA90006

- High Energy - Efficiency & Quality - 13 LED light with 50,000 hours lifespan
- **INSTANT - ON feature - The torch will illuminate immediately when removed from holder if left in ON mode and replaced in holder**
- Aluminium Oxidation Finishing Flashlight with ABS Holder
- Power : AC 100V - 250V, 50 - 60Hz, 3.9 Watts - hours
- Battery : X3 1.5V AA Alkaline or Lithium batteries (Not Included)
- Lumen : 120
- Beam Angle : 180°
- Dimensions : W178 x D44mm
- Certification : CE Approved

NOTE: Please use rechargeable lithium battery ONLY (Not Included) for rechargeable function



1.0L Water Purifier

INSTANT, PURIFIED HOT WATER

Complete purification, rapid heating, and precise temperature adjustment—all in just 3 seconds. Enjoy fresh, clean water at your fingertips!

Installation Free, can be placed anywhere - No Plumbing, No Pipes

Can be used in different locations, not restricted by water sources and positions. Lifiable water tank, independent of source and placement, suitable for anywhere.

User Friendly Controller & Dispense

Customize water temperature -5-stage temperature control with rotary knob - 25°C-98°C adjustable as desired.

Press to dispense 200ml - Press Stop for less.

Low Standby Power - 0.5W

Integrates the latest in intelligent eco-friendly technology. Combining energy efficiency with powerful performance.

Specifications

Product Name	1.0L Water Purifier
Power	2000-2400W, AC220-240, 50-60Hz
Product Material	ABS
Product Colour	Matt Black
Cable Length	80cm
Water Tank Capacity	1.0L
Water Source	Suitable for Municipal Tap Water Only
5 Temperature	25°C, 60°C, 70°C, 85°C, 98°C
Product Size	405 x 100 x 263mm
Product Weight	2.1kg
Certification	CE, CB, UKCA, REACH & RoHS Approved
Main Unit Model No (Includes 1 Filter)	CP60898 - EU PLUG CP60899 - UK PLUG
Replacement Filter Model No	CP60902

BPA-free

All parts that come into contact with water are made from BPA-free materials.

- Anti-Bacterial Dispense Pipes
- Hygienic 304 Stainless Steel Pipes
- One-click self-cleaning
- Easy filter Replacement System
- Detachable and washable drip tray
- Safety lock for all temperature
- Water shortage indicator
- Clean, minimalist and stylish design
- Temperature Indicator
- Unlimited Purifier Water
- Suitable for Municipal Tap Water Supply



www.climatepure.com



Sustainable Guest Hydration.

Transform Guest Room Water into Pure, Healthy, Unlimited Drinking Water in Seconds



Pioneering Purification



Reduced Limescale - Better Taste



Innovative Technology



Eliminates Contaminants in Tap Water



Secures Minerals Most Filters Eliminates



Destroys Bacteria Commonly Present in Filter Jugs



Distinct from Bottled Water, Free of Microplastics



Avoid Scaley Kettles

Hot & Cold 4.0L Water Purifier

INSTANT, PURIFIED HOT WATER RAPID COOLING, CHILLED WATER

R2 SHIELD MASTER DUAL STREAM

- Double Chamber Multi-Stage Purification.
- Bacterial & Virus Intercept Rate: >99.99%
- Filters out residual chlorine, sediment, pesticides, rust, sand and other impurities, ensuring cleaner, odour-free water.

Double UV-C Lamp Automatic Sterilization

- Double UV-C technology ensures every drop is sterilised, eliminating bacteria, viruses, and fungi.
- Prevents microorganism growth by disrupting their DNA.

Instant Hot Water

- Spiral heating technology delivers hot water at multiple temperature settings (Ambient to 100°C) instantly.

Rapid Cooling

- High efficiency R600a compressor cooling - chilled water to 5°C.

Installation-Free Design

- No plumbing or pipes needed.
- Portable, with a liftable 4L water tank, making it easy to use anywhere.

- Total Dissolved Solids (TDS) Indicator.
- Energy-efficient with low standby power.
- Stainless-steel cold water tank.
- Isolated double filter chambers prevent contamination of stored water.
- One-click self-cleaning system.
- Easy filter replacement and washable drip tray.
- Safety lock for temperatures ranging from 45° to 100° and water shortage indicator.
- Super large, bright touch screen design - easy to operate.
- Stylish, minimalist design.

Specifications

Product Name	Hot & Cold 4.0L Water Purifier
Power	2200-2300W, AC220-240, 50Hz
Product Material	ABS
Product Colour	Matt Black
Cable Length	1 Metre
Water Tank Capacity	4.0L
Filtration Method	Reverse Osmosis
Water Source	Suitable for Municipal Tap Water Only
Cold Temperature	5-10°C
Temperature Range	Ambient-100°C
Product Size	468 x 213 x 390mm
Product Weight	11.2kg
Certification	CE, CB, UKCA, REACH & RoHS Approved
Main Unit Model No (Includes 2 Filters)	CP60900 - EU PLUG CP60901 - UK PLUG
Replacement Non-woven Fabric PP Post Activated Carbon (PAC) Cellulose Filter Model No	CP60908
Replacement Reverse Osmosis Membrane Filter (RO) Model No	CP60909



www.climatepure.com



Sustainable Water Solution.

Experience Pure, Healthy Water Anytime, At Your Convenience.



LED Touch Screen



Hot and Cold Water in One



RO Filtration Technology



Scale-free Clean Taste



Removes Impurities in Tap Water



Kills Bacteria Often Found in Filter Jugs



Unlike Bottled Water, No Microplastics



No Need For Scaley Kettles



is a brand of the EMBERTON™ Group



EMBERTON™

Established 1986

EMBERTON. INVEST FOR YOUR GUEST

*"Investing in electrical engineering and technology
to improve the safety, reliability and performance
of electrical appliances worldwide"*

INTELLECTUAL PROPERTY

Patents & Registered Designs



TOUGH BOARD - Rugged & Durable. We have combined a rugged frame with heavy duty metal components and robotic welds to withstand guests' tough use.




DUAL SAFE- An organic, thermo-sensitive material, remarkably sensitive to abnormally high temperatures. Upon sensing critical heat levels, DUAL SAFE activates and the electrical current will be interrupted immediately and permanently.



WATER TANK TECHNOLOGY - Special anti-fracture water tank welding technique ensures a permanent seal to prevent water leakage.

OUR SAFETY CERTIFICATIONS

Safety is our priority. World standards



Click for products : <https://emberton.com/catalogue>



www.emberton.com

Distributed By