GUEST ROOM

EMBERTON™

CLIMATE® PURE

Broadway

Espresso Coffee Machine

Intense espresso, instant hot water and purified room-temperature drinking water - from one compact machine that runs on tap water.



Espresso Coffee

19-bar Italian pump for rich aroma. Takes Nespresso® * Original capsules.



Hot Water for Tea

Instant hot water for tea and other hot drinks - no kettle needed.



Purified Water

Filtered, UV-C sterilised drinking water at room temperature.

EU REGISTERED COMMUNITY DESIGN



(Coffee Capsules & Cups NOT included)



Pure Instant HOT Water

FILTRATION & UV-C SYSTEM

- Filters out impurities and reduces limescale build-up
- UV-C sterilizes every drop for cleaner, safer water



ROOM Temperature Drinking Water with UV-C Sterilization

GUEST ROOM



Broadway

Espresso Coffee Machine

Designed for Hotels, Homes & Office

Water & Filtration

- Separate Water Channels – Dedicated channels for coffee, filtered hot water and ambient water.
- Optional Water Filter – Operates with or without the filter.
- Easy-to-Install Filter – Quick and simple filter installation.
- Cleaner Water & Better Taste – Reduces chlorine, odours and other contaminants for better-tasting water.
- Limescale Protection – Helps reduce limescale build-up and protect the machine.
- Long Filter Lifespan – Up to 6 months / 100L, equivalent to approximately 1,000 × 100ml dispenses.
- Automatic UV-C Sterilisation – Automatically sterilises water for enhanced hygiene.

Coffee Performance

- 19-Bar Pressure Pump – Delivers rich aroma and optimal coffee extraction.
- Fast Heating System – Ready to dispense in ≤50 seconds.
- Capsule Compatible – Aluminium & Compostable Capsules, including Nespresso®* Original.
- Used Capsule Container – Holds up to 8 used capsules.

Smart & Convenient


- Smart Touch Controls – Select coffee, room-temperature or hot water with programmable volume settings.
- Adjustable Drip Tray – Accommodates both small and large cups.
- Non-Slip Rubber Feet.
- No Bottled Water or Separate Kettle Needed – One compact solution for coffee, hot water and ambient water.

Safety & Guarantee

- 3-Year Manufacturer Guarantee – Reliable performance and lasting peace of mind.
- Dual Safe Thermofuse Technology – Automatically cuts power if overheating is detected, helping protect the machine and guests.



Touch Screen User Interface



Dual Water Piping System
Separate Coffee & Water Channels
for cleaner flow and better coffee taste

GUEST ROOM

Insertable Water Filter


Easily Fits into the Water Tank for Cleaner, Better – Tasting Coffee

NSF/ANSI 42

Chlorine Reduction

Improves Taste & Odor

Reduced Limescale




SHIELD MASTER BW.1
CP60916

Three-layer Purification



Activated Carbon
Coconut-shell granules reduce chlorine and improve taste and odour.



Ion-Exchange Resin
Swaps calcium and magnesium ions for potassium to reduce limescale formation.



Filter
CP60916

1. Drop the filter into the tank.

2. Close the lid - ready to brew.

Filter Specifications

Product Name	SHIELD MASTER BW.1
Product Colour	White
Housing Material	Food Grade PP
Filter Media	Activated Carbon Granular (coconut shell base) Ion-exchange Resin (Potassium type)
Max Flow Rate	0.8L/Min
Working Temp.	1˚C - 38˚C
Performance	Reduce chlorine, taste, odor and prevent limescale build up
Optimum Filter Life	80 Litres (21.2 Gallons)
Maximum Filter Life	100 Litres (26.5 Gallons)
Filter Lifespan	Average up to 6 months (165 days) (Based on an average usage of 100 Litres)
Product Size	57 x 40 x 158mm
Product Weight	88g
Filter Model No	CP60916

BPA FREE

Pb LEAD-FREE

CLIMATE® PURE

EMBERTON LIMITED
Mountfield House, Mountfield Industrial Estate,
Mountfield Road, New Romney,
Kent TN28 8LH, England, United Kingdom.

Emberton sp. z o.o
ul. Poematu 6/101, 04-993 Warszawa, Poland.
Email: info@climatepure.com

Made in China

www.climatepure.com

GUEST ROOM

Brew Pure, Delicious Coffee Every Time

Discover the 3-in-1 espresso coffee machine designed for convenience and quality. With a removable water tank and integrated filter, it ensures clean, fresh water for every cup. Compact and elegant, it's perfect for small spaces, hotel rooms, delivering rich flavour, aroma, and a satisfying coffee experience with every brew.

Parts Description





Removable Tap Water Tank



Lever Control - Switch Easily Between Closed & Open Position for Convenient Operation

Specifications

Power	1200W (220–240V, 50/60Hz)
Dimensions	116 x 323 x 262mm
Water Tank Capacity	800ml (with Filter); 1000ml (without Filter)
Cord Length (Exposed)	≥1.0M
Pump Pressure	19 bar
Preheating Time	≤45s
Automatic Power Off	10 min Inactivity
Dispense Volume (Default)	80ml, Default Room & Hot: 100ml
Electrical Insulation	Class I
Certification	CE, CB, UKCA, ERP, RoHS
Weight	2.8 kg (Filter Included)
Item Code	EH50990 - WITH FILTER/ WITH UV -C. EU PLUG
	EH50991 - WITH FILTER/ WITH UV -C. UK PLUG
	EH50996 - WITHOUT FILTER/ WITHOUT UV -C. EU PLUG
	EH50997 - WITHOUT FILTER/ WITHOUT UV -C. UK PLUG

3 YEAR GUARANTEE

Design Protected by
International Registered Designs
& Patents Pending
© Emberton Group Inc

DUAL SAFE THERMOFUSE TECHNOLOGY

CB CE UKCA

BPA FREE

Pb LEAD-FREE

PLATINUM Top 1% ecovadis Sustainability Rating FEB 2026

* Nespresso® is a registered trademark owned by a third-party company which is not connected in any way with Emberton/ClimatePure
* 3 in 1 Espresso Coffee Maker Only – Excludes Coffee Capsules & Cups

EMBERTON LIMITED
Mountfield Industrial Estate, Mountfield Road,
New Romney, Kent TN28 8LH, England
Telephone: +44 1797 361 256
Email: info@emberton.com Website: www.emberton.com

© Copyright 2026. All Rights Reserved.